

CSAR Service - Management Report

December 1999

This report documents the quality of the CSAR service during the month of December 1999.

A more comprehensive report is provided quarterly, which additionally covers wider aspects of the Service such as information on Training, Application Support and Value-Added services.

This and other such reports are made available through the Web to staff within EPSRC and the other Research Councils, to CfS staff and CSAR Service users. The reports are indexed in a similar way to that which other useful information and news are listed for selection.

1. Introduction

December has seen the T3E workload remain high however this did tail off towards the Christmas break resulting in an overall throughput under baseline capacity.

This document gives information on Service Quality and on actual usage of the CSAR Service during the reporting period of December 1999. The information, in particular, covers the availability and usage of the following two main CSAR Service High Performance Computing (HPC) systems:

- Cray T3E-1200E/576 (Turing)
- SGI Origin2000/16 (Fermat).

The information is provided in both textual and graphical form, so that it is easier to see trends and variances.

2. Service Quality

This section covers overall Customer Performance Assessment Ratings (CPARS), HPC System availability and usage, Service Quality Tokens and other information concerning issues, progress and plans for the CSAR Service.

2.1 CPARS

Table 1 gives the measure by which the quality of the CSAR Service is judged. It identifies the metrics and performance targets, with colour coding so that different levels of achievement against targets can be readily identified. Unsatisfactory actual performance will trigger corrective action.

CSAR Service - Service Quality Report - Performance Targets

Service Quality Measure	Performance Targets					
	White	Blue	Green	Yellow	Orange	Red
HPC Services Availability						
Availability in Core Time (% of time)	> 99.9%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Availability out of Core Time (% of time)	> 99.8%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Number of Failures in month	0	1	2 to 3	4	5	> 5
Mean Time between failures in 52 week rolling period (hours)	>750	>500	>300	>200	>150	otherwise
Fujitsu Service Availability						
Availability in Core Time (% of time)	> 99.9%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Availability out of Core Time (% of time)	> 99.8%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Help Desk						
Non In-depth Queries - Max Time to resolve 50% of all queries (working days)	< 1/4	< 1/2	< 1	< 2	< 4	4 or more
Non In-depth Queries - Max Time to resolve 95% of all queries (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
Administrative Queries - Max Time to resolve 95% of all queries (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
Help Desk Telephone - % of calls answered within 2 minutes	>98%	> 95%	> 90%	> 85%	> 80%	80% or less
Others						
Normal Media Exchange Requests - average response time (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
New User Registration Time (working days)	< 1/2	< 1	< 2	< 3	< 4	otherwise
Management Report Delivery Times (working days)	< 1	< 5	< 10	< 12	< 15	otherwise
System Maintenance - no. of scheduled sessions taken per system in the month	0	1	2	3	4	otherwise

Table 1

Table 2 gives actual performance information for the period of December 1st to 31st inclusive. Overall, the CPARS Performance Achievement was satisfactory (see Table 3); i.e. blue measured against the CPARS performance targets. The Fujitsu availability figures are included in Table 2 but not Table 3 as they have zero weighting in CPARS terms.

CSAR Service - Service Quality Report - Actual Performance Achievement

Service Quality Measure	1999											
	Jan	Feb	March	April	May	June	July	Aug.	Sept	Oct	Nov	Dec
HPC Services Availability												
Availability in Core Time (% of time)	99.70%	100%	100%	97.10%	98.50%	99.70%	99.70%	100%	100%	100%	100%	100%
Availability out of Core Time (% of time)	100%	99.40%	98.51%	98.10%	99.71%	99.40%	99.40%	99.40%	99.5%	100%	100%	99.70%
Number of Failures in month	1	3	1	1	3	2	2	1	1	0	0	1
Mean Time between failures in 52 week rolling period (hours)	744	354	432	480	453	395	391	416	437	486	534	563
Fujitsu Service Availability												
Availability in Core Time (% of time)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	99.30%	100%
Availability out of Core Time (% of time)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	100%	100%
Help Desk												
Non In-depth Queries - Max Time to resolve 50% of all queries	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Non In-depth Queries - Max Time to resolve 95% of all queries	<1	<2	<2	<1	<3	<3	<2	<2	<1	<3	<2	<1
Administrative Queries - Max Time to resolve 95% of all queries	<1	<5	<2	<2	<2	<1	<1	<1	<1	<2	<1	<0.5
Help Desk Telephone - % of calls answered within 2 minutes	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Others												
Normal Media Exchange Requests - average response time	<0.5	0	<0.5	<0.5	<0.5	<0.5	0	0	0	0	0	0
New User Registration Time (working days)	<2	0	0	0	0	0	0	0	0	0	0	0
Management Report Delivery Times (working days)	10	10	10	10	10	10	10	10	10	10	10	10
System Maintenance - no. of sessions taken per system in the month	2	2	2	0	1	2	2	2	1	2	2	2

Table 2

Notes:

- HPC Services Availability has been calculated using the following formulae, based on the relative NPB performance of Turing and Fermat:

$$[\text{Turing availability} \times 122 / (122 + 3.5)] + [\text{Fermat availability} \times 3.5 / (122 + 3.5)]$$
- Mean Time between failures for Service Credits is formally calculated from Go-Live Date.

Table 3 gives Service Credit values for the month of December. These will be accounted on a quarterly basis, formally from the Go-Live Date. The values are calculated according to agreed Service Credit Ratings and Weightings.

CSAR Service - Service Quality Report - Service Credits


Service Quality Measure	1999											
	Jan	Feb	March	April	May	June	July	Aug.	Sept	Oct	Nov	Dec
HPC Services Availability												
Availability in Core Time (% of time)	-0.039	-0.058	-0.058	0.078	0.039	-0.039	-0.039	-0.058	-0.058	-0.058	-0.058	-0.058
Availability out of Core Time (% of time)	-0.047	0	0	0.039	-0.039	0	0	0	-0.039	-0.047	-0.047	-0.039
Number of Failures in month	-0.008	0	-0.008	-0.008	0	0	0	-0.008	-0.008	-0.009	-0.009	-0.008
Mean Time between failures in 52 week rolling period (hours)	-0.008	0	0	0	0	0	0	0	0	0	-0.008	-0.008
Help Desk												
Non In-depth Queries - Max Time to resolve 50% of all queries	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019
Non In-depth Queries - Max Time to resolve 95% of all queries	-0.016	0	0	-0.016	0.016	0.016	-0.016	-0.016	-0.016	0.016	-0.016	-0.016
Administrative Queries - Max Time to resolve 95% of all queries	-0.016	0.031	0	0	0	-0.016	-0.016	-0.016	-0.016	0	0	0
Help Desk Telephone - % of calls answered within 2 minutes	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004
Others												
Normal Media Exchange Requests - average response time	-0.002	N/A	-0.002	-0.002	-0.002	-0.002	N/A	N/A	N/A	N/A	N/A	N/A
New User Registration Time (working days)	0	0	0	0	0	0	0	0	0	-0.019	-0.019	-0.019
Management Report Delivery Times (working days)	0	0	0	0	0	0	0	0	0	0	0	0
System Maintenance - no. of sessions taken per system in the month	0	0	0	-0.004	-0.003	0	0	0	-0.003	0	0	0
Monthly Total & overall Service Quality Rating for each period:	-0.08	-0.02	-0.05	0.03	-0.01	-0.03	-0.05	-0.06	-0.08	-0.07	-0.10	-0.09

Table 3


2.2 Service Quality Tokens

The current position at the end of December 1999 is that none of the 395 registered users of the CSAR Service had used Service Quality Tokens.

The graph below shows the total number of registered users on the CSAR Service and the number of users holding a neutral view of the service.



The graph below illustrates the monthly usage trend of quality tokens:



The current status of no black or gold service tokens outstanding is due to the action agreed from a previous User Steering group, which gave tokens a two month expiry period.

2.3 Throughput Target against Baseline

The Baseline Target for throughput was not achieved this month due to lack of work over the Christmas break. The actual usage figure was 95% of Baseline capacity.

Job Throughput Against Baseline CSAR Service Provision

Period: 1st to 31st December 1999

	Baseline Capacity for Period (T3E PE Hours)	Actual Usage in Period (T3E PE Hours)	Actual % Utilisation c/w Baseline during Period
1. Has CfS failed to deliver Baseline MPP Computing Capacity for EPSRC?	361,804	345,377	95.46%
2. Have Users submitted work demanding > 110% of the Baseline during period?	361,804	341,923	No
3. Are there User Jobs outstanding at the end of the period over 4 days old?		Number of Jobs at least 4 days old at end Period 0	Number of Jobs at least 4 days old at end Period is not zero (Yes/No)? No
4. Have Users submitted work demands above 90% of the Baseline during period?		Minimum Job Time Demands as % of Baseline during Period 3%	Minimum Job Time Demand above 90% of Baseline during Period (Yes/No)? No
5. Majority of Job Queues contained jobs from Users for more than 97% during period?	4	Average % of time each queue contained jobs in the Period 57.0%	Average % of time each queue contained jobs in the Period is > 97%? No


3. System Availability

Service availability each reporting period is calculated as a percentage of actual availability time over theoretical maximum time, after accounting for planned breaks in service for preventative maintenance.


3.1 Cray T3E-1200E System (Turing)

The following graphs show the availability of Turing both in core time and out of core time respectively during the period of 1st to 31st December.

Turing availability for December:




Availability of Turing in core time during December was excellent.




Availability of Turing out of core time during was good with the exception of the 9th when we suffered a short break in service.

3.2 SGI Origin2000 System (Fermat)

The following graphs show the availability of Fermat both in core time and out of core time respectively.



Availability of Fermat in core time during December was excellent.



Availability of Fermat out of core time during December was excellent.

4. HPC Services Usage

Usage information is given in tabular form, in Appendices, and in graphical format. The system usage information for the period of December 1st to 31st is provided by Project/User Group, totalled by Research Council and overall. This covers:

- CPU usage Turing: 345,377 PE Hours Fermat: 3,727.8 CPU Hours
- User Disk allocation Turing: 40.12 GB Years Fermat: 18.09 GB Years
- HSM/tape usage 591.76 GB Years


In addition, the following graphs are provided to illustrate usage per month, historically:

- a) MPP (T3E) Usage by month, showing usage each month of CPU (T3E PE Elapsed Hours), split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline Capacity (103 GFLOP-Years) is shown by an overlaid horizontal line.
- b) SMP (Origin) Usage by month, showing usage each month in CPU Hours, split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline Capacity (3.5 GFLOP-Years) is shown by an overlaid horizontal line.
- c) High Performance Disk (T3E) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1 Terabyte) is shown by an overlaid horizontal line.
- d) Medium Performance Disk (Origin) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1.5 Terabytes) is shown by an overlaid horizontal line.
- e) HSM/Tape Usage (T3E) by month, showing the volumes held each in GBytes, split by Research Council. The Baseline Capacity (16 Terabytes) available will be shown by an overlaid horizontal line.

4.1 Cray T3E-1200E System (Turing)

The following graph shows the usage of Turing during each day of December 1999. Note that there is some variance on a day-to-day basis as the accounts record job times, and thus CPU usage figures, at the time of job completion which could be the second actual day for large jobs. At present, there is a 12 hour limit on jobs, so that they are check-pointed, and computational time lost due to any failure is well managed.

Turing usage for December:



The above usage graph for the Turing system shows that the overall workload was variable, though as can be seen from the graph above the load tailed off towards the end of the month.


The workload at times reached 100% of maximum theoretical capacity.

Fine tuning of the CfS scheduling system will continue to ensure minimal wasting of PE resource, in order to fit in a number of different sized jobs (e.g. 32, 64, 128, 256) thus facilitating maximised job throughput.

In particular, Turing will continue to start large jobs above 256 PEs, including 512 PEs, every night they are queued.


4.2 SGI Origin2000 System (Fermat)

The usage of the Origin system was low for the month with the daily usage of the system averaging only 31% of theoretical maximum. This figure does not show that in some periods CPU time is running at 99.9% of the total available CPU time. The groups most heavily using the Fermat system are CSE002 (Gillan), CSE30 (Cates), CSE029 (Leschzine) and CSN001 (Webb).



The next graph shows the utilisation of the, now fully integrated Fujitsu system.


4.2.1 Fujitsu VPP 300/6 System (Fuji)




Utilisation of the Fujitsu system was variable, and particularly low during the Christmas break.

4.3 Disk/HSM Usage Charts


The graphs below show current disk and HSM allocations and usage.



The preceding graph shows actual usage on average against the current allocation of disk on the Turing system.





The above graph shows the disk allocations against usage on average of the disk on Fermat.




The above graph shows the total usage of the HSM facility by Research Council.

The next two graphs give actual usage of HSM by Research Council and by Consortium.




CSE002 (Gillan), CSE004 (Sandham), CSE024 (Tennyson), CSN001 (Webb) & CSN003 (O'Neill).

Job statistics for Turing:




The above graph shows the number of jobs of the major sizes run in the period 1st to 31st December 1999.

The next graph shows the wait times in minutes for the major categories of jobs.




The above chart shows the average wait time trend over the months from January to date.




It can be seen from the above graph that enhancements to the scheduling on Turing have reduced the average wait times however attention must be paid to ensure sufficient head room exists in the system to prevent wait times from rising overall.


The next graph shows the percentage Turing time utilised by the major job categories for the month.



The average job size in the month of December increased against November, with 50% of the machine time being occupied by jobs using between 65 and 256 PEs.




Turing PE usage is shown by Research Council during the months of service to date in the above chart.




Origin 2000 CPU usage is shown by Research Council during the months of service to date in the above chart.

4.4 Class 2 & 3 Usage Charts


The next series of charts show the usage of the system by the class 2 & class 3 users. The usage is shown by project and identifies the Research Council of the individual projects.




The above chart shows the PE usage of the Turing system by class 2 and class 3 users.




The above chart shows the CPU usage of the Fermat system by class 2 and class 3 users.



The above chart shows the disk allocations on the Turing system by class 2 and class 3 users.



The above chart shows the disk allocations on the Fermat system by class 2 and class 3 users.




The above chart shows the HSM usage by class 2 and class 3 users.


4.5 Charts of Historical Usage

In all the Usage Charts, the baseline varies dependant on the number of days in each month, within a 365-day year. The reduced Baseline in December 1998 represents half a month.


The graph below shows the PE hour's utilisation on Turing by Research Council from December 1998.




The graph below shows the historic CPU usage on Fermat by Research Council from December.



The next series of graphs illustrates the usage of the disk and HSM resources of the system.




The preceding graph illustrates the historic allocation of the High Performance Disk on Turing.




The graph above illustrates the historic allocation of the Medium Performance Disk on Fermat.

The graph below shows the historic HSM usage by Research Council funded projects. The primary usage is for NERC.




The next chart shows the historic usage of the Fuji system.



4.5 Guest System Usage Charts

The following graph shows the CPU usage on the current available CSAR guest system.



There was zero usage on the CSC J90 guest system in the month of December.

5. Service Status, Issues and Plans

5.1 Status

The systems continue to run well with a variable workload. Turing and Fermat were both lightly loaded with work over the Christmas period.

All the systems continued to run uninterrupted through the millennium change over.

5.2 Issues

Turing, at times, is heavily loaded with jobs and the Capacity Plans dictate an increasing workload.

5.3 Plans

It is planned to upgrade Turing in the first half of 2000. Details will be released shortly.

6. Conclusion

December 1999 saw the overall CPARS rating at blue, with usage a little below the Baseline Capacity.

The overall Service Quality for the year was “Green”, a little better than the CPARS Targets.

Continued management attention will be given to maximise the throughput of the Service, whilst balancing as fairly as practicable the shares between Projects and jobs of the varying sizes.

Appendix 1 contains the accounts for December 1999

Appendix 2 contains the Percentage shares by Consortium for December 1999

Appendix 3 contains the Percentage shares by Research Council for December 1999

Appendix 4 contains the Training and support figures to the end of December 1999

Appendix 5 contains a reference table of the consortia name, the subject area and the PI name.

Appendix 1

CfS Supercomputer Service

Usage report for Research Council Projects

From Wednesday 1-Dec-99 to Friday 31-Dec-99

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocln	HSM
CSE001	Admin users	turing	-	-	-	-	0.00	0.00	-
		fermat	-	-	-	-	0.00	-	-
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
Total for Subject									
EPSRC Administration	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE002	gr/m01753 Gillan	turing	-	608.73	-	608.73	-	0.00	-
		fermat	-	-	-	-	-	0.00	-
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
CSE002a	gr/m01753 Gillan	turing	45.73	1676.23	3957.16	-	5679.11	3.52	4.76
		fermat	802.28	-	-	-	802.28	0.12	1.44
		fuji	-	-	-	-	-	-	3.05
		CSCJ90	-	-	-	-	-	-	-
CSE002b	gr/m01753 Gillan	turing	0.01	-	-	-	0.01	0.30	1.02
		fermat	-	-	-	-	-	0.00	0.08
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
CSE002c	gr/m01753 Gillan	turing	0.59	-	7053.78	-	7054.37	0.77	1.27
		fermat	-	-	-	-	-	0.02	0.59
		fuji	-	-	-	-	-	-	0.27
		CSCJ90	-	-	-	-	-	-	-
CSE002d	gr/m01753 Gillan	turing	0.00	-	-	-	0.00	0.00	0.17
		fermat	-	-	-	-	-	0.06	0.91
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
CSE002e	gr/m01753 Gillan	turing	0.00	-	-	-	0.00	0.31	0.85
		fermat	-	-	-	-	-	0.18	0.85
		fuji	-	-	-	-	-	-	1.70
		CSCJ90	-	-	-	-	-	-	-
CSE002f	gr/m01753 Gillan	turing	23.50	-	3743.68	-	3767.18	0.25	0.85
		fermat	-	-	-	-	-	0.02	0.59
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
CSE002g	gr/m01753 Gillan	turing	0.00	-	-	-	0.00	0.08	0.21
		fermat	0.15	-	-	-	0.15	0.02	0.51
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
CSE002h	gr/m01753 Gillan	turing	-	-	-	-	-	0.04	0.08
		fermat	-	-	-	-	-	0.00	0.08
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-
CSE002i	gr/m01753 Gillan	turing	19.76	-	1781.55	-	1801.30	0.44	0.98
		fermat	-	-	-	-	-	0.00	0.45
		fuji	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-

CfS Supercomputer Service

				----- CPU Usage (Hours) -----				----- Storage (GB-Years) -----			
Account				Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
CSE003	gr/m01784	Taylor	turing	-	-	-	-	-	-	0.09	-
			fermat	-	-	-	-	-	-	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003a	gr/m01784	Taylor	turing	-	-	-	-	-	0.04	0.68	-
			fermat	-	-	-	-	-	0.01	0.04	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003b	gr/m01784	Taylor	turing	29.52	-	46886.13	-	46915.65	0.13	1.78	-
			fermat	-	-	-	-	-	0.00	0.04	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003c	gr/m01784	Taylor	turing	-	-	-	-	-	0.00	0.01	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003d	gr/m01784	Taylor	turing	-	-	-	-	-	-	0.00	-
			fermat	-	-	-	-	-	-	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003e	gr/m01784	Taylor	turing	-	-	-	-	-	-	0.00	-
			fermat	-	-	-	-	-	-	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003f	gr/m01784	Taylor	turing	-	-	-	-	-	0.01	0.04	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003g	gr/m01784	Taylor	turing	-	-	-	-	-	-	0.00	-
			fermat	-	-	-	-	-	-	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003h	gr/m01784	Taylor	turing	-	-	-	-	-	-	0.00	-
			fermat	-	-	-	-	-	-	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003i	gr/m01784	Taylor	turing	100.93	32.05	3516.10	-	3649.09	0.52	0.65	-
			fermat	3.13	-	-	-	3.13	0.00	0.02	0.70
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003j	gr/m01784	Taylor	turing	-	-	-	-	-	-	0.00	-
			fermat	-	-	-	-	-	-	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003k	gr/m01784	Taylor	turing	0.02	-	532.28	-	532.30	0.01	0.06	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE003m	gr/m01784	Taylor	turing	0.06	-	-	-	0.06	0.00	0.08	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				----- Storage (GB-Years) -----				
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM	
CSE003n	gr/m01784 Taylor	turing	0.00	-	-	-	0.00	0.14	0.89	-
		fermat	-	-	-	-	-	0.00	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE007	gr m05348 Foulkes	turing	1.49	-	232.04	-	233.52	0.27	0.59	-
		fermat	-	-	-	-	-	0.00	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
cse021	GR/L95427 Staunton	turing	-	-	-	-	-	0.00	0.08	-
		fermat	-	-	-	-	-	0.00	0.08	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE023	GR/M16023 Allen	turing	-	-	-	-	-	0.00	0.08	-
		fermat	-	-	-	-	-	0.00	-	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE025	GR/L22331 Bishop	turing	0.04	-	348.91	-	348.96	0.00	0.04	-
		fermat	-	-	-	-	-	0.00	0.04	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE030	GR/M56234 Cates	turing	-	-	-	-	-	-	0.00	-
		fermat	-	-	-	-	-	0.00	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE030a	GR/M56234 Cates	turing	0.12	2.12	1.85	-	4.09	0.10	1.36	-
		fermat	303.82	-	-	-	303.82	0.06	0.85	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE030b	GR/M56234 Cates	turing	14.17	-	3474.98	-	3489.15	0.56	1.40	-
		fermat	-	-	-	-	-	0.00	0.66	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE030d	GR/M56234 Cates	turing	-	-	-	-	-	0.00	0.21	-
		fermat	-	-	-	-	-	0.00	0.68	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
Total for Subject										
Physics		turing	235.94	1710.40	72137.18	-	74083.52	7.49	18.26	-
		fermat	1109.38	-	-	-	1109.38	0.50	7.94	5.72
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE006	gr/m05201 Briddon	turing	95.41	-	22336.20	-	22431.61	0.22	0.42	-
		fermat	-	-	-	-	-	0.00	0.01	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSE026	GR/L76693 Neal	turing	0.00	-	-	-	0.00	0.00	0.01	-
		fermat	-	-	-	-	-	-	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account Total for Subject		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
Materials	turing	95.41	-	22336.20	-	22431.61	0.23	0.43	-
	fermat	-	-	-	-	-	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE004 gr/m08424 Sandham	turing	4.91	-	47372.81	-	47377.72	2.17	3.52	-
	fermat	0.18	-	-	-	0.18	0.20	1.27	7.14
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE010 gr/104108 Williams	turing	-	-	-	-	-	0.00	0.01	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE011 gr/k52317 Williams	turing	0.02	-	-	-	0.02	0.52	0.54	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cse013 gr/k43902 Leschzine	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE013b gr/k43902 Leschzin	turing	0.00	-	-	-	0.00	0.03	0.04	-
	fermat	92.73	-	-	-	92.73	0.00	0.02	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE013c gr/k43902 Leschzin	turing	-	-	-	-	-	0.02	0.03	-
	fermat	-	-	-	-	-	-	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE013d gr/k43902 Lesc	turing	2.41	-	188.12	-	190.53	0.05	0.06	-
	fermat	-	-	-	-	-	0.00	0.04	0.11
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cse014 GR/K73466 Goddard	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE016 GR/K96519 Cant	turing	-	-	-	-	-	0.08	0.34	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cse018 GR/L68353 Cant	turing	-	-	-	-	-	0.00	0.34	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cse022 GR/L98527 Jones	turing	3.53	-	25.76	-	29.29	0.02	0.05	-
	fermat	-	-	-	-	-	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE029 GR/L58804 Leschzine	turing	-	-	-	-	-	-	-	-
	fermat	946.30	-	-	-	946.30	0.02	0.08	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Alloca	HSM
Total for Subject									
Engineering	turing	10.87	-	47586.69	-	47597.56	2.89	4.94	-
	fermat	1039.22	-	-	-	1039.22	0.23	1.43	7.25
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE008	GR/M07624 Hillier	6.98	-	13881.35	-	13888.34	0.09	0.17	-
	fermat	304.27	-	-	-	304.27	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE009	gr/m07441 Catlow	39.86	-	13510.30	-	13550.16	0.86	1.70	-
	turing	39.86	-	13510.30	-	13550.16	0.86	1.70	-
	fermat	243.77	-	-	-	243.77	0.01	0.08	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cse024	GR/M44453 Tennyson	5.26	2120.82	87740.57	-	89866.64	0.13	2.97	-
	fermat	1.88	-	-	-	1.88	0.00	2.97	21.56
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cse033	GR/M63874 Imregun	0.00	-	-	-	0.00	0.00	0.00	-
	turing	0.00	-	-	-	0.00	0.00	0.00	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE035	GR/M76720 King	0.34	-	1711.87	-	1712.21	0.04	0.25	-
	turing	0.34	-	1711.87	-	1712.21	0.04	0.25	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
Chemistry	turing	52.44	2120.82	116844	-	119017	1.12	5.10	-
	fermat	549.92	-	-	-	549.92	0.02	3.06	21.56
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE019	cr/173104 Berzins	-	-	-	-	-	0.03	0.08	-
	fermat	-	-	-	-	-	0.00	0.08	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE020	GR/L75139 Szularz	-	-	-	-	-	0.01	0.08	-
	turing	-	-	-	-	-	0.01	0.08	-
	fermat	-	-	-	-	-	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
Information Technology	turing	-	-	-	-	-	0.04	0.17	-
	fermat	-	-	-	-	-	0.00	0.09	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE034	gr/m78342 Durham	1.44	-	1.49	-	2.93	0.00	0.01	-
	fermat	0.12	-	-	-	0.12	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			HSM
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	
Total for Subject									
Mathematics	turing	1.44	-	1.49	-	2.93	0.00	0.01	-
	fermat	0.12	-	-	-	0.12	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
EPSRC Class 1	turing	396.09	3831.22	258905	-	263132	11.78	28.92	-
	fermat	2698.63	-	-	-	2698.63	0.75	12.55	34.53
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
HPCI Southampton									
	turing	0.00	-	-	-	0.00	0.04	0.22	-
	fermat	-	-	-	-	-	0.00	0.22	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
HPCI Daresbury									
	turing	0.13	-	-	-	0.13	0.07	0.08	-
	fermat	1.05	-	-	-	1.05	0.00	0.03	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
HPCI Edinburgh									
	turing	-	-	-	-	-	0.00	0.08	-
	fermat	0.02	-	-	-	0.02	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
HPCI Class 1	turing	0.13	-	-	-	0.13	0.11	0.39	-
	fermat	1.07	-	-	-	1.07	0.00	0.24	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN001 SOC Core Strategic									
	turing	13.94	50.99	1803.58	-	1868.50	2.67	4.25	-
	fermat	776.80	-	-	-	776.80	0.48	4.25	58.19
	fuji	37.58	-	-	-	37.58	0.04	0.42	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN002 gr3.10789 Hillier									
	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
badc									
	turing	-	-	-	-	-	-	-	-
	fermat	0.32	-	-	-	0.32	0.00	-	90.28
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN003 UGAMP O'Neill									
	turing	92.98	12.37	60072.81	-	60178.16	0.91	1.63	-
	fermat	246.67	-	-	-	246.67	0.10	0.85	406.92
	fuji	521.56	-	-	-	521.56	0.39	20.64	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN005 GR9/2909 Davies									
	turing	2.38	-	2719.01	-	2721.40	0.60	1.44	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN006 GR9/3550 Price									
	turing	150.86	-	15388.09	-	15538.95	1.14	2.04	-
	fermat	-	-	-	-	-	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				Total	--- Storage (GB-Years) ---		HSM
		Inter	Priority	Normal	Low		D-Usage	D-Allocln	
CSN007 GST/02/1454 Price	turing	-	-	-	-	-	0.11	0.07	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN009 GST/02/1472 Proctor	turing	4.11	-	-	-	4.11	0.02	0.06	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN011 GST/02/1889 Thorpe	turing	0.07	-	68.38	-	68.45	0.11	0.17	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSN012	turing	-	-	-	-	-	-	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	80.36	-	-	-	80.36	0.03	1.44	-
	CSCJ90	-	-	-	-	-	-	-	-
MiscFuji	turing	-	-	-	-	-	-	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	26.20	-	-	-	26.20	0.01	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
NERC Class 1	turing	264.34	63.36	80051.86	-	80379.56	5.56	9.66	-
	fermat	1023.78	-	-	-	1023.78	0.58	5.10	555.39
	fuji	665.71	-	-	-	665.71	0.47	22.51	-
	CSCJ90	-	-	-	-	-	-	-	-
CSB001 27/B07117 Goodfello	turing	0.00	-	-	-	0.00	0.03	0.04	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSB002 86/B10059 Danson	turing	-	-	-	-	-	0.02	0.08	-
	fermat	-	-	-	-	-	0.00	0.08	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSB003 117/S09645 Williams	turing	-	-	-	-	-	0.01	0.03	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
BBSRC Class 1	turing	0.00	-	-	-	0.00	0.06	0.16	-
	fermat	-	-	-	-	-	0.00	0.09	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSP002 NPSSAP Chapman	turing	5.15	-	587.49	-	592.65	0.00	0.51	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
PPARC Class 1	turing	5.15	-	587.49	-	592.65	0.00	0.51	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---				
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM	
cs2001 CompApps3D Jain	turing	-	-	-	-	-	0.00	0.00	-	
	fermat	-	-	-	-	-	0.00	0.00	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2004 ICE Watkins	turing	-	-	-	-	-	0.00	0.00	-	
	fermat	-	-	-	-	-	0.00	0.00	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2006 AISSM Temmerman EPS	turing	0.01	-	-	-	0.01	0.01	0.02	-	
	fermat	-	-	-	-	-	0.00	0.00	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2011 Drikakis EPSRC	turing	17.87	-	-	-	17.87	0.00	0.04	-	
	fermat	-	-	-	-	-	-	-	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2012 MILES Qin EPSRC	turing	-	-	-	-	-	0.01	0.04	-	
	fermat	-	-	-	-	-	-	-	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2014 Karlin EPSRC	turing	0.01	-	-	-	0.01	0.00	-	-	
	fermat	-	-	-	-	-	-	-	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2015 Tejera-Cuesta EPSRC	turing	52.13	-	913.47	-	965.60	0.01	0.07	-	
	fermat	-	-	-	-	-	-	-	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
Total for Council EPSRC Class 2		turing	70.02	-	913.47	-	983.48	0.03	0.17	-
	fermat	-	-	-	-	-	0.00	0.00	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
cs2003 GST/02/0760 Coultha	turing	-	-	-	-	-	-	-	-	
	fermat	-	-	-	-	-	0.00	0.06	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2007 SNOW Choularton NER	turing	22.38	-	14.26	-	36.65	0.00	0.01	-	
	fermat	0.32	-	-	-	0.32	0.00	0.01	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
Total for Council NERC Class 2		turing	22.38	-	14.26	-	36.65	0.00	0.01	-
	fermat	0.32	-	-	-	0.32	0.00	0.07	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	
CS2009 AMPP Proctor NERC	turing	0.65	-	-	-	0.65	0.01	0.08	-	
	fermat	-	-	-	-	-	-	-	-	
	fuji	-	-	-	-	-	-	-	-	
	CSCJ90	-	-	-	-	-	-	-	-	

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
CS2010 Dempsey BBSRC	turing	-	-	-	-	-	0.03	0.09	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council BBSRC Class 2	turing	0.65	-	-	-	0.65	0.04	0.17	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2002 PTMP Lyne	turing	3.46	-	219.50	-	222.96	0.00	0.01	-
	fermat	4.00	-	-	-	4.00	0.00	0.04	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2008 ET Genge	turing	-	-	-	-	-	0.00	0.02	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council PPARC Class 2	turing	3.46	-	219.50	-	222.96	0.01	0.03	-
	fermat	4.00	-	-	-	4.00	0.00	0.04	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS3001 Stavely	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject Class 3 EPSRC	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS3003 Chambers	turing	0.00	-	-	-	0.00	0.06	0.09	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject Class 3 BBSRC	turing	0.00	-	-	-	0.00	0.06	0.09	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS3005 Zarei	turing	24.75	-	3.38	-	28.13	0.00	0.02	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject Class 3 ESRC	turing	24.75	-	3.38	-	28.13	0.00	0.02	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
Total for Council									
Class 3	turing	24.75	-	3.38	-	28.13	0.06	0.11	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euukcp	turing	-	-	-	-	-	0.01	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
eugamp	turing	-	-	-	-	-	0.00	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euqub	turing	-	-	-	-	-	0.00	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euqmw	turing	-	-	-	-	-	1.79	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euhpai	turing	-	-	-	-	-	0.00	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
eural	turing	-	-	-	-	-	0.00	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
earlyu	turing	-	-	-	-	-	-	-	-
	fermat	-	-	-	-	-	0.11	-	1.84
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
dummy	turing	-	-	-	-	-	0.00	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
eu accounts	turing	-	-	-	-	-	1.80	-	-
	fermat	-	-	-	-	-	0.11	-	1.84
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
Research	turing	-	-	-	-	-	1.80	-	-
	fermat	-	-	-	-	-	0.11	-	1.84
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service

Usage report for All Research Councils

From Wednesday 1-Dec-99 to Friday 31-Dec-99

Account		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
Total									
Research Councils	turing	786.97	3894.58	340695	-	345377	19.47	40.12	-
	fermat	3727.80	-	-	-	3727.80	1.45	18.09	591.76
	fuji	665.71	-	-	-	665.71	0.47	22.51	-
	CSCJ90	-	-	-	-	-	-	-	-

Appendix 2

Percentage PE time per consortia for Turing in December 1999		Percentage CPU time per consortia for Fermat in December 1999	
Consortia	% Machine Time	Consortia	% Machine Time
CSE002	5.37	CSE002	8.31
CSE003	0.49	CSE003	0.05
CSE007	0.41	CSE007	0.00
CSE021	0.01	CSE021	0.00
CSE023	0.00	CSE023	0.00
CSE025	0.97	CSE025	0.00
CSE030	3.90	CSE030	13.46
CSE006	11.77	CSE006	0.00
CSE026	0.00	CSE026	0.00
CSE004	9.40	CSE004	0.00
CSE010	0.00	CSE010	0.00
CSE011	0.00	CSE011	0.00
CSE013	0.56	CSE013	5.45
CSE014	0.00	CSE014	0.00
CSE016	0.00	CSE016	0.00
CSE018	0.00	CSE018	0.00
CSE022	0.00	CSE022	0.00
CSE029	0.00	CSE029	1.54
CSE008	7.62	CSE008	0.01
CSE009	12.89	CSE009	2.08
CSE024	26.20	CSE024	0.04
CSE033	0.00	CSE033	0.00
CSE035	1.41	CSE035	0.00
CSE019	0.00	CSE019	0.00
CSE020	0.00	CSE020	0.00
CSE034	0.00	CSE034	0.00
HPCI Southampton	0.00	HPCI Southampton	0.00
HPCI Daresbury	0.07	HPCI Daresbury	0.00
HPCI Edinburgh	0.00	HPCI Edinburgh	0.01
CSN001	0.40	CSN001	1.84
CSN002	0.00	CSN002	0.00
BADC	0.00	BADC	0.06
CSN003	1.06	CSN003	1.70
CSN005	0.00	CSN005	0.00
CSN006	12.22	CSN006	0.00
CSN007	0.00	CSN007	0.00
CSN009	0.03	CSN009	0.00
CSN011	0.32	CSN011	0.00
CSN012	0.00	CSN012	0.00
CSB001	0.00	CSB001	0.00
CSB002	0.00	CSB002	0.00
CSB003	0.00	CSB003	0.00
CSP002	0.00	CSP002	0.00
CS2001	0.00	CS2001	4.52
CS2002	0.00	CS2002	0.03
CS2003	0.00	CS2003	0.00
CS2004	0.00	CS2004	4.52
CS2006	0.19	CS2006	0.00
CS2007	0.02	CS2007	0.01
CS2008	0.00	CS2008	0.00
CS2010	0.47	CS2010	0.00
CS2011	0.00	CS2011	0.00
CS2012	0.00	CS2012	0.00
CS3001	0.00	CS3001	0.00
CS3003	1.24	CS3003	0.00

Appendix 2

Percentage disc allocation by Consortia for Turing in December 1999		Percentage disc allocation by Consortia for Fermat in December 1999	
Consortia	%Allocation	Consortia	%Allocation
CSE002	21.46	CSE002	26.20
CSE003	6.49	CSE003	0.67
CSE007	1.24	CSE007	0.00
CSE021	0.21	CSE021	0.41
CSE023	0.21	CSE023	0.00
CSE025	0.10	CSE025	0.21
CSE030	5.75	CSE030	6.78
CSE006	1.06	CSE006	0.05
CSE026	0.03	CSE026	0.00
CSE004	3.61	CSE004	5.33
CSE010	0.03	CSE010	0.00
CSE011	1.37	CSE011	0.00
CSE013	0.33	CSE013	0.36
CSE014	0.00	CSE014	0.00
CSE016	0.85	CSE016	0.00
CSE018	0.85	CSE018	0.00
CSE022	0.13	CSE022	0.00
CSE029	0.21	CSE029	0.41
CSE008	0.36	CSE008	0.00
CSE009	2.68	CSE009	0.41
CSE024	3.04	CSE024	9.74
CSE033	0.00	CSE033	0.00
CSE035	0.64	CSE035	0.00
CSE019	0.21	CSE019	0.41
CSE020	0.21	CSE020	0.05
CSE034	0.03	CSE034	0.05
HPCI Southampton	0.54	HPCI Southampton	1.09
HPCI Daresbury	0.21	HPCI Daresbury	0.10
HPCI Edinburgh	0.21	HPCI Edinburgh	0.00
CSN001	8.01	CSN001	10.93
CSN002	0.00	CSN002	0.00
BADC	0.00	BADC	0.00
CSN003	3.17	CSN003	3.73
CSN005	3.61	CSN005	0.00
CSN006	2.53	CSN006	0.00
CSN007	0.28	CSN007	0.00
CSN009	0.15	CSN009	0.00
CSN011	0.41	CSN011	0.00
CSN012	0.00	CSN012	0.00
CSB001	0.15	CSB001	0.00
CSB002	0.21	CSB002	0.41
CSB003	0.08	CSB003	0.00
CSP002	0.80	CSP002	0.00
CS2001	0.03	CS2001	0.05
CS2002	0.03	CS2002	0.21
CS2003	0.00	CS2003	0.47
CS2004	0.00	CS2004	0.10
CS2006	0.05	CS2006	0.00
CS2007	0.05	CS2007	0.05
CS2008	0.00	CS2008	0.00
CS2010	0.21	CS2010	0.00
CS2011	0.00	CS2011	0.00
CS2012	0.05	CS2012	0.00
CS3001	0.00	CS3001	0.00
CS3003	0.21	CS3003	0.00

Percentage usage of HSM by Consortium for December 1999	
Consortium	% Usage
CSE002	0.85
CSE003	0.12
CSE004	1.21
CSE013	0.02
CSE024	3.64
CSN001	9.83
BADC	15.26
CSN003	68.76
CS2002	0.00

Appendix 3

<u>Percentage PE usage on Turing by Reserch Council for December 1999</u>			<u>Percentage CPU usage on Fermat by Reserch Council for December1999</u>		
<u>Research Council</u>	<u>% Usage</u>		<u>Research Council</u>	<u>% Usage</u>	
EPSRC	76.94		EPSRC	66.35	
HPCI	0.00		HPCI	0.01	
NERC	22.81		NERC	33.63	
BBSRC	0.00		BBSRC	0	
PPARC	0.17		PPARC	0	
PPARC(Class2)	0.07		PPARC(Class2)	0	

<u>Percentage Disc allocated on Turing by Research Council for December 1999</u>			<u>Percentage Disc allocated on Fermat by Research Council for December 1999</u>		
<u>Research Council</u>	<u>% Allocated</u>		<u>Research Council</u>	<u>% Allocated</u>	
EPSRC	72.98		EPSRC	68.98	
HPCI	1.60		HPCI	2.44	
NERC	25.24		NERC	28.30	
BBSRC	0.47		BBSRC	0.44	
PPARC	0.86		PPARC	0.00	
PPARC(Class2)	0.08		PPARC(Class2)	0.22	

<u>Percentage HSM usage by Research Council for December 1999</u>		
<u>Research Council</u>	<u>% usage</u>	
EPSRC	4.37	
HPCI	0	
NERC	95.29	
BBSRC	0	
PPARC	0	
PPARC(Class2)	0	

Appendix 4

The following tables show the training and support resource usage by the consortias in person days.

Support Used to end of December

Project	Used
cse009 GR/M07441 Catlow	0
cse006 gr/m05201 Briddon	0
cse002 gr/m01753 Gillan	56.5
cse011 GR/K52317 Williams	2.18
csn001 SOC Core Strategic Webb	0
cse007 gr/m05348 Foulkes	0
cse017 GR/L58699 Luo	0
cse008 GR/M07624 Hillier	0
cse024 GR/M44453 Tennyson	0
cse021 GR/L95427 Staunton	0
cse010 GR/L04108 Williams	15.95
cse030 GR/M56234 Cates	2
cs2002 PTMP Lyne	0.25
cs2008 ET Genge	3
csn005 GR9/2909 Davies	12
cs2005 ISAAG Walsh	0
cse003 gr/m01784 Taylor	0

Training Used to end of December

Project	Used
cse009 GR/M07441 Catlow	0
csn001 SOC Core Strategic Webb	0
cse017 GR/L58699 Luo	0
cse024 GR/M44453 Tennyson	0
cse002 gr/m01753 Gillan	0
cse007 gr/m05348 Foulkes	2
cse003 gr/m01784 Taylor	0
cs2001 CompApps3D Jain	0
csb003 117/SO9645 Williams	0
cse011 GR/K52317 Williams	0
cse010 GR/L04108 Williams	0
csn003 UGAMP O'Neill	4
cse030 GR/M56234 Cates	7
cs2002 PTMP Lyne	0
csp002 NPSSAP Chapman	4
cs3001 - Staveley	3
cs2005 ISAAG Walsh	0
cs2007 SNOW Choularton	1
csb001 27/B07117 Goodfellow	0
cs2014 - Karlin	2

Appendix 5

Code	PI	Subject	Subject Area
Cse002	Dr Nicolas Harrison (Gillan)	Support for the UKCP	Physics
Cse003	Prof. Ken Taylor	HPC Consortiums 98- 2000	Physics
Cse004	Dr Neil Sandham	UK Turbulence	Engineering
Cse006	Dr Patrick Briddon	Covalently Bonded Materials	Materials
Cse007	Dr Matthew Foulkes	Quantum Many Body Theory	Physics
Cse008	Dr Mark Vincent (Hillier)	Model Chemical Reactivity	Chemistry
Cse009	Dr Ben Slater (Catlow)	HPC in Materials Chemistry	Chemistry
Cse010	Dr John Williams	Free Surface Flows	Engineering
Cse011	Dr John Williams	Open Channel Flood Plains	Engineering
Cse013	Dr David Aspley (Leschziner)	Complex Engineering Flows	Engineering
Cse014	Dr Cassiano de Oliverira (Goddard)	Probs in Nuclear Safety	Engineering
Cse016	Dr Stewart Cant	Turbulent Combustion	Engineering
Cse018	Dr Stewart Cant	Turbulent Flames	Engineering
Cse019	Dr Jason Lander (Berzins)	ROPA	Information Technology
Cse020	Dr Marek Szularz	Symmetric Eigenproblem	Information Technology
Cse021	Dr Julie Staunton	Magentisim	Physics
Cse022	Mr Niall Branley (Jones)	Turbulent Flames	Engineering
Cse023	Allen	Liquid Crystalline Materials	Robin Pinning
Cse024	Dr Robert Allan (Tennyson)	ChemReact 98-2000	Chemistry
Cse025	Dr Niels Rene Walet (Bishop)	Nuclear Theory Progamme	Physics
Cse026	Dr Maureen Neal	J90 move	
Cse027	Dr M Imregun	J90 move	
Cse028	Prof. P.W. Bearman	J90 move	
Cse029	Dr David Aspley (Leschziner)	J90 move	Engineering
Cse030	Prof M Cates	HPC for Complex Fluids	Physics
Cse031	Brebbia	J90 move	
Cse033	Dr M Imregun	Tubomachinery core compressor	Chemistry
Cse034	Dr Paul Durham	R&D of liner/non-linear systems	Mathematics
Csn001	Mrs Beverly de Cuevas (Webb)	HPCI Global Ocean Consortium	
Csn002	Dr Mark Vincent (Hillier)	Pollutant Sorption on Mineral Surf	
Csn003	Dr Lois Steenman-Clark (O'Neill)	UGAMP	
Csn005	Dr Huw Davies	Constraining Earth Mantle	
Csn006	Dr John Brodholt (Price)	Density Functional Methods	
Csn007	Dr John Brodholt (Price)	Density Functional Methods	
Csn008	Hulton	Sub-Glacial Process	
Csn009	Dr Roger Proctor		
Csn010	Dr Jason Lander (Mobbs)	Flow over Complex terrain	
Csn011	Dr Ed Dicks (Thorpe)	J90 move	
Csb001	Dr David Houldershaw (Goodfellow)	Macromolecular Interactions	
Csb002	Dr Adrian Mulholland (Danson)	Stability of Enzymes at high temp	
Csb003	Dr John Carling (Williams)	J90 move	
Css001	Dr Stan Openhaw	Human Systems Modelling	
Css002	Dr Robert Crouchley	Dropout in panel surveys	
Hpcid	Dr Robert Allan		
Hpcie	Dr David Henty		
Hpcis	Dr Denis Nicole		
Cs2001	Dr Sudhir Jain	3D Ising Spin Glass	
Cs2002	Dr Ingrid Stairs (Lyne)	Millisecond Pulsars	
Cs2003	Mr Tom Coulthard	Holocene Sediment Fluxes	
Cs2004	Dr A. Paul Watkins	Internal Combustion Engine	
Cs2005	Mr Sean Walsh	Arabidopsis Genome	
Cs2006	Prof. Walter Temmerman	Superconductivity & Magmetisim	
Cs2007	Choularton	Precipitation in the Mountains	
Cs2008	Dr Matthew Genge	Extraterrestrial Mineral Surfaces	
Cs3001	Mr John Andrew Staveley	Helical Coherent Structures	