

CSAR Service - Management Report

June 1999

This report documents the quality of the CSAR service during the month of June 1999.

A more comprehensive report is provided quarterly, which additionally covers wider aspects of the Service such as information on Training, Application Support and Value-Added services.

This and other such reports are made available through the Web to staff within EPSRC and the other Research Councils, to CfS staff and CSAR Service users. The reports are indexed in a similar way to that which other useful information and news are listed for selection.

1. Introduction

This month has seen continued take-up of the new sub consortia facility that was recently successfully introduced.

The 3rd User Forum was held in Manchester, with the Steering Group meeting following.

The service suffered two unscheduled breaks, one due to a PE failure on Turing the other due to a network daemon problem on Fermat.

There were two scheduled maintenance sessions taken in the month.

This document gives information on Service Quality and on actual usage of the CSAR Service during the reporting period of June 1999. The information, in particular, covers the availability and usage of the following two main CSAR Service High Performance Computing (HPC) systems:

- Cray T3E-1200E/576 (Turing)
- SGI Origin2000/16 (Fermat).

The information is provided in both textual and graphical form, so that it is easier to see trends and variances.

2. Service Quality

This section covers overall Customer Performance Assessment Ratings (CPARS), HPC System availability and usage, Service Quality Tokens and other information concerning issues, progress and plans for the CSAR Service.

2.1 CPARS

Table 1 gives the measure by which the quality of the CSAR Service is judged. It identifies the metrics and performance targets, with colour coding so that different levels of achievement against targets can be readily identified. Unsatisfactory actual performance will trigger corrective action.

CSAR Service - Service Quality Report - Performance Targets

Service Quality Measure	Performance Targets					
	White	Blue	Green	Yellow	Orange	Red
HPC Services Availability						
Availability in Core Time (% of time)	> 99.9%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Availability out of Core Time (% of time)	> 99.8%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Number of Failures in month	0	1	2 to 3	4	5	> 5
Mean Time between failures in 52 week rolling period (hours)	>750	>500	>300	>200	>150	otherwise
Help Desk						
Non In-depth Queries - Maximum Time to resolve 50% of all queries (working days)	< 1/4	< 1/2	< 1	< 2	< 4	4 or more
Non In-depth Queries - Maximum Time to resolve 95% of all queries (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
Administrative Queries - Maximum Time to resolve 95% of all queries (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
Help Desk Telephone - % of calls answered within 2 minutes	>98%	> 95%	> 90%	> 85%	> 80%	80% or less
Others						
Normal Media Exchange Requests - average response time in month (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
New User Registration Time (working days)	< 1/2	< 1	< 2	< 3	< 4	otherwise
Management Report Delivery Times (working days)	< 1	< 5	< 10	< 12	< 15	otherwise
System Maintenance - no. of scheduled sessions taken per system in the month	0	1	2	3	4	otherwise

Table 1

Table 2 gives actual performance information for the period of June 1st to 30th inclusive.

Overall, the CPARS Performance Achievement was satisfactory (see Table 3), i.e. green measured against the CPARS performance targets.

CSAR Service - Service Quality Report - Actual Performance Achievement

Service Quality Measure	1998		1999						
	Nov.	Dec.	Jan	Feb	March	April	May	June	July
HPC Services Availability									
Availability in Core Time (% of time)	99.99%	97.20%	99.70%	100%	100%	97.10%	98.50%	99.70%	
Availability out of Core Time (% of time)	98.53%	98.41%	100%	99.40%	98.51%	98.10%	99.71%	99.40%	
Number of Failures in month	2	5	1	3	1	1	3	2	
Mean Time between failures in 52 week rolling period (hours)	400	174.1	744	354	432	480	453	395	
Help Desk									
Non In-depth Queries - Maximum Time to resolve 50% of all queries (working days)	1	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	
Non In-depth Queries - Maximum Time to resolve 95% of all queries (working days)	4	5	<1	<2	<2	<1	<3	<3	
Administrative Queries - Maximum Time to resolve 95% of all queries (working days)	2	<1	<1	<5	<2	<2	<2	<1	
Help Desk Telephone - % of calls answered within 2 minutes	100%	100%	100%	100%	100%	100%	100%	100%	
Others									
Normal Media Exchange Requests - average response time in month (working days)	0.5	0	<0.5	0	<0.5	<0.5	<0.5	<0.5	
New User Registration Time (working days)	2	0	<2	0	0	0	0	0	
Management Report Delivery Times (working days)	10	10	10	10	10	10	10	10	
System Maintenance - no. of scheduled sessions taken per system in the month	4	1	2	2	2	0	1	2	

Table 2

Notes:

- HPC Services Availability has been calculated using the following formulae, based on the relative NPB performance of Turing and Fermat:

$$[\text{Turing availability} \times 122 / (122 + 3.5)] + [\text{Fermat availability} \times 3.5 / (122 + 3.5)]$$
- Mean Time between failures for Service Credits is formally calculated from Go-Live Date.

Table 3 gives Service Credit values for the month of June. These will be accounted on a quarterly basis, formally from the Go-Live Date. The values are calculated according to agreed Service Credit Ratings and Weightings.

CSAR Service - Service Quality Report - Service Credits

Service Quality Measure	1998		1999						
	Nov.	Dec.	Jan	Feb	March	April	May	June	July
HPC Services Availability									
Availability in Core Time (% of time)	-0.058	0.078	-0.039	-0.058	-0.058	0.078	0.039	-0.039	
Availability out of Core Time (% of time)	0.000	0.039	-0.047	0.000	0.000	0.039	-0.039	0	
Number of Failures in month	0.000	0.016	-0.008	0.000	-0.008	-0.008	0	0	
Mean Time between failures in 52 week rolling period (hours)	0.000	0.016	-0.009	0.000	0.000	0.000	0	0	
Help Desk									
Non In-depth Queries - Maximum Time to resolve 50% of all queries (working days)	0.000	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	
Non In-depth Queries - Maximum Time to resolve 95% of all queries (working days)	0.031	0.046	-0.016	0.000	0.000	-0.016	0.016	0.016	
Administrative Queries - Maximum Time to resolve 95% of all queries (working days)	0.000	-0.016	-0.016	0.031	0.000	0.000	0	-0.016	
Help Desk Telephone - % of calls answered within 2 minutes	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	
Others									
Normal Media Exchange Requests - average response time in month (working days)	-0.002	0.000	-0.002	0.000	-0.002	-0.002	-0.002	-0.002	
New User Registration Time (working days)	0.000	0.000	0.000	0.000	0.000	0.000	0	0	
Management Report Delivery Times (working days)	0.000	0.000	0.000	0.000	0.000	0.000	0	0	
System Maintenance - no. of scheduled sessions taken per system in the month	0.006	-0.003	0.000	0.000	0.000	-0.004	-0.003	0	
Monthly Total & overall Service Quality Rating for each period:	-0.01	0.08	-0.08	-0.02	-0.05	0.03	-0.01	-0.03	0.00

Table 3


2.2 Service Quality Tokens

The current position at the end of June 1999 is that 19 of the 319 registered users of the CSAR Service had used Service Quality Tokens. See below:


Service Quality Tokens

	Position as at end of each month											
	Nov	Dec	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct
5 Gold Stars	0	0	0	0	0	0	0	0	0			
4 Gold Stars	0	1	1	1	1	1	1	1	1			
3 Gold Stars	0	0	1	1	1	2	2	3				
2 Gold Stars	0	2	0	0	0	0	0	1	1			
1 Gold Star	0	0	0	0	1	1	1	2				
No Stars or Marks	0	140	177	201	233	258	275	300				
1 Black Mark	0	0	0	0	0	0	0	2				
2 Black Marks	0	0	2	5	4	4	2	6				
3 Black Marks	0	1	3	3	2	2	2	3				
4 Black Marks	0	0	1	1	0	0	0	0				
5 Black Marks	0	0	0	0	0	0	0	1				
Total No. of Users	40	144	185	212	242	268	284	319				
No Stars or Marks	0	140	177	201	233	258	275	300				


The graph below shows the total number of registered users on the CSAR Service and the number of users holding a neutral view of the service.



The graph below illustrates the monthly usage trend of quality tokens:



In the form of a bar chart, the current statistics are:



SUMMARY OF SERVICE QUALITY TOKEN USAGE

No of Stars or Marks	Consortia	Date Allocated	Reason Given
5 Black Marks	CSN001	24/06/99	Archive problems
3 Black Marks	HPCI Daresbury	07/05/99	Complaints re:priority of batch work over interactive.
3 Black Marks	CSN003	02/06/99	Fuji overloaded.
2 Black Marks	HPCI Daresbury	21/06/99	Interactive access speed and network problems.
2 Black Marks	HPCI Daresbury	03/06/99	Network problems.
2 Black Marks	CSN003	30/06/99	Lack of space on the Fuji system.
2 Black Marks	CSN003	03/06/99	Network problems though support is good.
1 Black Mark	CSN003	03/06/99	Fuji overloaded.
1 Black Mark	CSN003	17/06/99	Fuji overloaded.
1 Gold Star	CSN003	11/06/99	Good support (though machine poor).
2 Gold Stars	CSE002	07/06/99	Problems now resolved.
3 Gold Stars	CSN007	07/05/99	Continued satisfaction.
3 Gold Stars	CSN003	23/06/99	Good support.

The above table summarises the currently allocated Service Quality Tokens, detailing the reason given for the allocation of the tokens.

2.3 Throughput Target against Baseline

The Baseline Target for throughput was achieved this month with the majority of jobs being of short duration and using a small number of PEs. The actual usage for the 30-day period of June was 102.6% of Baseline.

Job Throughput Against Baseline CSAR Service Provision

Period: 1st to 31st May 1999

	Baseline Capacity for Period (T3E PE Hours)	Actual Usage in Period (T3E PE Hours)	Actual % Utilisation c/w Baseline during Period
1. Has CfS failed to deliver Baseline MPP Computing Capacity for EPSRC?	350,132	359,292	102.62%
2. Have Users submitted work demanding > 110% of the Baseline during period?	350,132	360,103	No
3. Are there User Jobs outstanding at the end of the period over 4 days old?		Number of Jobs at least 4 days old at end Period 0	Number of Jobs at least 4 days old at end Period is not zero (Yes/No)? No
4. Have Users submitted work demands above 90% of the Baseline during period?		Minimum Job Time Demands as % of Baseline during Period 27%	Minimum Job Time Demand above 90% of Baseline during Period (Yes/No)? No
5. Majority of Job Queues contained jobs from Users for more than 97% during period?	4	Average % of time each queue contained jobs in the Period 83.1%	Average % of time each queue contained jobs in the Period is > 97%? No


3. System Availability

Service availability each reporting period is calculated as a percentage of actual availability time over theoretical maximum time, after accounting for planned breaks in service for preventative maintenance.


3.1 Cray T3E-1200E System (Turing)

The following graphs show the availability of Turing both in core time and out of core time respectively during the period of 1st to 30th June.

Turing availability for June:




Availability of Turing in core time during June was excellent.




Availability of Turing out of core time during was good with the exception of a PE failure, which had minimal effect on out of core time availability.

3.2 SGI Origin2000 System (Fermat)

The following graphs show the availability of Fermat both in core time and out of core time respectively.



Availability of Fermat in core time during June was with the exception of one unscheduled break in service.



Availability of Fermat out of core time during June was excellent.

4. HPC Services Usage

Usage information is given in tabular form, in Appendices, and in graphical format. The system usage information for the period of June 1st to 30th is provided by Project/User Group, totalled by Research Council and overall. This covers:

- CPU usage Turing: 359,292 PE Hours Fermat: 5556.92 CPU Hours
- User Disk allocation Turing: 42.9 GB Years Fermat: 19.82 GB Years
- HSM/tape usage 366.75 GB Years


In addition, the following graphs are provided to illustrate usage per month, historically:

- a) MPP (T3E) Usage by month, showing usage each month of CPU (T3E PE Elapsed Hours), split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline Capacity (103 GFLOP-Years) is shown by an overlaid horizontal line.
- b) SMP (Origin) Usage by month, showing usage each month in CPU Hours, split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline Capacity (3.5 GFLOP-Years) is shown by an overlaid horizontal line.
- c) High Performance Disk (T3E) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1 Terabyte) is shown by an overlaid horizontal line.
- d) Medium Performance Disk (Origin) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1.5 Terabytes) is shown by an overlaid horizontal line.
- e) HSM/Tape Usage (T3E) by month, showing the volumes held each in GBytes, split by Research Council. The Baseline Capacity (16 Terabytes) available will be shown by an overlaid horizontal line.

4.1 Cray T3E-1200E System (Turing)

The following graph shows the usage of Turing during each day of June 1999. Note that there is some variance on a day-to-day basis as the accounts record job times, and thus CPU usage figures, at the time of job completion which could be the second actual day for large jobs. At present, there is a 12 hour limit on jobs, so that they are check-pointed, and computational time lost due to any failure is well managed.

Turing usage for June:




The above usage graph for the Turing system shows that the overall workload was variable.

Fine tuning of the CfS scheduling system will continue to ensure minimal wasting of PE resource, in order to fit in a number of different sized jobs (e.g. 32, 64, 128, 256) thus facilitating maximised job throughput.


4.2 SGi Origin2000 System (Fermat)

The usage of the Origin system was good for the month with the daily usage of the system averaging 48% of theoretical maximum. This figure does not show that in some periods CPU time is running at 99.9% of the total available CPU time. The groups most heavily using the Fermat system are CSE002 and CSE001.




4.3 Disk/HSM Usage Charts


The graphs below show current disk and HSM allocations and usage.



The preceding graph shows actual usage on average against the current allocation of disk on the Turing system.





The above graph shows the disk allocations against usage on average of the disk on Fermat.




The above graph shows the total usage of the HSM facility by Research Council.

The next two graphs give actual usage of HSM by Research Council and by Consortium.




Job statistics for Turing:




The above graph shows the number of jobs of the major sizes run in the period 1st to 30th June 1999.


The next graph shows the wait times in minutes for the major categories of jobs.




The above chart shows the average wait time trend over the months from January to date.



It can be seen from the above graph that enhancements to the scheduling on Turing have reduced the average wait times however attention must be paid to ensure sufficient head room exists in the system to prevent wait times from rising.




Turing PE usage is shown by Research Council during the months of service to date in the above chart.




Origin 2000 CPU usage is shown by Research Council during the months of service to date in the above chart.

4.4 Class 2 & 3 Usage Charts


The next series of charts show the usage of the system by the class 2 & class 3 users. The usage is shown by project and identifies the Research Council of the individual projects.




The above chart shows the PE usage of the Turing system.




The above chart shows the CPU usage of the Fermat system.



The above chart shows the disk allocations on the Turing system.



The above chart shows the disk allocations on the Fermat system.




The above chart shows the HSM usage.


4.5 Charts Historical Usage

In all the Usage Charts, the baseline varies dependant on the number of days in each month, within a 365-day year. The reduced Baseline in November 1998 represents half a month.


The graph below shows the PE hour's utilisation on Turing by Research Council from November 1998.




The graph below shows the historic CPU usage on Fermat by Research Council from November.



The next series of graphs illustrates the usage of the disk and HSM resources of the system.




The preceding graph illustrates the historic allocation of the High Performance Disk on Turing.



The graph above illustrates the historic allocation of the Medium Performance Disk on Fermat.


The graph below shows the historic HSM usage by Research Council funded projects. The primary usage is for NERC.



4.5 Guest System Usage Charts

The following graph shows the CPU usage on the current two available CSAR guest systems.

The Fujitsu usage graph has not been included this month due to an error in the basic accounting that is currently under investigation by Fujitsu. The problem is now believed to have been identified and accounts will be available in next months Management report.



The usage on the CSCJ90 guest system was just over one hour during this period, as indicated by the above graph.

5. Service Status, Issues and Plans

5.1 Status

The scheduled upgrades to Turing and Fermat were successfully carried out. The additional functionality will be brought online shortly and announced through news items on the systems.

5.2 Issues

The DMF utility and the use of hold became an issue this month for a variety of reasons. We suffered some unforeseen tape drive problems that had an impact on the efficiency of DMF.

The use of hold has also had an effect on the efficiency of DMF due to a few users storing a large number of small files that DMF will not migrate.

It is proposed to reissue the guidelines for the use of DMF and hold also to more effectively monitor the functionality of DMF.

Finally the hardware issues on the tape drives have been raised as a serious issue with the manufacturer.

5.3 Plans

It is planned during the course of the month to bring in the additional functionality that the software upgrades to Turing and Fermat has brought about.

6. Conclusion

June 1999 saw the overall CPARS rating at green, with the Baseline Capacity for job throughput again being achieved.

Continued management attention will be given to maximise the throughput of the Service, whilst balancing as fairly as practicable the shares between Projects and jobs of the varying sizes.

Appendix 1 contains the accounts for June 1999

Appendix 2 contains the Percentage shares by Consortium for June 1999

Appendix 3 contains the Percentage shares by Research Council for June 1999

Appendix 4 contains the Training and support figures to the end of June 1999

Appendix 5 contains a reference table of the consortia name, the subject area and the PI name.

Appendix 1

Cfs Supercomputer Service
 Usage report for Research Council Projects
 From Tuesday 1-Jun-99 to Wednesday 30-Jun-99

Account		----- CPU Usage (Hours) -----				Total	--- Storage (GB-Years) ---		
		Inter	Priority	Normal	Low		D-Usage	D-Allocln	HSM
CSE001 Admin users	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
EPSRC Administration	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE002 gr/m01753 Gillan	turing	30.41	5.96	14469.85	-	14506.21	6.00	11.13	-
	fermat	2666.48	-	-	-	2666.48	0.27	5.93	3.83
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003 gr/m01784 Taylor	turing	2.40	47.10	-	-	49.50	0.02	0.86	-
	fermat	-	-	-	-	-	-	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003a gr/m01784 Taylor	turing	201.27	-	437.56	-	638.83	0.01	0.03	-
	fermat	14.57	-	-	-	14.57	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003b gr/m01784 Taylor	turing	-	-	-	-	-	0.05	0.07	-
	fermat	-	-	-	-	-	0.01	0.04	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003f gr/m01784 Taylor	turing	0.00	-	-	-	0.00	0.02	0.04	-
	fermat	-	-	-	-	-	0.00	0.04	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003i gr/m01784 Taylor	turing	111.86	-	5651.67	-	5763.53	0.45	0.55	-
	fermat	4.60	-	-	-	4.60	0.00	0.02	0.40
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003k gr/m01784 Taylor	turing	3.62	-	0.07	-	3.69	0.00	0.02	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003m gr/m01784 Taylor	turing	-	-	-	-	-	0.00	0.00	-
	fermat	-	-	-	-	-	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE003n gr/m01784 Taylor	turing	2.45	652.01	-	-	654.46	0.05	0.86	-
	fermat	-	-	-	-	-	0.00	0.00	0.17
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE007 gr m05348 Foulkes	turing	14.03	-	19875.20	-	19889.23	0.20	0.53	-
	fermat	-	-	-	-	-	0.00	0.29	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service			----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
Account			Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
cse021 GR/L95427 Staunton	turing		0.02	-	214.57	-	214.59	0.00	0.08	-
	fermat		-	-	-	-	-	0.00	0.08	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE025 GR/L22331 Bishop	turing		-	-	-	-	-	0.00	0.04	-
	fermat		-	-	-	-	-	0.00	0.04	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE030 GR/M56234 Cates	turing		18.07	-	1187.80	-	1205.87	0.10	0.30	-
	fermat		0.02	-	-	-	0.02	0.00	0.40	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE030a GR/M56234 Cates	turing		43.32	-	26.21	-	69.54	0.00	0.03	-
	fermat		-	-	-	-	-	0.00	0.22	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE030b GR/M56234 Cates	turing		0.25	-	-	-	0.25	0.01	0.11	-
	fermat		-	-	-	-	-	0.00	0.04	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE030c GR/M56234 Cates	turing		0.38	-	4681.14	-	4681.51	0.04	0.11	-
	fermat		-	-	-	-	-	0.00	0.22	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE030d GR/M56234 Cates	turing		0.00	-	-	-	0.00	0.00	0.01	-
	fermat		-	-	-	-	-	0.00	0.22	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
Total for Subject										
Physics	turing		428.09	705.06	46544.07	-	47677.23	6.96	14.79	-
	fermat		2685.67	-	-	-	2685.67	0.28	7.59	4.41
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE006 gr/m05201 Briddon	turing		703.49	-	81070.64	-	81774.12	0.17	0.41	-
	fermat		-	-	-	-	-	0.00	0.01	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
Total for Subject										
Materials	turing		703.49	-	81070.64	-	81774.12	0.17	0.41	-
	fermat		-	-	-	-	-	0.00	0.01	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE004 gr/m08424 Sandham	turing		140.83	-	75132.98	-	75273.82	2.54	3.40	-
	fermat		0.20	-	-	-	0.20	0.23	2.88	4.01
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-
CSE010 gr/l04108 Williams	turing		0.01	-	24.96	-	24.97	0.04	0.36	-
	fermat		-	-	-	-	-	0.00	0.00	-
	fuji		-	-	-	-	-	-	-	-
	CSCJ90		-	-	-	-	-	-	-	-

CfS Supercomputer Service			----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---				
Account			Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM	
CSE011	gr/k52317	Williams	turing	0.77	-	8109.52	-	8110.29	0.58	3.39	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse013	gr/k43902	Leschzine	turing	-	-	-	-	-	0.00	0.00	-
			fermat	-	-	-	-	-	0.00	0.01	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse014	GR/K73466	Goddard	turing	-	-	-	-	-	0.00	0.08	-
			fermat	-	-	-	-	-	0.00	-	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE016	GR/K96519	Cant	turing	0.00	-	-	-	0.00	0.00	0.02	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse017	GR/L58699	Luo	turing	-	-	-	-	-	0.00	0.16	-
			fermat	-	-	-	-	-	-	0.11	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse018	GR/L68353	Cant	turing	-	-	-	-	-	0.00	0.02	-
			fermat	-	-	-	-	-	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse022	GR/L98527	Jones	turing	-	-	-	-	-	0.02	0.41	-
			fermat	-	-	-	-	-	0.00	-	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE029	GR/L58804	Leschzine	turing	-	-	-	-	-	0.00	0.01	-
			fermat	3.50	-	-	-	3.50	0.00	0.04	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
Total for Subject Engineering			turing	141.62	-	83267.46	-	83409.08	3.17	7.86	-
			fermat	3.70	-	-	-	3.70	0.23	3.04	4.01
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE008	GR/M07624	Hillier	turing	2.87	-	1903.88	-	1906.75	0.03	0.08	-
			fermat	0.05	-	-	-	0.05	0.00	0.00	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
CSE009	gr/m07441	Catlow	turing	173.19	869.34	23001.21	-	24043.74	1.38	5.18	-
			fermat	253.50	-	-	-	253.50	0.01	0.45	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse024	GR/M44453	Tennyson	turing	61.19	365.44	12884.36	-	13310.99	0.08	2.88	-
			fermat	1.17	-	-	-	1.17	0.04	2.88	1.01
			fuji	11.13	-	-	-	11.13	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-
cse033	GR/M63874	Imregun*	turing	0.18	-	-	-	0.18	0.00	0.08	-
			fermat	-	-	-	-	-	-	0.08	-
			fuji	-	-	-	-	-	-	-	-
			CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
Account		Inter	Priority	Normal	Low	Total	D-Usage	D-Alloca	HSM
Total for Subject									
Chemistry	turing	237.42	1234.78	37789.45	-	39261.66	1.50	8.21	-
	fermat	254.72	-	-	-	254.72	0.05	3.41	1.01
	fuji	11.13	-	-	-	11.13	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE019 cr/173104 Berzins									
	turing	0.22	-	-	-	0.22	0.02	0.08	-
	fermat	-	-	-	-	-	0.00	0.08	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE020 GR/L75139 Szularz									
	turing	124.98	-	-	-	124.98	0.01	0.07	-
	fermat	-	-	-	-	-	0.00	0.07	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
Information Technology	turing	125.20	-	-	-	125.20	0.04	0.16	-
	fermat	-	-	-	-	-	0.00	0.16	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CSE034 gr/m78342 Durham									
	turing	0.03	-	-	-	0.03	0.00	0.03	-
	fermat	0.37	-	-	-	0.37	0.00	0.03	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
Mathematics	turing	0.03	-	-	-	0.03	0.00	0.03	-
	fermat	0.37	-	-	-	0.37	0.00	0.03	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
EPSRC Class 1	turing	1635.85	1939.85	248671	-	252247	11.83	31.46	-
	fermat	2944.45	-	-	-	2944.45	0.57	14.24	9.43
	fuji	11.13	-	-	-	11.13	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
HPCI Southampton									
	turing	1.29	-	-	-	1.29	0.20	1.77	-
	fermat	2.45	-	-	-	2.45	0.09	0.31	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
HPCI Daresbury									
	turing	10.80	315.74	0.00	-	326.53	0.04	0.08	-
	fermat	0.05	-	-	-	0.05	0.00	0.04	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
HPCI Edinburgh									
	turing	0.00	-	-	-	0.00	0.00	0.08	-
	fermat	1.43	-	-	-	1.43	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
HPCI Class 1	turing	12.09	315.74	0.00	-	327.82	0.24	1.93	-
	fermat	3.93	-	-	-	3.93	0.09	0.35	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---				
Account		Inter	Priority	Normal	Low	Total	D-Usage	D-Alloca	HSM	
CSN001	SOC Core Strategic	turing	2.02	18.23	24703.34	-	24723.60	1.89	4.11	-
		fermat	2090.38	-	-	-	2090.38	0.25	4.11	39.12
		fuji	0.46	-	-	-	0.46	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSN002	gr3.10789 Hillier	turing	0.00	-	-	-	0.00	0.00	0.00	-
		fermat	-	-	-	-	-	-	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
badc		turing	-	-	-	-	-	-	-	-
		fermat	0.12	-	-	-	0.12	0.00	-	76.59
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSN003	UGAMP O'Neill	turing	29.92	0.90	28342.87	-	28373.70	0.60	1.19	-
		fermat	63.73	-	-	-	63.73	0.05	0.82	230.83
		fuji	257.41	-	-	-	257.41	-	-	-
		CSCJ90	0.02	0.77	-	-	0.79	-	-	-
CSN005	GR9/2909 Davies	turing	-	-	-	-	-	0.99	1.40	-
		fermat	-	-	-	-	-	0.00	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSN006	GR9/3550 Price	turing	513.98	0.12	27703.21	-	28217.32	0.40	1.95	-
		fermat	-	-	-	-	-	0.00	-	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSN007	GST/02/1454 Price	turing	25.34	190.46	21229.16	-	21444.96	0.12	0.33	-
		fermat	-	-	-	-	-	0.00	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSN009	GST/02/1472 Proctor	turing	-	-	-	-	-	0.00	0.04	-
		fermat	-	-	-	-	-	0.00	-	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSN011	GST/02/1889 Thorpe	turing	0.03	-	11.04	-	11.07	0.05	0.06	-
		fermat	-	-	-	-	-	-	-	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
Total for Council										
NERC Class 1		turing	571.30	209.71	101989	-	102770	4.06	9.08	-
		fermat	2154.23	-	-	-	2154.23	0.31	4.93	346.54
		fuji	257.87	-	-	-	257.87	-	-	-
		CSCJ90	0.02	0.77	-	-	0.79	-	-	-
CSB001	27/B07117 Goodfello	turing	0.07	-	3062.91	-	3062.98	0.01	0.10	-
		fermat	-	-	-	-	-	0.00	0.02	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSB002	86/B10059 Danson	turing	0.83	-	20.26	-	21.09	0.02	0.08	-
		fermat	-	-	-	-	-	0.00	-	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-
CSB003	117/S09645 Williams	turing	0.00	-	-	-	0.00	0.01	0.03	-
		fermat	-	-	-	-	-	0.00	0.00	-
		fuji	-	-	-	-	-	-	-	-
		CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
Account		Inter	Priority	Normal	Low	Total	D-Usage	D-Alloca	HSM
Total for Council									
BBSRC Class 1	turing	0.90	-	3083.17	-	3084.07	0.04	0.21	-
	fermat	-	-	-	-	-	0.00	0.02	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cs2001 CompApps3D Jain									
	turing	-	-	-	-	-	0.00	0.04	-
	fermat	-	-	-	-	-	0.00	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2004 ICE Watkins									
	turing	-	-	-	-	-	0.00	0.06	-
	fermat	428.68	-	-	-	428.68	0.00	0.06	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2006 AISSM Temmerman EPS									
	turing	10.64	0.05	-	-	10.69	0.01	0.04	-
	fermat	-	-	-	-	-	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
EPSRC Class 2	turing	10.64	0.05	-	-	10.69	0.01	0.14	-
	fermat	428.68	-	-	-	428.68	0.00	0.07	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
cs2003 GST/02/0760 Coultha									
	turing	-	-	-	-	-	-	-	-
	fermat	10.50	-	-	-	10.50	0.02	0.16	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2007 SNOW Choularton NER									
	turing	3.11	-	23.80	-	26.91	0.00	0.02	-
	fermat	5.48	-	-	-	5.48	0.00	0.00	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
NERC Class 2	turing	3.11	-	23.80	-	26.91	0.00	0.02	-
	fermat	15.98	-	-	-	15.98	0.02	0.17	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2005 ISAAG Walsh BBSRC									
	turing	-	-	-	-	-	0.00	0.01	-
	fermat	-	-	-	-	-	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
BBSRC Class 2	turing	-	-	-	-	-	0.00	0.01	-
	fermat	-	-	-	-	-	0.00	0.01	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS2002 PTMP Lyne									
	turing	4.32	817.90	3.00	-	825.21	0.00	0.04	-
	fermat	9.63	-	-	-	9.63	0.00	0.04	9.05
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
Account		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
Total for Council									
PPARC Class 2	turing	4.32	817.90	3.00	-	825.21	0.00	0.04	-
	fermat	9.63	-	-	-	9.63	0.00	0.04	9.05
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
CS3001 Stavely									
	turing	0.03	-	0.10	-	0.13	0.00	0.00	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
EPSRC Class 3	turing	0.03	-	0.10	-	0.13	0.00	0.00	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euukcp									
	turing	-	-	-	-	-	0.40	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
eugamp									
	turing	-	-	-	-	-	0.02	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euqub									
	turing	-	-	-	-	-	0.00	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euocam									
	turing	-	-	-	-	-	0.05	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euqmw									
	turing	-	-	-	-	-	2.15	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euhpci									
	turing	-	-	-	-	-	0.07	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
euston									
	turing	-	-	-	-	-	0.01	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
eural									
	turing	-	-	-	-	-	0.68	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
eubbk									
	turing	-	-	-	-	-	0.03	-	-
	fermat	-	-	-	-	-	-	-	-
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
Account		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
earlyu									
	turing	-	-	-	-	-	-	-	-
	fermat	-	-	-	-	-	0.10	-	1.72
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Subject									
eu accounts	turing	-	-	-	-	-	3.40	-	-
	fermat	-	-	-	-	-	0.10	-	1.72
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-
Total for Council									
Research	turing	-	-	-	-	-	3.40	-	-
	fermat	-	-	-	-	-	0.10	-	1.72
	fuji	-	-	-	-	-	-	-	-
	CSCJ90	-	-	-	-	-	-	-	-

CfS Supercomputer Service
Usage report for All Research Councils

From Tuesday 1-Jun-99 to Wednesday 30-Jun-99

Account Total		----- CPU Usage (Hours) -----				--- Storage (GB-Years) ---			
		Inter	Priority	Normal	Low	Total	D-Usage	D-Allocn	HSM
Research Councils	turing	2238.24	3283.24	353771	-	359292	19.58	42.90	-
	fermat	5556.92	-	-	-	5556.92	1.09	19.82	366.75
	fuji	269.00	-	-	-	269.00	-	-	-
	CSCJ90	0.02	0.77	-	-	0.79	-	-	-

-

Appendix 2

Percentage PE time per consortia for Turing in June 1999		Percentage CPU time per consortia for Fermat in June 1999	
Consortia	% Machine Time	Consortia	% Machine Time
CSE002	4.04	CSE002	47.98
CSE003	6.02	CSE003	0.35
CSE007	0.00	CSE007	0.00
CSE021	0.05	CSE021	0.00
CSE025	0.00	CSE025	0.00
CSE030	1.64	CSE030	0.00
CSE006	22.76	CSE006	0.00
CSE004	20.95	CSE004	0.00
CSE010	0.01	CSE010	0.00
CSE011	2.26	CSE011	0.00
CSE013	0.00	CSE013	0.00
CSE014	0.00	CSE014	0.00
CSE016	0.00	CSE016	0.00
CSE018	0.00	CSE018	0.00
CSE022	0.00	CSE022	0.00
CSE029	0.00	CSE029	0.15
CSE008	0.53	CSE008	0.00
CSE009	6.69	CSE009	4.56
CSE024	3.70	CSE024	0.00
CSE033	0.00	CSE033	0.00
CSE019	0.00	CSE019	0.00
CSE020	0.03	CSE020	0.00
CSE034	0.00	CSE034	0.00
HPCI Southampton	0.00	HPCI Southampton	0.04
HPCI Daresbury	0.00	HPCI Daresbury	0.00
HPCI Edinburgh	0.00	HPCI Edinburgh	0.00
CSN001	6.88	CSN001	37.62
CSN002	0.00	CSN002	0.00
BADC	0.00	BADC	0.00
CSN003	7.90	CSN003	1.15
CSN005	0.00	CSN005	0.00
CSN006	7.85	CSN006	0.00
CSN007	5.97	CSN007	0.00
CSN009	0.00	CSN009	0.00
CSN011	0.00	CSN011	0.00
CSB001	0.85	CSB001	0.00
CSB002	0.01	CSB002	0.00
CSB003	0.00	CSB003	0.00
CS2001	0.00	CS2001	0.00
CS2002	0.23	CS2002	0.17
CS2003	0.00	CS2003	0.19
CS2004	0.00	CS2004	7.71
CS2005	0.00	CS2005	0.00
CS2006	0.00	CS2006	0.00
CS2007	0.01	CS2007	0.10
CS3001	0.00	CS3001	0.00

Appendix 2

Percentage disc allocation by Consortia for Turing in June 1999		Percentage disc allocation by Consortia for Fermat in June 1999	
Consortia	%Allocation	Consortia	%Allocation
CSE002	25.94	CSE002	29.92
CSE003	5.66	CSE003	2.02
CSE007	1.24	CSE007	2.67
CSE021	0.19	CSE021	0.28
CSE025	0.09	CSE025	0.20
CSE030	1.31	CSE030	5.45
CSE006	0.96	CSE006	0.00
CSE004	7.93	CSE004	14.53
CSE010	0.84	CSE010	0.00
CSE011	7.90	CSE011	0.00
CSE013	0.00	CSE013	0.00
CSE014	0.19	CSE014	0.00
CSE016	0.05	CSE016	0.00
CSE018	0.05	CSE018	0.00
CSE022	0.96	CSE022	0.00
CSE029	0.02	CSE029	0.14
CSE008	0.19	CSE008	0.00
CSE009	0.12	CSE009	2.27
CSE024	0.67	CSE024	14.53
CSE033	0.00	CSE033	0.40
CSE019	0.19	CSE019	0.74
CSE020	0.16	CSE020	0.35
CSE034	0.07	CSE034	0.15
HPCI Southampton	4.13	HPCI Southampton	1.56
HPCI Daresbury	0.19	HPCI Daresbury	0.20
HPCI Edinburgh	0.19	HPCI Edinburgh	0.00
CSN001	9.58	CSN001	20.74
CSN002	0.00	CSN002	0.00
BADC	0.00	BADC	0.00
CSN003	4.55	CSN003	0.04
CSN005	3.26	CSN005	0.00
CSN006	4.55	CSN006	0.00
CSN007	0.77	CSN007	0.00
CSN009	0.10	CSN009	0.00
CSN011	0.14	CSN011	0.00
CSB001	0.02	CSB001	0.00
CSB002	0.19	CSB002	0.40
CSB003	0.07	CSB003	0.00
CS2001	0.09	CS2001	0.20
CS2002	0.09	CS2002	0.20
CS2003	0.00	CS2003	0.81
CS2004	0.14	CS2004	0.30
CS2005	0.02	CS2005	0.05
CS2006	0.09	CS2006	0.05
CS2007	0.05	CS2007	0.00
CS3001	0.00	CS3001	0.00

Percentage usage of HSM by Consortium for June 1999	
Consortium	% Usage
CSE002	1.04
CSE003	0.16
CSE004	1.20
CSE024	0.02
CSN001	10.67
BADC	20.88
CSN003	62.94
CS2002	2.47

Appendix 3

<u>Percentage PE usage on Turing by Reserch Council for June 1999</u>			<u>Percentage CPU usage on Fermat by Reserch Council for June 1999</u>		
<u>Research Council</u>	<u>% Usage</u>		<u>Research Council</u>	<u>% Usage</u>	
EPSRC	70.21		EPSRC	60.70	
HPCI	0.09		HPCI	0.07	
NERC	28.61		NERC	39.05	
BBSRC	1		BBSRC	0	
Pparc(Class2)	0.23		PPARC(Class2)	0.17	

<u>Percentage Disc allocated on Turing by Research Council for June 1999</u>			<u>Percentage Disc allocated on Fermat by Research Council for June 1999</u>		
<u>Research Council</u>	<u>% Allocated</u>		<u>Research Council</u>	<u>% Allocated</u>	
EPSRC	73.66		EPSRC	72.20	
HPCI	4.50		HPCI	1.77	
NERC	21.21		NERC	25.73	
BBSRC	0.51		BBSRC	0.15	
PPARC(Class2)	0.09		PPARC(Class2)	0.20	

<u>Percentage HSM usage by Research Council for June 1999</u>		
<u>Research Council</u>	<u>% usage</u>	
EPSRC	2.57	
HPCI	0	
NERC	94.49	
BBSRC	0	
PPARC(Class2)	2.47	

Appendix 4

Support Used to end of June

Project	Used
cse009 GR/M07441 Catlow	0
cse006 gr/m05201 Briddon	0
cse002 gr/m01753 Gillan	13
cse011 GR/K52317 Williams	2.18
csn001 SOC Core Strategic Webb	0
cse007 gr/m05348 Foulkes	0
cse017 GR/L58699 Luo	0
cse008 GR/M07624 Hillier	0
cse024 GR/M44453 Tennyson	0
cse021 GR/L95427 Staunton	0
cse010 GR/L04108 Williams	4
cse030 GR/M56234 Cates	0
cs2002 PTMP Lyne	0
csn005 GR9/2909 Davies	0
cs2005 ISAAG Walsh	0
cse003 gr/m01784 Taylor	0

Training Used to end of June

Project	Used
cse009 GR/M07441 Catlow	0
csn001 SOC Core Strategic Webb	0
cse017 GR/L58699 Luo	0
cse024 GR/M44453 Tennyson	0
cse002 gr/m01753 Gillan	0
cse007 gr/m05348 Foulkes	0
cse003 gr/m01784 Taylor	0
cs2001 CompApps3D Jain	0
csb003 117/SO9645 Williams	0
cse011 GR/K52317 Williams	0
cse010 GR/L04108 Williams	0
csn003 UGAMP O'Neill	4
cse030 GR/M56234 Cates	4
cs2002 PTMP Lyne	0
cs3001 - Staveley	3
cs2005 ISAAG Walsh	0
cs2007 SNOW Choularton	1
csb001 27/B07117 Goodfellow	0

Appendix 5

Code	PI	Subject	Subject Area
Cse002	Dr Nicolas Harrison (Gillan)	Support for the UKCP	Physics
Cse003	Prof. Ken Taylor	HPC Consortiums 98- 2000	Physics
Cse004	Dr Neil Sandham	UK Turbulence	Engineering
Cse006	Dr Patrick Briddon	Covalently Bonded Materials	Materials
Cse007	Dr Matthew Foulkes	Quantum Many Body Theory	Physics
Cse008	Dr Mark Vincent (Hillier)	Model Chemical Reactivity	Chemistry
Cse009	Dr Ben Slater (Catlow)	HPC in Materials Chemistry	Chemistry
Cse010	Dr John Williams	Free Surface Flows	Engineering
Cse011	Dr John Williams	Open Channel Flood Plains	Engineering
Cse013	Dr David Aspley (Leschziner)	Complex Engineering Flows	Engineering
Cse014	Dr Cassiano de Oliverira (Goddard)	Probs in Nuclear Safety	Engineering
Cse016	Dr Stewart Cant	Turbulent Combustion	Engineering
Cse018	Dr Stewart Cant	Turbulent Flames	Engineering
Cse019	Dr Jason Lander (Berzins)	ROPA	Information Technology
Cse020	Dr Marek Szularz	Symmetric Eigenproblem	Information Technology
Cse021	Dr Julie Staunton	Magentisim	Physics
Cse022	Mr Niall Branley (Jones)	Turbulent Flames	Engineering
Cse023	Allen	Liquid Crystalline Materials	Robin Pinning
Cse024	Dr Robert Allan (Tennyson)	ChemReact 98-2000	Chemistry
Cse025	Dr Niels Rene Walet (Bishop)	Nuclear Theory Progamme	Physics
Cse026	Dr Maureen Neal	J90 move	
Cse027	Dr M Imregun	J90 move	
Cse028	Prof. P.W. Bearman	J90 move	
Cse029	Dr David Aspley (Leschziner)	J90 move	Engineering
Cse030	Prof M Cates	HPC for Complex Fluids	Physics
Cse031	Brebbia	J90 move	
Cse033	Dr M Imregun	Tubomachinery core compressor	Chemistry
Cse034	Dr Paul Durham	R&D of liner/non-linear systems	Mathematics
Csn001	Mrs Beverly de Cuevas (Webb)	HPCI Global Ocean Consortium	
Csn002	Dr Mark Vincent (Hillier)	Pollutant Sorption on Mineral Surf	
Csn003	Dr Lois Steenman-Clark (O'Neill)	UGAMP	
Csn005	Dr Huw Davies	Constraining Earth Mantle	
Csn006	Dr John Brodholt (Price)	Density Functional Methods	
Csn007	Dr John Brodholt (Price)	Density Functional Methods	
Csn008	Hulton	Sub-Glacial Process	
Csn009	Dr Roger Proctor		
Csn010	Dr Jason Lander (Mobbs)	Flow over Complex terrain	
Csn011	Dr Ed Dicks (Thorpe)	J90 move	
Csb001	Dr David Houldershaw (Goodfellow)	Macromolecular Interactions	
Csb002	Dr Adrian Mulholland (Danson)	Stability of Enzymes at high temp	
Csb003	Dr John Carling (Williams)	J90 move	
Css001	Dr Stan Openhaw	Human Systems Modelling	
Css002	Dr Robert Crouchley	Dropout in panel surveys	
Hpcid	Dr Robert Allan		
Hpcie	Dr David Henty		
Hpcis	Dr Denis Nicole		
Cs2001	Dr Sudhir Jain	3D Ising Spin Glass	
Cs2002	Dr Ingrid Stairs (Lyne)	Millisecond Pulsars	
Cs2003	Mr Tom Coulthard	Holocene Sediment Fluxes	
Cs2004	Dr A. Paul Watkins	Internal Combustion Engine	
Cs2005	Mr Sean Walsh	Arabidopsis Genome	
Cs2006	Prof. Walter Temmerman	Superconductivity & Magmetisim	
Cs2007	Choularton	Precipitation in the Mountains	
Cs2008	Dr Matthew Genge	Extraterrestrial Mineral Surfaces	
Cs3001	Mr John Andrew Staveley	Helical Coherent Structures	