

CSAR Service - Management Report

January 2001

This report documents the quality of the CSAR service during the month of January 2001.

A more comprehensive report is provided quarterly, which additionally covers wider aspects of the Service such as information on Training, Application Support and Value-Added services.

This and other such reports are made available through the Web to staff within EPSRC and the other Research Councils, to CfS staff and CSAR Service users. The reports are indexed in a similar way to that which other useful information and news are listed for selection.

1. Introduction

January has seen the T3E workload remain high and the upgraded Origin 2000 (Fermat) fully utilised.

This document gives information on Service Quality and on actual usage of the CSAR Service during the reporting period of January 2001. The information, in particular, covers the availability and usage of the following two main CSAR Service High Performance Computing (HPC) systems:

- Cray T3E-1200E/776 (Turing)
- SGI Origin2000/128 (Fermat)

The information is provided in both textual and graphical form, so that it is easier to see trends and variances.

2. Service Quality

This section covers overall Customer Performance Assessment Ratings (CPARS), HPC System availability and usage, Service Quality Tokens and other information concerning issues, progress and plans for the CSAR Service.

2.1 CPARS

Table 1 gives the measure by which the quality of the CSAR Service is judged. It identifies the metrics and performance targets, with colour coding so that different levels of achievement against targets can be readily identified. Unsatisfactory actual performance will trigger corrective action.

CSAR Service - Service Quality Report - Performance Targets

Service Quality Measure	Performance Targets					
	White	Blue	Green	Yellow	Orange	Red
HPC Services Availability						
Availability in Core Time (% of time)	> 99.9%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Availability out of Core Time (% of time)	> 99.8%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Number of Failures in month	0	1	2 to 3	4	5	> 5
Mean Time between failures in 52 week rolling period (hours)	>750	>500	>300	>200	>150	otherwise
Fujitsu Service Availability						
Availability in Core Time (% of time)	> 99.9%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Availability out of Core Time (% of time)	> 99.8%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Help Desk						
Non In-depth Queries - Max Time to resolve 50% of all queries (working days)	< 1/4	< 1/2	< 1	< 2	< 4	4 or more
Non In-depth Queries - Max Time to resolve 95% of all queries (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
Administrative Queries - Max Time to resolve 95% of all queries (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
Help Desk Telephone - % of calls answered within 2 minutes	>98%	> 95%	> 90%	> 85%	> 80%	80% or less
Others						
Normal Media Exchange Requests - average response time (working days)	< 1/2	< 1	< 2	< 3	< 5	5 or more
New User Registration Time (working days)	< 1/2	< 1	< 2	< 3	< 4	otherwise
Management Report Delivery Times (working days)	< 1	< 5	< 10	< 12	< 15	otherwise
System Maintenance - no. of scheduled sessions taken per system in the month	0	1	2	3	4	otherwise

Table 1

Table 2 gives actual performance information for the period of January 1st to 31st inclusive.

Overall, the CPARS Performance Achievement in January was satisfactory (see Table 3); i.e. Green measured against the CPARS performance targets.

The Fujitsu availability figures are included in Table 2, but not Table 3 as they have zero weighting in CPARS terms.

CSAR Service - Service Quality Report - Actual Performance Achievement

Service Quality Measure	2000/1											
	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan
HPC Services Availability												
Availability in Core Time (% of time)	96.11%	99.70%	100%	100%	99.70%	100%	100%	100%	100%	100%	94.90%	99.70%
Availability out of Core Time (% of time)	98.52%	99.50%	99.5%	99.40%	99.40%	100%	100%	100%	100%	99.40%	98.49%	99.50%
Number of Failures in month	4	2	1	1	2	0	0	0	0	2	4	1
Mean Time between failures in 52 week rolling period (hours)	230	486	437	515	461	461	626	730	1095	673	584	584
Fujitsu Service Availability												
Availability in Core Time (% of time)	100%	100%	100%	100%	100%	100%	98.4%	100%	100%	100%	100%	100%
Availability out of Core Time (% of time)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Help Desk												
Non In-depth Queries - Max Time to resolve 50% of all queries	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Non In-depth Queries - Max Time to resolve 95% of all queries	<1	<2	<1	<2	<1	<2	<2	<2	<1	<3	<3	<5
Administrative Queries - Max Time to resolve 95% of all queries	<0.5	<2	<1	<2	<0.5	<0.5	<2	<2	<0.5	<0.5	<5	<2
Help Desk Telephone - % of calls answered within 2 minutes	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Others												
Normal Media Exchange Requests - average response time	0	0	0	0	0	0	0	<0.5	0	<0.5	<0.5	<0.5
New User Registration Time (working days)	0	0	0	0	0	0	0	0	0	0	0	0
Management Report Delivery Times (working days)	10	10	10	10	10	10	10	10	10	10	10	10
System Maintenance - no. of sessions taken per system in the month	2	2	1	1	2	2	2	2	1	2	1	0

Table 2

Notes:

- HPC Services Availability has been calculated using the following formulae, based on the relative NPB performance of Turing and Fermat at installation:

$$[\text{Turing availability} \times 122 / (122 + 3.5)] + [\text{Fermat availability} \times 3.5 / (122 + 3.5) \times 1.556]$$
- Mean Time between failures for Service Credits is formally calculated based on a rolling 12 month period.

Table 3 gives Service Credit values for the month of January. These will be accounted on a quarterly basis, formally from the Go-Live Date. The values are calculated according to agreed Service Credit Ratings and Weightings.

CSAR Service - Service Quality Report - Service Credits


Service Quality Measure	2000/1											
	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan
HPC Services Availability												
Availability in Core Time (% of time)	0.078	-0.039	-0.058	-0.058	-0.039	-0.058	-0.058	-0.058	-0.058	-0.058	0.195	-0.039
Availability out of Core Time (% of time)	0.000	-0.039	-0.039	0	0	-0.047	-0.047	-0.047	-0.047	0	0	-0.039
Number of Failures in month	0.008	0	-0.008	-0.008	0	-0.009	-0.009	-0.009	-0.009	0	0	-0.008
Mean Time between failures in 52 week rolling period (hours)	0.008	0	0	-0.008	0	0	-0.008	-0.008	-0.009	-0.008	-0.008	-0.008
Help Desk												
Non In-depth Queries - Max Time to resolve 50% of all queries	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019
Non In-depth Queries - Max Time to resolve 95% of all queries	-0.016	0	-0.016	0	-0.016	0	0	0	-0.016	0.016	0.016	0.031
Administrative Queries - Max Time to resolve 95% of all queries	-0.019	0	-0.016	0	-0.019	-0.019	0	0	-0.019	-0.019	0.046	0.000
Help Desk Telephone - % of calls answered within 2 minutes	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004	-0.004
Others												
Normal Media Exchange Requests - average response time	0	0	0	0	0	0	0	-0.002	0	-0.002	-0.002	-0.002
New User Registration Time (working days)	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019	-0.019
Management Report Delivery Times (working days)	0	0	0	0	0	0	0	0	0	0	0	0
System Maintenance - no. of sessions taken per system in the month	0	0	-0.003	-0.003	0	0	0	0	-0.003	0	-0.003	-0.004
Monthly Total & overall Service Quality Rating for each period:	0.01	-0.06	-0.09	-0.06	-0.06	-0.09	-0.08	-0.08	-0.10	-0.06	0.11	-0.05

Table 3


2.2 Service Quality Tokens

The current position at the end of January 2001 is that one of the 502 registered users of the CSAR Service had used Service Quality Tokens.

The graph below shows the total number of registered users on the CSAR Service and the number of users holding a neutral view of the service.



The graph below illustrates the monthly usage trend of quality tokens:



The current status of the Stendahl tokens, is that there are three users with outstanding black marks against the system, due to the queue times being long on the Turing system.

SUMMARY OF SERVICE QUALITY TOKEN USAGE

No of Stars or Marks	Consortia	Date Allocated	Reason Given
5 Black Marks	CSN003	24/01/01	Excessive Queue times

2.3 Throughput Target against Baseline

The Baseline Target for throughput was fully achieved this month due to plenty of work over the period. The actual usage figure was 149% of Baseline capacity.

Job Throughput Against Baseline CSAR Service Provision

Period: 1st to 31st January 2001

	Baseline Capacity for Period (T3E PE Hours)	Actual Usage in Period (T3E PE Hours)	Actual % Utilisation c/w Baseline during Period
1. Has CfS failed to deliver Baseline MPP Computing Capacity for EPSRC?	367,726	550,801	149.79%
2. Have Users submitted work demanding > 110% of the Baseline during period?	367,726	557,026	Yes
3. Are there User Jobs outstanding at the end of the period over 4 days old?		Number of Jobs at least 4 days old at end Period 9	Number of Jobs at least 4 days old at end Period is not zero (Yes/No)? Yes
4. Have Users submitted work demands above 90% of the Baseline during period?		Minimum Job Time Demands as % of Baseline during Period 121%	Minimum Job Time Demand above 90% of Baseline during Period (Yes/No)? Yes
5. Majority of Job Queues contained jobs from Users for more than 97% during period?	4	Average % of time each queue contained jobs in the Period 63.0%	Average % of time each queue contained jobs in the Period is > 97%? No


3. System Availability

Service availability each reporting period is calculated as a percentage of actual availability time over theoretical maximum time, after accounting for planned breaks in service for preventative maintenance.


3.1 Cray T3E-1200E System (Turing)

The following graphs show the availability of Turing both in core time and out of core time respectively during the period of 1st to 31st January.

Turing availability for January:




Availability of Turing in core time during January was excellent.




Availability of Turing out of core time during January was good.

3.2 SGI Origin2000 System (Fermat)

The following graphs show the availability of Fermat both in core time and out of core time respectively.



Availability of Fermat in core time during January was good.



Availability of Fermat out of core time during January was good.

4. HPC Services Usage

Usage information is given in tabular form, in Appendices, and in graphical format. The system usage information for the period of January 1st to 30th is provided by Project/User Group, totalled by Research Council and overall. This covers:

- CPU usage Turing: 550,801 PE Hours Fermat (Batch): 13,067.9 Hours
- Fermat (Interactive): 1,619.95 CPU Hours
- Fujitsu CPU usage Fujitsu: 1,948.98 CPU Hours
- User Disk allocation Turing: 61.18 GB Years Fermat: 21.81 GB Years
- HSM/tape usage 1,037.55 GB Years


In addition, the following graphs are provided to illustrate usage per month, historically:

- a) MPP (T3E/Origin) Usage by month, showing usage each month of CPU (MFOP Years as perNPB), split by Research Council and by system. The Baseline and the overall Capacity are shown by overlaid horizontal lines.
- b) SMP (Origin) Usage by month, showing usage each month in CPU Hours, split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline Capacity is shown by an overlaid horizontal line.
- c) High Performance Disk (T3E) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1 Terabyte) is shown by an overlaid horizontal line.
- d) Medium Performance Disk (Origin) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1.5 Terabytes) is shown by an overlaid horizontal line.
- e) HSM/Tape Usage (T3E) by month, showing the volumes held each in GBytes, split by Research Council. The Baseline Capacity (16 Terabytes) available will be shown by an overlaid horizontal line.

4.1 Cray T3E-1200E System (Turing)

The following graph shows the usage of Turing during each day of January 2001. Note that there is some variance on a day-to-day basis as the accounts record job times, and thus CPU usage figures, at the time of job completion which could be the second actual day for large jobs. At present, there is a 12 hour limit on jobs, so that they are check-pointed, and computational time lost due to any failure is well managed.

Turing usage for January:



The above usage graph for the Turing system shows that the overall workload was variable, though as can be seen from the graph, there were few periods with low work volumes.


The above graph also indicates the workload reached 100% of maximum theoretical capacity for a large part of the month.

Fine tuning of the CfS scheduling system will continue to ensure minimal wasting of PE resource, in order to fit in a number of different sized jobs (e.g. 32, 64, 128, 256) thus facilitating maximised job throughput.


In particular, Turing will continue to start large jobs above 256 PEs, including 512 PEs, every night they are queued subject to the overall workload.

4.2 SGI Origin2000 System (Fermat)

The usage of the Origin system was low at the beginning of the month but grew with the new batch queuing system and release of processors for batch work. The groups most heavily using the Fermat system are CSE006 (Briddon) and CSN003 (O'Neil).




The graph above shows the interactive usage of the upgraded Origin 2000 (Fermat).



The above graph to a different scale shows the growing batch utilisation of the Origin 128.


4.2.1 Fujitsu VPP 300/8 System (Fuji)




Fuji utilisation was again variable over the month with the overall position resulting in usage below baseline.

4.3 Disk/HSM Usage Charts


The graphs below show current disk and HSM allocations and usage.



The preceding graph shows actual usage on average against the current allocation of disk on the Turing system.




The above graph shows the disk allocations against usage on average of the disk on Fermat.




The above graph shows the total usage of the HSM facility by Research Council.


The next two graphs give actual usage of HSM by Research Council and by Consortium.



CSE002 (Gillan), CSE004 (Sandham), CSE024 (Tennyson), CSN001 (Webb), CSN003 (O'Neill) & CSN015 (Proctor) were the major users of HSM resource.




Job statistics for Turing:




The above graph shows the number of jobs of the major sizes run in the period 1st to 31st January 2001.


The next graph shows the wait times in minutes for the major categories of jobs.



The chart above shows the average wait time trend over the last 12 months. Wait times for jobs in the range of 33 to 256 PE's have increased recently due to the heavy workload on the system .




It can be seen from the above graph that enhancements to the scheduling on Turing did reduce the average wait times in November/December, however the times have again started to climb due to the volumes of work on Turing.




The largest proportion of the workload on Turing, 58%, was greater than 32 PEs in size.

The proportion of work greater than 128 PEs in size remained significantly high, with negligible jobs above 256 PEs.




Turing PE usage is shown by Research Council during the past 12 months of service in the above chart.



Origin 2000 CPU usage is shown by Research Council during the past 12 months of service in the above chart.


4.4 Class 2 & 3 Usage Charts

The next series of charts show the usage of the system by the class 2 & class 3 users. The usage is shown by project and identifies the Research Council of the individual projects.




The above chart shows the most significant PE usage of the Turing system by class 2 and class 3 users.

The chart showing the CPU usage of the Fermat system by class 2 and class 3 users, has not been included due to near zero usage.



The above chart shows the most significant disk allocations on the Turing system for class 2 and class 3 users.




The above chart shows the most significant disk allocations on the Fermat system for class 2 and class 3 users.

There is currently no HSM usage by class 2 and class 3 users.


4.5 Charts of Historical Usage


In all the Usage Charts, the baseline varies dependant on the number of days in each month, within a 365-day year.

The graph below shows the GFLOP Year utilisation on Turing and Fermat by Research Council for the previous 12 months.




The graph below shows the historic SMP/MPP usage on the major systems commencing in January 2001.






The above graph shows the historic interactive usage of the 'Baseline' Fermat system (equivalent to 16@250Mhz CPU's)

The next series of graphs illustrates the usage of the disk and HSM resources of the system.




The preceding graph illustrates the historic allocation of the High Performance Disk on Turing.




The graph above illustrates the historic allocation of the Medium Performance Disk on Fermat.

The graph below shows the historic HSM usage by Research Council funded projects. The primary usage is for NERC.



The next chart shows the historic usage of the Fuji system.



The Fujitsu system was over baseline again this month.

EPSRC usage was from CSE004.

4.5 Guest System Usage Charts

There is at present no guest system usage to report.

5. Service Status, Issues and Plans

5.1 Status

The service continues to run almost at full capacity.

During the month, 58% of the jobs run on Turing were larger than 32 PEs in size.

The new Origin 128 (Fermat) and Compaq (Kelvin) systems are now fully available with the usage of the upgraded Fermat climbing rapidly.

5.2 Issues

Wait times continue to be of concern, however Fermat has started to provide additional resource to the users. This should start to take some of the load off Turing..

5.3 Plans

It continues to be the position of the CfS consortium to provide additional capacity to meet the capacity demands of the user community. With this in mind, an Origin 3000/128 is planned for delivery at the beginning of April.

6. Conclusion

January 2001 saw the overall CPARS rating at Green with improvements being shown in machine reliability and the resolution times of queries.

The baseline was exceeded by over 49% with the largest proportion of the workload being the larger job sizes.

Continued management attention will be given to maximise the throughput of the Service, whilst balancing as fairly as practicable the shares between Projects and jobs of the varying sizes.

Appendix 1 contains the accounts for January 2001

Appendix 2 contains the Percentage shares by Consortium for January 2001

Appendix 3 contains the Percentage shares by Research Council for January 2001

Appendix 4 contains the Training, Applications and Optimisation support figures to the end of January 2001

Appendix 5 contains a reference table of the Consortia name, the subject area and the PI name.

Appendix 1

The summary accounts for the month of January 2001 can be found at the URL below

<http://www.csar.cfs.ac.uk/admin/accounts/summary.shtml>

Appendix 2

Percentage PE time per consortia for Turing in January 2001		Percentage CPU time per consortia for Fermat in January 2001	
Consortia	% Machine Time	Consortia	% Machine Time
CSE002	11.40	CSE002	2.69
CSE003	3.70	CSE003	0.20
CSE007	0.15	CSE007	0.00
CSE021	0.10	CSE021	0.00
CSE023	0.00	CSE023	0.00
CSE025	0.00	CSE025	0.00
CSE030	2.15	CSE030	2.18
CSE006	18.82	CSE006	85.28
CSE026	3.95	CSE026	0.00
CSE004	10.47	CSE004	0.52
CSE010	0.00	CSE010	0.00
CSE011	0.00	CSE011	0.00
CSE013	9.35	CSE013	1.18
CSE014	0.00	CSE014	0.00
CSE016	0.00	CSE016	0.00
CSE022	0.31	CSE022	0.00
CSE027	0.00	CSE027	1.04
CSE029	0.00	CSE029	0.00
CSE040	0.00	CSE040	0.00
CSE041	0.00	CSE041	0.19
CSE043	0.00	CSE043	0.00
CSE008	0.00	CSE008	0.00
CSE009	5.52	CSE009	2.22
CSE024	0.00	CSE024	0.00
CSE033	0.00	CSE033	0.00
CSE035	2.43	CSE035	0.00
CSE019	0.00	CSE019	0.00
CSE020	0.00	CSE020	0.00
CSE034	0.00	CSE034	0.00
CSE036	0.00	CSE036	0.00
HPCI Southampton	0.00	HPCI Southampton	0.00
HPCI Daresbury	0.14	HPCI Daresbury	1.33
HPCI Edinburgh	0.00	HPCI Edinburgh	0.00
CSN001	5.58	CSN001	0.10
CSN002	0.00	CSN002	0.00
BADC	0.00	BADC	0.00
CSN003	13.54	CSN003	3.05
CSN005	0.00	CSN005	0.00
CSN006	9.88	CSN006	0.00
CSN007	0.00	CSN007	0.00
CSN010	0.00	CSN010	0.00
CSN011	0.00	CSN011	0.00
CSN012	0.00	CSN012	0.00
CSN013	0.02	CSN013	0.00
CSN015	0.09	CSN015	0.00
CSN017	0.00	CSN017	1.87
CSB001	0.00	CSB001	0.00
CSB002	0.62	CSB002	0.00
CSB003	0.00	CSB003	0.00
CSP002	1.67	CSP002	0.00
CSP003	0.00	CSP003	0.00
CSS001	0.00	CSS001	0.00
CSS002	0.00	CSS002	0.00
CS2001	0.00	CS2001	0.00
CS2002	0.00	CS2002	0.00
CS2003	0.00	CS2003	0.00
CS2004	0.00	CS2004	0.00
CS2006	0.00	CS2006	0.00
CS2007	0.00	CS2007	0.00
CS2008	0.00	CS2008	0.00
CS2009	0.00	CS2009	0.00
CS2010	0.00	CS2010	0.00
CS2011	0.00	CS2011	0.00
CS2012	0.00	CS2012	0.00
CS2014	0.00	CS2014	0.00
CS2015	0.00	CS2015	0.00
CS2016	0.00	CS2016	0.00
CS2017	0.00	CS2017	0.00
CS2018	0.00	CS2018	0.00
CS2019	0.00	CS2019	0.00
CS2020	0.00	CS2020	0.00
CS2021	0.00	CS2021	0.00
CS2022	0.00	CS2022	0.00
CS2023	0.00	CS2023	0.00
CS2024	0.00	CS2024	0.00
CS3001	0.00	CS3001	0.00
CS3002	0.02	CS3002	0.00
CS3003	0.00	CS3003	0.00
CS3004	0.00	CS3004	0.00
CS3005	0.00	CS3005	0.00
CS3007	0.01	CS3007	0.00
CS3008	0.00	CS3008	0.00
CS3010	0.00	CS3010	0.00

Percentage disc-allocation by Consortia for Turing in January 2001		Percentage disc-allocation by Consortia for Fermat in January 2001	
Consortia	%Allocation	Consortia	%Allocation
CSE002	28.44	CSE002	24.58
CSE003	7.62	CSE003	0.96
CSE007	1.11	CSE007	0.00
CSE021	0.05	CSE021	0.00
CSE023	0.00	CSE023	0.00
CSE025	0.00	CSE025	0.00
CSE030	18.05	CSE030	20.59
CSE051	0.62	CSE051	0.00
CSE006	1.11	CSE006	0.92
CSE026	0.07	CSE026	0.00
CSE004	9.46	CSE004	10.36
CSE010	0.00	CSE010	0.00
CSE011	0.88	CSE011	0.00
CSE013	1.26	CSE013	0.46
CSE014	0.00	CSE014	0.00
CSE016	0.56	CSE016	0.00
CSE022	0.08	CSE022	0.00
CSE027	0.07	CSE027	0.18
CSE029	0.00	CSE029	0.00
CSE040	0.00	CSE040	0.00
CSE041	0.07	CSE041	0.00
CSE043	0.15	CSE043	0.41
CSE008	0.00	CSE008	0.00
CSE009	4.17	CSE009	0.37
CSE024	0.49	CSE024	0.14
CSE033	0.41	CSE033	0.00
CSE035	0.96	CSE035	0.00
CSE019	0.00	CSE019	0.00
CSE020	0.00	CSE020	0.00
CSE034	0.00	CSE034	0.00
CSE036	0.03	CSE036	0.05
HPCI Southampton	0.00	HPCI Southampton	0.00
HPCI Daresbury	0.13	HPCI Daresbury	0.14
HPCI Edinburgh	0.13	HPCI Edinburgh	0.37
CSN001	11.28	CSN001	23.38
CSN002	0.00	CSN002	0.00
BADC	0.00	BADC	0.00
CSN003	3.33	CSN003	15.59
CSN005	0.00	CSN005	0.00
CSN006	5.56	CSN006	0.00
CSN007	0.00	CSN007	0.00
CSN009	0.00	CSN009	0.00
CSN010	0.00	CSN010	0.00
CSN011	0.39	CSN011	0.00
CSN012	0.00	CSN012	0.00
CSN013	0.20	CSN013	0.00
CSN015	0.16	CSN015	0.00
CSN017	0.02	CSN017	0.37
CSB001	0.07	CSB001	0.00
CSB002	1.80	CSB002	0.37
CSB003	0.05	CSB003	0.00
CSP002	0.83	CSP002	0.00
CSP003	0.03	CSP003	0.14
CSS001	0.21	CSS001	0.00
CSS002	0.00	CSS002	0.00
CS2001	0.00	CS2001	0.00
CS2002	0.00	CS2002	0.00
CS2003	0.00	CS2003	0.00
CS2004	0.00	CS2004	0.00
CS2006	0.00	CS2006	0.00
CS2007	0.00	CS2007	0.00
CS2008	0.00	CS2008	0.00
CS2009	0.00	CS2009	0.00
CS2010	0.00	CS2010	0.00
CS2011	0.00	CS2011	0.00
CS2012	0.00	CS2012	0.00
CS2014	0.00	CS2014	0.00
CS2015	0.00	CS2015	0.00
CS2016	0.00	CS2016	0.00
CS2017	0.00	CS2017	0.00
CS2018	0.11	CS2018	0.00
CS2019	0.00	CS2019	0.00
CS2021	0.07	CS2021	0.00
CS2022	0.11	CS2022	0.00
CS2023	0.15	CS2023	0.00
CS2024	0.00	CS2024	0.00
CS3001	0.00	CS3001	0.00
CS3002	0.18	CS3002	0.00
CS3003	0.41	CS3003	0.00
CS3004	0.13	CS3004	0.00
CS3007	0.21	CS3007	0.00
CS3008	0.41	CS3008	0.37
CS3005	0.15	CS3005	0.00
CS3010	0.13	CS3010	0.00

Percentage usage of HSM by Consortium for January 2001

Consortium	% Usage
CSE002	0.83
CSE003	0.10
CSE030	0.81
CSE004	4.45
CSE013	0.11
CSE041	0.08
CSE024	2.39
CSE035	0.04
CSN001	21.29
BADC	8.79
CSN003	55.63
CSN015	5.30

Appendix 3

Percentage PE usage on Turing by Research Council for January 2001			Percentage CPU usage on Fermat by Research Council for January 2001		
Research Council	% Usage		Research Council	% Usage	
EPSRC	68.28		EPSRC	95.50	
HPCI	0.14		HPCI	1.33	
NERC	29.26		NERC	3.16	
BBSRC	0.62		BBSRC	0.00	
ESRC	0.00		ESRC	0.00	
PPARC	1.67		PPARC	0.00	

Percentage Disc allocated on Turing by Research Council for January 2001			Percentage Disc allocated on Fermat by Research Council for January 2001		
Research Council	% Allocated		Research Council	% Allocated	
EPSRC	74.99		EPSRC	59.28	
HPCI	0.28		HPCI	0.50	
NERC	20.74		NERC	39.34	
BBSRC	1.93		BBSRC	0.41	
ESRC	0.26		ESRC	0.00	
PPARC	1.05		PPARC	0.14	

Percentage HSM usage by Research Council for January 2001		
Research Council	% usage	
EPSRC	8.81	
HPCI	0	
NERC	91.01	
BBSRC	0	
ESRC	0	
PPARC	0	

Appendix 4

The following tables show the training and support resource usage by the consortias in person days to the cuurent month.

Code	PI	Subject	Application Support		Optimisation Support		Total Support Used	Training Used
			Application Support for January 2001	Total Application Support from July 2000	Optimisation Support for January 2001	Total Optimisation Support from July 2000		
Cse002	Dr Phil Lindan	Support for the UKCP	1	10.25			142.25	-
Cse003	Prof. Ken Taylor	HPC Consortiums 98- 2000	1	1			4	6
Cse004	Dr Neil Sandham	UK Turbulence						2
Cse006	Dr Patrick Briddon	Covalently Bonded Materials						
Cse007	Dr Matthew Foulkes	Quantum Many Body Theory					1	2
Cse009	Dr Ben Slater (Catlow)	HPC in Materials Chemistry		5		3	8	
Cse010	Dr John Williams	Free Surface Flows					15.95	
Cse011	Dr John Williams	Open Channel Flood Plains					2.18	
Cse013	Prof Michael Leschziner	Complex Engineering Flows						3
Cse014	Dr Cassiano de Oliveira (Goddard)	Probs in Nuclear Safety						
Cse017	Dr Kai Luo	Large Eddy Simulation and Modelling of Buoyant Plumes and Smoke Spread in Enclosures						
Cse021	Dr Julie Staunton	Magentisim						1
Cse024	Dr Robert Allan (Tennyson)	ChemReact 98-2000						-
Cse025	Dr Niels Rene Walet(Bishop)	Nuclear Theory Progamme						1.5
Cse027	Dr M Imregun	Excitation Mechanisims						
Cse030	Prof M Cates	HPC for Complex Fluids	5	15		5	45	7
Cse033	Dr M Imregun	Tubomachin ery core compressor						

Cse041	Dr M Imregun	Flutter and Noise Generation						
Cse043	Dr J J R Williams	Numerical Simulation of flow over a rough bed						4
Csn001	Mrs Beverly de Cuevas (Webb)	HPCI Global Ocean Consortium				2		1
Csn003	Dr Lois Steenman-Clark (O'Neill)	JGAMP						4
Csn005	Dr Huw Davies	Constraining Earth Mantle				27		6
Csn010	Dr Jason Lander (Mobbs)	Flow over Complex terrain						
Csn015	Dr Roger Proctor	Atlantic Margin Metocean Project						3
Csn017	Dr Antony Payne	Stability of the Antarctic ice Sheet						2
Csb001	Dr David Holdershaw (Goodfellow)	Macromolecular Interactions				2		2
Csb003	Dr John Carling (Williams)	Anguilliform Swimming						
Csp002	Dr Sandra Chapman	Nonlinear process in solar system and astrophysical plasmas						4
Csp003	Prof Andrew Lyne	Computing Resources for Precision timing of Millisecond Pulsars		1			2	4
Css001	Dr I J Turton	Human Systems Modelling						
Css002	Dr Robert Crouchley	Dropout in panel surveys						2
ukhec	Ms K Jaffri							2
Cs2001	Dr Sudhir Jain	3D Ising Spin Glass						
Cs2002	Dr Ingrid Stairs (Lyne)	Millisecond Pulsars				0.25		

Cs2007	Choularton	Precipitation in the Mountains							1
Cs2008	Dr Matthew Genge	Extraterrestrial Mineral Surfaces					7.91		
Cs2012	Prof Ning Qin	Monotone Integrated Large Eddy Simulation							1.5
Cs2014	Dr Vladimir Karlin	Dynamics of intrinsically unstable premixed flames							2
Cs2015	Mr Pablo Tejera-Cuesta	Nonlinear Methods in Aerodynamics							1.5
Cs2016	Dr Jim Miles	Investigation of Scaline Properties of Hierarchical Micromagnetic Models							-
Cs2021	Dr A R Mount	A Computational Study of the Luminescence of Substituted Indoles							1
Cs2022	Dr Philippa Browning	Numerical simulation of forced magnetic reconnection							2
Cs3001	Mr John Andrew Staveley	Helical Coherent Structures					0		3
Cs3002	Dr Keir Novik	Simulations of DNA oligomers							2
Cs3004	Prof Nick Avis	Computational Steering and Interactive Virtual Environments							1
Cs3005	Mr Behrouz Zarei	Simulation of Queuing Networks							3
Cs3006	Mr F Li	Quantifying Room Acoustic Quality							1
Cs3007	Emma Finch	Development of a 3D Crustal Lattice Solid Model	5	5		5	10		

Cs3008	Dr B J Alsberg	Development of a 3D QSAR method based on quantum topological descriptors					-	-
Cs3009	Dr D Flower	Epitope Prediction Methods based on molecular dynamics simulation					-	-
Cs3010	Dr K Kemsley	Investigation of electromyogr aphic recordings of muscle activity during chewing, and of relationships with perceived flavour and texture, in model and real food systems					-	1
Cs3012	Prof Jim Austin	Evaluation of binary neural networks on a vector parallel processor					-	2
Totals			12	37.25	0	13	269.54	72.5

Appendix 5

Code	PI	Subject	Subject Area
Cse002	Dr Nicolas Harrison (Gillan)	Support for the UKCP	Physics
Cse003	Prof. Ken Taylor	HPC Consortiums 98- 2000	Physics
Cse004	Dr Neil Sandham	UK Turbulence	Engineering
Cse006	Dr Patrick Briddon	Covalently Bonded Materials	Materials
Cse007	Dr Matthew Foulkes	Quantum Many Body Theory	Physics
Cse008	Dr Mark Vincent (Hillier)	Model Chemical Reactivity	Chemistry
Cse009	Dr Ben Slater (Catlow)	HPC in Materials Chemistry	Chemistry
Cse010	Dr John Williams	Free Surface Flows	Engineering
Cse011	Dr John Williams	Open Channel Flood Plains	Engineering
Cse013	Dr David Aspley (Leschziner)	Complex Engineering Flows	Engineering
Cse014	Dr Cassiano de Oliverira (Goddard)	Probs in Nuclear Safety	Engineering
Cse016	Dr Stewart Cant	Turbulent Combustion	Engineering
Cse018	Dr Stewart Cant	Turbulent Flames	Engineering
Cse019	Dr Jason Lander (Berzins)	ROPA	Information Technology
Cse020	Dr Marek Szularz	Symmetric Eigenproblem	Information Technology
Cse021	Dr Julie Staunton	Magentisim	Physics
Cse022	Mr Niall Branley (Jones)	Turbulent Flames	Engineering
Cse023	Allen	Liquid Crystalline Materials	Robin Pinning
Cse024	Dr Robert Allan (Tennyson)	ChemReact 98-2000	Chemistry
Cse025	Dr Niels Rene Walet (Bishop)	Nuclear Theory Progamme	Physics
Cse026	Dr Maureen Neal	J90 move	
Cse027	Dr M Imregun	J90 move	
Cse028	Prof. P.W. Bearman	J90 move	
Cse029	Dr David Aspley (Leschziner)	J90 move	Engineering
Cse030	Prof M Cates	HPC for Complex Fluids	Physics
Cse031	Brescia	J90 move	
Cse033	Dr M Imregun	Tubomachinery core compressor	Chemistry
Cse034	Dr Paul Durham	R&D of liner/non-linear systems	Mathematics
Csn001	Mrs Beverly de Cuevas (Webb)	HPCI Global Ocean Consortium	
Csn002	Dr Mark Vincent (Hillier)	Pollutant Sorption on Mineral Surf	
Csn003	Dr Lois Steenman-Clark (O'Neill)	UGAMP	
Csn005	Dr Huw Davies	Constraining Earth Mantle	
Csn006	Dr John Brodholt (Price)	Density Functional Methods	
Csn007	Dr John Brodholt (Price)	Density Functional Methods	
Csn008	Hulton	Sub-Glacial Process	
Csn009	Dr Roger Proctor		
Csn010	Dr Jason Lander (Mobbs)	Flow over Complex terrain	
Csn011	Dr Ed Dicks (Thorpe)	J90 move	
Csb001	Dr David Houldershaw (Goodfellow)	Macromolecular Interactions	
Csb002	Dr Adrian Mulholland (Danson)	Stability of Enzymes at high temp	
Csb003	Dr John Carling (Williams)	J90 move	
Css001	Dr Stan Openhaw	Human Systems Modelling	
Css002	Dr Robert Crouchley	Dropout in panel surveys	
Hpcid	Dr Robert Allan		
Hpcie	Dr David Henty		
Hpcis	Dr Denis Nicole		
Cs2001	Dr Sudhir Jain	3D Ising Spin Glass	
Cs2002	Dr Ingrid Stairs (Lyne)	Millisecond Pulsars	
Cs2003	Mr Tom Coulthard	Holocene Sediment Fluxes	
Cs2004	Dr A. Paul Watkins	Internal Combustion Engine	
Cs2005	Mr Sean Walsh	Arabidopsis Genome	
Cs2006	Prof. Walter Temmerman	Superconductivity & Magmetisim	
Cs2007	Choularton	Precipitation in the Mountains	
Cs2008	Dr Matthew Genge	Extraterrestrial Mineral Surfaces	
Cs3001	Mr John Andrew Staveley	Helical Coherent Structures	