CSAR Service - Management Report

May 2001

This report documents the quality of the CSAR service during the month of May 2001.

A more comprehensive report is provided quarterly, which additionally covers wider aspects of the Service such as information on Training, Application Support and Value-Added services.

This and other such reports are made available through the Web to staff within EPSRC and the other Research Councils, to CfS staff and CSAR Service users. The reports are indexed in a similar way to that which other useful information and news are listed for selection.

1. Introduction

May has seen the T3E workload remain very high and the Origin 2000 (Fermat) with a high utilisation.

May also saw the utilisation on the Origin 3000 (Green) climbing.

The percentage of jobs larger than 64 PE's was 51%.

This document gives information on Service Quality and on actual usage of the CSAR Service during the reporting period of May 2001. The information, in particular, covers the availability and usage of the following two main CSAR Service High Performance Computing (HPC) systems:

- Cray T3E-1200E/776 (Turing)
- ➢ SGI Origin2000/128 (Fermat)

The information is provided in both textual and graphical form, so that it is easier to see trends and variances.

2. Service Quality

This section covers overall Customer Performance Assessment Ratings (CPARS), HPC System availability and usage, Service Quality Tokens and other information concerning issues, progress and plans for the CSAR Service.

2.1 CPARS

<u>Table 1</u> gives the measure by which the quality of the CSAR Service is judged. It identifies the metrics and performance targets, with colour coding so that different levels of achievement against targets can be readily identified. Unsatisfactory actual performance will trigger corrective action.

CSAR Service - Service Quality Report - Performance Targets

| | | | Performan | ce Targets | | |
|--|---------|---------|-----------|------------|--------|-------------|
| Service Quality Measure | White | Blue | Green | Yellow | Orange | Red |
| HPC Services Availability | | | | | | |
| Availability in Core Time (% of time) | > 99.9% | > 99.5% | > 99.2% | > 98.5% | > 95% | 95% or less |
| Availability out of Core Time (% of time) | > 99.8% | > 99.5% | > 99.2% | > 98.5% | > 95% | 95% or less |
| Number of Failures in month | 0 | 1 | 2 to 3 | 4 | 5 | > 5 |
| Mean Time between failures in 52 week rolling period (hours) | >750 | >500 | >300 | >200 | >150 | otherwise |
| Fujitsu Service Availability | | | | | | |
| Availability in Core Time (% of time) | > 99.9% | > 99.5% | > 99.2% | > 98.5% | > 95% | 95% or less |
| Availability out of Core Time (% of time) | | > 99.5% | > 99.2% | > 98.5% | > 95% | 95% or less |
| Help Desk | | | | | | |
| Non In-depth Queries - Max Time to resolve 50% of all queries (working days) | < 1/4 | < 1/2 | < 1 | < 2 | < 4 | 4 or more |
| Non In-depth Queries - Max Time to resolve 95% of all queries (working days) | < 1/2 | < 1 | < 2 | < 3 | < 5 | 5 or more |
| Administrative Queries - Max Time to resolve 95% of all queries (working days) | < 1/2 | < 1 | < 2 | < 3 | < 5 | 5 or more |
| Help Desk Telephone - % of calls answered within 2 minutes | >98% | > 95% | > 90% | > 85% | > 80% | 80% or less |
| Others | | | | | | |
| Normal Media Exchange Requests - average response time (working days) | < 1/2 | < 1 | < 2 | < 3 | < 5 | 5 or more |
| New User Registration Time (working days) | < 1/2 | < 1 | < 2 | < 3 | < 4 | otherwise |
| Management Report Delivery Times (working days) | | < 5 | < 10 | < 12 | < 15 | otherwise |
| System Maintenance - no. of scheduled sessions taken per system in the month | 0 | 1 | 2 | 3 | 4 | otherwise |

Table 1

<u>Table 2</u> gives actual performance information for the period of May 1^{st} to 31^{st} inclusive.

Overall, the CPARS Performance Achievement in May was satisfactory (see Table 3); i.e. Green measured against the CPARS performance targets.

The Fujitsu availability figures are included in Table 2, but not Table 3 as they have zero weighting in CPARS terms.

CSAR Service - Service Quality Report - Actual Performance Achievement

| | 2000/1 | | | | | | | | | | | |
|--|--------|-------|-------|-------|-------|-------|--------|--------|--------|-------|-------|--------|
| Service Quality Measure | June | July | Aug | Sept | Oct | Nov | Dec | Jan | Feb | March | April | May |
| HPC Services Availability | | | | | | | | | | | | |
| Availability in Core Time (% of time) | 99.70% | 100% | 100% | 100% | 100% | 100% | 94.90% | 99.70% | 99.70% | 100% | 100% | 99.70% |
| Availability out of Core Time (% of time) | 99.40 | 100% | 100% | 100% | 100% | 99.40 | 98.49% | 99.50% | 99.40 | 99.40 | 99.40 | 99.40 |
| Number of Failures in month | 2 | 0 | 0 | 0 | 0 | 2 | 4 | 1 | 1 | 1 | 1 | 3 |
| Mean Time between failures in 52 week rolling period (hours) | 461 | 461 | 626 | 730 | 1095 | 673 | 584 | 584 | 626 | 674 | 674 | 584 |
| Fujitsu Service Availability | | | | | | | | | | | | |
| Availability in Core Time (% of time) | 100% | 100% | 98.4% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Availability out of Core Time (% of time) | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Help Desk | | | | | | | | | | | | |
| Non In-depth Queries - Max Time to resolve 50% of all queries | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 |
| Non In-depth Queries - Max Time to resolve 95% of all queries | <1 | <2 | <2 | <2 | <1 | <3 | <3 | <5 | <5 | <3 | <5 | <2 |
| Administrative Queries - Max Time to resolve 95% of all queries | <0.5 | <0.5 | <2 | <2 | <0.5 | <0.5 | <5 | <2 | <2 | <3 | <0.5 | <0.5 |
| Help Desk Telephone - % of calls answered within 2 minutes | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Others | | | | | | | | | | | | |
| Normal Media Exchange Requests - average response time | 0 | 0 | 0 | <0.5 | 0 | <0.5 | <0.5 | <0.5 | <0.5 | 0 | 0 | <0.5 |
| New User Registration Time (working days) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Management Report Delivery Times (working days) | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 12 | 10 |
| System Maintenance - no. of sessions taken per system in the mor | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 0 | 2 | 1 | 2 | 0 |

Table 2

Notes:

1. HPC Services Availability has been calculated using the following formulae, based on the relative NPB performance of Turing and Fermat at installation:

[Turing availability x 122 / (122 + 3.5)] + [Fermat availability x 3.5 / (122 + 3.5) x 1.556]

2 Mean Time between failures for Service Credits is formally calculated based on a rolling 12 month period.

<u>Table 3</u> gives Service Credit values for the month of May. These will be accounted on a quarterly basis, formally from the Go-Live Date. The values are calculated according to agreed Service Credit Ratings and Weightings.


| CSAR Service - Service Quali | ty Report - Service Credits |
|-------------------------------------|-----------------------------|
|-------------------------------------|-----------------------------|

| | 2000/1 | | | | | | | | | | | |
|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Service Quality Measure | June | July | Aug | Sept | Oct | Nov | Dec | Jan | Feb | March | April | May |
| HPC Services Availability | | | | | | | | | | | | |
| Availability in Core Time (% of time) | -0.039 | -0.058 | -0.058 | -0.058 | -0.058 | -0.058 | 0.195 | -0.039 | -0.039 | -0.058 | -0.058 | -0.039 |
| Availability out of Core Time (% of time) | 0 | -0.047 | -0.047 | -0.047 | -0.047 | 0 | 0 | -0.039 | 0.000 | 0 | 0 | 0 |
| Number of Failures in month | 0 | -0.009 | -0.009 | -0.009 | -0.009 | 0 | 0 | -0.008 | -0.008 | -0.008 | -0.008 | 0 |
| Mean Time between failures in 52 week rolling period (hours) | 0 | 0 | -0.008 | -0.008 | -0.009 | -0.008 | -0.008 | -0.008 | -0.008 | -0.008 | -0.008 | -0.008 |
| Help Desk | | | | | | | | | | | | |
| Non In-depth Queries - Max Time to resolve 50% of all queries | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 |
| Non In-depth Queries - Max Time to resolve 95% of all queries | -0.016 | 0 | 0 | 0 | -0.016 | 0.016 | 0.016 | 0.031 | 0.031 | 0.016 | 0.031 | 0 |
| Administrative Queries - Max Time to resolve 95% of all queries | -0.019 | -0.019 | 0 | 0 | -0.019 | -0.019 | 0.046 | 0 | 0 | 0.016 | -0.019 | -0.019 |
| Help Desk Telephone - % of calls answered within 2 minutes | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 | -0.004 |
| Others | | | | | | | | | | | | |
| Normal Media Exchange Requests - average response time | 0 | 0 | 0 | -0.002 | 0 | -0.002 | -0.002 | -0.002 | -0.002 | 0 | 0 | -0.002 |
| New User Registration Time (working days) | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 | -0.019 |
| Management Report Delivery Times (working days) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.003 | 0 |
| System Maintenance - no. of sessions taken per system in the mont | 0 | 0 | 0 | 0 | -0.003 | 0 | -0.003 | -0.004 | 0 | -0.003 | -0.003 | -0.004 |
| | | | | | | | | | | | | |
| Monthly Total & overall Service Quality Rating for each period: | -0.06 | -0.09 | -0.08 | -0.08 | -0.10 | -0.06 | 0.11 | -0.05 | -0.03 | -0.04 | -0.05 | -0.06 |

Table 3


2.2 Service Quality Tokens

The current position at the end of May 2001 is that one of the 492 registered users of the CSAR Service had used Service Quality Tokens.



The graph below shows the total number of registered users on the CSAR Service and the number of users holding a neutral view of the service.





The graph below illustrates the monthly usage trend of quality tokens:

Service Quality Tokens - Monthly Trends

The current status of the Stendahl tokens, is that there is one user with outstanding black marks against the system, due to the queue times being long on the Turing system.

| No of Stars or Marks | Consortia | Date Allocated | Reason Given |
|-------------------------|-----------|-------------------|--------------------------------------|
| | | | |
| 1 Black Mark | CSN001 | 12/03/01 | Prblems improved though not resolved |
| | | | |
| | | | |

2.3 Throughput Target against Baseline

The Baseline Target for throughput was fully achieved this month due to plenty of work over the period. The actual usage figure was 156% of Baseline capacity.

Job Throughput Against Baseline CSAR Service Provision

| Period: | 1st to 31st Mayl 200 | 01 | |
|--|--|--|---|
| | Baseline Capacity for Period (T3E PE Hours) | Actual Usage in Period (T3E PE Hours) | Actual % Utilisation c/w Baseline during Period |
| 1. Has CfS failed to deliver Baseline MPP Computing Capacity for EPSRC? | 359,450 | 561,104 | 156.10% |
| | Baseline Capacity for Period (T3E PE Hours) | Job Time Demands in Period | Job Demand above 110% of Baseline during Period (Yes/No)? |
| 2. Have Users submitted work demanding > 110% of the Baseline during period? | 359,450 | 563,019 | Yes |
| | | Number of Jobs at least 4 days old at end Period | Number of Jobs at least 4 days old at end Period is not zero (Yes/No)? |
| 3. Are there User Jobs oustanding at the end of the period over 4 days old? | | 7 | Yes |
| Have Users submitted work demands above 90% of the Baseline during period? | | Minimum Job Time Demands as % of Baseline during Period 119% | Minimum Job Time Demand above 90% of Baseline during Period (Yes/No)? Yes |
| | Number of standard Job Queues (ignoring priorities) | Average % of time each queue contained jobs in the Period | Average % of time each queue contained jobs in the Period is > 97%? |
| 5. Majority of Job Queues contained jobs from Users for more than 97% during period? | 4 | 69.0% | No |


3. System Availability

Service availability each reporting period is calculated as a percentage of actual availability time over theoretical maximum time, after accounting for planned breaks in service for preventative maintenance.


3.1 Cray T3E-1200E System (Turing)

The following graphs show the availability of Turing both in core time and out of core time respectively during the period of 1^{st} to 31^{st} May.

Turing availability for May:




Availability of Turing in core time during May was good with the exception of the 11th when a sendmail problem resulted in a system dump and reboot.





Availability of Turing out of core time during May was acceptable. There was an incident on the 17th which resulted in the T3E being rebooted. This was due to a sendmail problem with a Torus problem affecting availability on the 27th.

3.2 SGI Origin2000 System (Fermat)

The following graphs show the availability of Fermat both in core time and out of core time respectively.







Availability of Fermat out of core time during May was good.

4. HPC Services Usage

Usage information is given in tabular form, in Appendices, and in graphical format. The system usage information for the period of May 1st to 31st is provided by Project/User Group, totalled by Research Council and overall. This covers:


| • CPU usage | Turing: 561,104 PE Hours | Fermat (Batch): 68,165 Hours |
|----------------------|---------------------------------|------------------------------|
| • | Fermat (Interactive): 365 CPU H | Iours |
| • | Green (Batch) 5,6042 Hours | |
| Fujitsu CPU usage | Fuji: 2,596.01 CPU Hours | |
| User Disk allocation | Turing: 70.58 GB Years | Fermat: 31.31 GB Years |
| • HSM/tape usage | 1,144.75 GB Years | |

In addition, the following graphs are provided to illustrate usage per month, historically:

- a) MPP (T3E/Origin) Usage by month, showing usage each month of CPU (MFOP Years as perNPB), split by Research Council and by system. The Baseline and the overall Capacity are shown by overlaid horizontal lines.
- b) SMP (Origin) Usage by month, showing usage each month in CPU Hours, split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline Capacity is shown by an overlaid horizontal line.
- c) High Performance Disk (T3E) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1 Terabyte) is shown by an overlaid horizontal line.
- d) Medium Performance Disk (Origin) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1.5 Terabytes) is shown by an overlaid horizontal line.
- e) HSM/Tape Usage (T3E) by month, showing the volumes held each in GBytes, split by Research Council. The Baseline Capacity (16 Terabytes) available will be shown by an overlaid horizontal line.

4.1 Cray T3E-1200E System (Turing)

The following graph shows the usage of Turing during each day of May 2001. Note that there is some variance on a day-to-day basis as the accounts record job times, and thus CPU usage figures, at the time of job completion which could be the second actual day for large jobs. At present, there is a 12 hour limit on jobs, so that they are check-pointed, and computational time lost due to any failure is well managed.



Turing usage for May:

The above usage graph for the Turing system shows that the overall workload was variable.

The graph also indicates the workload reached 100% of maximum theoretical capacity for a large part of the month.


Fine tuning of the CfS scheduling system will continue to ensure minimal wasting of PE resource, in order to fit in a number of different sized jobs (e.g. 32, 64, 128, 256) thus facilitating maximised job throughput.

In particular, Turing will continue to start large jobs above 256 PEs, including 512 PEs, every night they are queued subject to the overall workload.


In an effort to minimise the effect of the long queues CfS have been man managing work through on a priority basis, where requested.

4.2 SGI Origin2000 System (Fermat)


The usage of the Origin system was low at the beginning of the month but grew with the new batch queuing system and release of processors for batch work. The groups most heavily using the Fermat system are CSE006 (Briddon), CSN006 (Price), CSN015 (Proctor) and HPCI Daresbury.



The graph above shows the interactive usage of the upgraded Origin 2000 (Fermat).



The above graph to a different scale shows the growing batch utilisation of the Origin 128.




4.2.1 Fujitsu VPP 300/8 System (Fuji)


Fuji utilisation was again variable over the month with the overall position resulting in usage above baseline.

4.3 Disk/HSM Usage Charts


The graphs below show current disk and HSM allocations and usage.



The preceding graph shows actual usage on average against the current allocation of disk on the Turing system.




The above graph shows the disk allocations against usage on average of the disk on Fermat.




The above graph shows the total usage of the HSM facility by Research Council.


CfS

The next two graphs give actual usage of HSM by Research Council and by Consortium.




CSE002 (Gillan), CSE004 (Sandham), CSE024 (Tennyson), CSN001 (Webb), CSN003 (O'Neill) & CSN015 (Proctor) were the major users of HSM resource.






Job statistics for Turing:


The above graph shows the number of jobs of the major sizes run in the period 1^{st} to 31^{st} May 2001.




The next graph shows the wait times in minutes for the major categories of jobs.




The chart above shows the average wait time trend over the last 12 months. Wait times for all jobs currently remain high due to the heavy workload on the system. May was a particularly busy month, but the availability of Green with 256 CPUs will assist from June onwards.



The largest proportion of the workload on Turing, 51%, was greater than 64 PEs in size.




Turing PE usage is shown by Research Council during the past 12 months of service in the above chart.




Origin 2000 CPU usage is shown by Research Council during the past 12 months of service in the above chart.

4.4 Class 2 & 3 Usage Charts


The next series of charts show the usage of the system by the class 2 & class 3 users. The usage is shown by project and identifies the Research Council of the individual projects.




The above chart shows the most significant PE usage of the Turing system by class 2 and class 3 users.



The above chart shows the CPU usage of the Fermat system by class 2 and class 3 users.



The above chart shows the most significant disk allocations on the Turing system for class 2 and class 3 users.




The above chart shows the most significant disk allocations on the Fermat system for class 2 and class 3 users.

There is currently no HSM usage by class 2 and class 3 users.


4.5 Charts of Historical Usage


In all the Usage Charts, the baseline varies dependant on the number of days in each month, within a 365-day year.

The graph below shows the GFLOP Year utilisation on Turing and Fermat by Research Council for the previous 12 months.




The graph below shows the historic SMP/MPP usage on the major systems, with the upgrade to Fermat showing in January 2001.






The above graph shows the historic interactive usage of the 'Baseline' Fermat system (equivalent to 16@250Mhz CPU's)

The next series of graphs illustrates the usage of the disk and HSM resources of the system.




The preceding graph illustrates the historic allocation of the High Performance Disk on Turing.




The graph above illustrates the historic allocation of the Medium Performance Disk on Fermat.

The graph below shows the historic HSM usage by Research Council funded projects. The primary usage is for NERC.




The next chart shows the historic usage of the Fuji system.



The Fujitsu system was above baseline this month.

4.5 Guest System Usage Charts

The current guest system usage is shown below and is on the new Origin 3000 (Green).



5. Service Status, Issues and Plans

5.1 Status

The service continues to run almost at full capacity.

During the month, 51% of the jobs run on Turing were larger than 128 PEs in size.

The Origin 128 (Fermat) continues to be heavily used.

5.2 Issues

Wait times on the T3E continue to be long primarily for larger jobs.

5.3 Plans

The Origin 3000 (Green) is now in production use and running as a 256 CPU machine. There will be a further upgrade of Green in June/July which will see the size of the machine rise to 512 CPU's with 512 Gbytes of memory.

6. Conclusion

May 2001 saw the overall CPARS rating at Green with the baseline being exceeded by 56%.

The largest proportion of the workload continues to be of the larger job sizes.

Continued management attention will be given to maximise the throughput of the Service, whilst balancing as fairly as practicable the shares between Projects and jobs of the varying sizes.

Appendix 1 contains the accounts for May 2001

Appendix 2 contains the Percentage shares by Consortium for May 2001

Appendix 3 contains the Percentage shares by Research Council for May 2001

Appendix 4 contains the Training, Applications and Optimisation support figures to the end of May 2001

Appendix 5 contains a reference table of the Consortia name, the subject area and the PI name.

The summary accounts for the month of May 2001 can be found at the URL below

http://www.csar.cfs.ac.uk/admin/accounts/summary.shtml

Appendix 2

| | tia for Turing in May 2001 | 0/ Maakina Tima | Percentage CPU time per cons | |
|------------------|----------------------------|-----------------|------------------------------|-----------------------|
| onsortia | | % Machine Time | Consortia | <u>% Machine Time</u> |
| SE002 | | 11.11 | CSE002 | 0.07 |
| SE003 | | 4.74 | CSE003 | 0.05 |
| CSE007 | | 1.46 | CSE007 | 0.00 |
| CSE021 | | 0.21 | CSE021 | 0.00 |
| CSE023 | | 0.00 | CSE023 | 0.00 |
| CSE025 | | 0.00 | CSE025 | 0.00 |
| | | | | |
| CSE030 | | 0.31 | CSE030 | 0.13 |
| CSE051 | | 0.27 | CSE051 | 0.00 |
| CSE006 | | 13.26 | CSE006 | 65.03 |
| CSE026 | | 0.89 | CSE026 | 0.00 |
| SE004 | | 15.32 | CSE004 | 0.82 |
| | | | | |
| CSE010 | | 0.00 | CSE010 | 0.00 |
| SE011 | | 0.00 | CSE011 | 0.00 |
| SE013 | | 7.12 | CSE013 | 0.00 |
| CSE014 | | 0.00 | CSE014 | 0.00 |
| SE016 | | 0.14 | CSE016 | 0.00 |
| SE022 | | | | 0.00 |
| | | 0.09 | CSE022 | |
| SE027 | | 0.00 | CSE027 | 15.87 |
| SE029 | | 0.00 | CSE029 | 0.00 |
| SE040 | | 0.00 | CSE040 | 0.00 |
| SE041 | | 0.00 | CSE041 | 0.00 |
| SE043 | | 0.00 | CSE043 | 0.00 |
| | | | | |
| SE008 | | 0.00 | CSE008 | 0.00 |
| CSE009 | | 5.48 | CSE009 | 0.00 |
| CSE024 | | 0.00 | CSE024 | 0.00 |
| CSE033 | | 0.00 | CSE033 | 0.00 |
| CSE035 | | 1.31 | CSE035 | 0.00 |
| CSE019 | | 0.00 | CSE019 | |
| | | | | 0.00 |
| CSE020 | | 0.00 | CSE020 | 0.00 |
| CSE034 | | 0.00 | CSE034 | 0.00 |
| SE036 | | 0.00 | CSE036 | 0.00 |
| IPCI Southampton | | 0.00 | HPCI Southampton | 0.00 |
| | | | | |
| IPCI Daresbury | | 0.89 | HPCI Daresbury | 1.58 |
| IPCI Edinburgh | | 0.00 | HPCI Edinburgh | 0.00 |
| CSN001 | | 3.10 | CSN001 | 0.73 |
| CSN003 | | 13.80 | CSN003 | 0.10 |
| CSN005 | | 0.00 | CSN005 | 0.00 |
| CSN006 | | 15.75 | CSN006 | 10.28 |
| | | | | |
| CSN007 | | 0.00 | CSN007 | 0.00 |
| CSN010 | | 0.00 | CSN010 | 0.00 |
| SN011 | | 0.07 | CSN011 | 0.49 |
| SN012 | | 0.03 | CSN012 | 0.00 |
| SN013 | | 0.00 | CSN013 | 0.00 |
| | | | | |
| SN015 | | 1.36 | CSN015 | 0.00 |
| SN017 | | 0.00 | CSN017 | 0.00 |
| CSB001 | | 1.11 | CSB001 | 0.00 |
| SB002 | | 1.48 | CSB002 | 0.00 |
| SB003 | | 0.00 | CSB003 | 0.00 |
| SP002 | | 0.00 | CSP002 | 0.00 |
| | | | | |
| CSP003 | | 0.00 | CSP003 | 0.00 |
| CSP004 | | 0.00 | CSP004 | 0.00 |
| CSS001 | | 0.00 | CSS001 | 0.00 |
| S2018 | | 0.00 | CS2018 | 0.00 |
| CS2021 | | 0.01 | CS2021 | 0.00 |
| | | | | |
| S2023 | | 0.00 | CS2023 | 0.00 |
| CS2026 | | 0.00 | CS2024 | 0.00 |
| S2027 | | 0.00 | CS2027 | 0.00 |
| S2029 | | 0.00 | CS2029 | 0.00 |
| CS3001 | | 0.00 | CS3001 | 0.00 |
| | | | | |
| CS3002 | | 0.00 | CS3002 | 0.00 |
| S3005 | | 0.00 | CS3005 | 0.00 |
| CS3007 | | 0.00 | CS3007 | 0.00 |
| CS3008 | | 0.00 | CS3008 | 0.00 |
| CS3010 | | 0.00 | CS3010 | 0.00 |
| | | | | |
| CS3012 | | 0.00 | CS3012 | 0.00 |
| S3013 | | 0.00 | CS3013 | 5.32 |

| Consortia | %Allocation | Consortia | %Allocation | | |
|-----------------|-------------|------------------|-------------|--|--|
| CSE002 | 24.67 | CSE002 | 17.12 | | |
| CSE003 | 7.31 | CSE003 | 0.80 | | |
| CSE007 | 1.08 | CSE007 | 0.00 | | |
| | | | | | |
| CSE021 | 0.03 | CSE021 | 0.00 | | |
| SE023 | 0.00 | CSE023 | 0.00 | | |
| CSE025 | 0.00 | CSE025 | 0.00 | | |
| CSE030 | 22.26 | CSE030 | 40.15 | | |
| CSE051 | 0.27 | CSE051 | 0.61 | | |
| | | | | | |
| CSE006 | 0.96 | CSE006 | 1.09 | | |
| CSE026 | 0.06 | CSE026 | 0.00 | | |
| CSE004 | 10.51 | CSE004 | 8.14 | | |
| CSE010 | 0.00 | CSE010 | 0.00 | | |
| CSE011 | 0.72 | CSE011 | 0.00 | | |
| | | | | | |
| CSE013 | 1.12 | CSE013 | 0.38 | | |
| CSE014 | 0.00 | CSE014 | 0.00 | | |
| CSE016 | 0.48 | CSE016 | 0.00 | | |
| CSE022 | 0.48 | CSE022 | 0.00 | | |
| | 0.06 | CSE027 | 0.13 | | |
| CSE027 | | | | | |
| CSE029 | 0.00 | CSE029 | 0.00 | | |
| CSE040 | 0.00 | CSE040 | 0.00 | | |
| CSE041 | 0.06 | CSE041 | 0.00 | | |
| SE043 | 0.13 | CSE043 | 0.29 | | |
| | | | | | |
| CSE008 | 0.00 | CSE008 | 0.00 | | |
| SE009 | 7.23 | CSE009 | 0.26 | | |
| CSE024 | 0.43 | CSE024 | 0.10 | | |
| SE033 | 0.03 | CSE033 | 0.00 | | |
| SE035 | 0.84 | CSE035 | 0.00 | | |
| | | | | | |
| SE019 | 0.00 | CSE019 | 0.00 | | |
| SE020 | 0.00 | CSE020 | 0.00 | | |
| SE034 | 0.00 | CSE034 | 0.00 | | |
| SE036 | 0.03 | CSE036 | 0.03 | | |
| | | | | | |
| PCI Southampton | 0.00 | HPCI Southampton | 0.00 | | |
| IPCI Daresbury | 0.11 | HPCI Daresbury | 0.13 | | |
| PCI Edinburgh | 0.11 | HPCI Edinburgh | 0.26 | | |
| SN001 | 9.62 | CSN001 | 22.58 | | |
| SN003 | 2.52 | CSN003 | 4.06 | | |
| | | | | | |
| SN005 | 0.00 | CSN005 | 0.00 | | |
| SN006 | 4.82 | CSN006 | 2.17 | | |
| SN007 | 0.00 | CSN007 | 0.00 | | |
| SN010 | 0.00 | CSN010 | 0.00 | | |
| | | | | | |
| SN011 | 0.35 | CSN011 | 0.00 | | |
| SN012 | 0.00 | CSN012 | 0.00 | | |
| SN015 | 0.14 | CSN015 | 0.00 | | |
| CSN017 | 0.01 | CSN017 | 0.26 | | |
| SB001 | 0.06 | CSB001 | 0.00 | | |
| | | | | | |
| SB002 | 1.56 | CSB002 | 0.26 | | |
| SP002 | 0.72 | CSP002 | 0.00 | | |
| SP003 | 0.03 | CSP003 | 0.10 | | |
| SP004 | 0.01 | CSP004 | 0.29 | | |
| SS001 | 0.07 | CSS001 | 0.00 | | |
| | | | | | |
| S2012 | 0.00 | CS2012 | 0.00 | | |
| S2018 | 0.10 | CS2018 | 0.00 | | |
| S2021 | 0.01 | CS2021 | 0.00 | | |
| S2023 | 0.01 | CS2023 | 0.00 | | |
| | | | | | |
| S2026 | 0.24 | CS2026 | 0.00 | | |
| S2027 | 0.03 | CS2027 | 0.00 | | |
| S2029 | 0.00 | CS2029 | 0.00 | | |
| S3001 | 0.00 | CS3001 | 0.00 | | |
| | | | | | |
| S3002 | 0.18 | CS3002 | 0.00 | | |
| S3007 | 0.18 | CS3007 | 0.00 | | |
| S3008 | 0.24 | CS3008 | 0.19 | | |
| S3005 | 0.03 | CS3005 | 0.00 | | |
| S3010 | 0.06 | CS3010 | 0.00 | | |
| | | | | | |
| S3012 | 0.00 | CS3012 | 0.00 | | |
| S3013 | 0.00 | CS3013 | 0.54 | | |

| Percentage usage of HSM by Consortium for May 2001 | | | | | |
|--|---------|--|--|--|--|
| Consortium | % Usage | | | | |
| CSE002 | 0.83 | | | | |
| CSE003 | 0.10 | | | | |
| CSE030 | 1.16 | | | | |
| CSE004 | 5.38 | | | | |
| CSE013 | 0.09 | | | | |
| CSE027 | 0.09 | | | | |
| CSE041 | 0.09 | | | | |
| CSE024 | 2.17 | | | | |
| CSE035 | 0.06 | | | | |
| CSN001 | 19.95 | | | | |
| CSN003 | 64.95 | | | | |
| CSN015 | 4.98 | | | | |
| | | | | | |

| Percentage Disc allo | cated on Turing by Research Co | uncil for May 2001 Percentage Di | Percentage Disc allocated on Fermat by Research Council for May 2001 | | | | |
|----------------------|--------------------------------|----------------------------------|--|--|--|--|--|
| Research Council | % Allocated | Research Cou | ncil %Allocated | | | | |
| EPSRC | 79.09 | EPSRC | 66.43 | | | | |
| HPCI | 0.24 | HPCI | 0.42 | | | | |
| NERC | 17.51 | NERC | 29.10 | | | | |
| BBSRC | 1.63 | BBSRC | 0.26 | | | | |
| ESRC | 0.38 | ESRC | 0.00 | | | | |
| PPARC | 1.13 | PPARC | 0.38 | | | | |

| Percentage PE usage | Percentage PE usage on Turing by Reserch Council for May 2001 | | | Percentage CPU usage on Fermat by Reserch Council for May 2001 | | | | |
|---------------------|---|--|------------------|--|--|--|--|--|
| Research Council | % Usage | | Research Council | % Usage | | | | |
| EPSRC | 61.69 | | EPSRC | 87.29 | | | | |
| HPCI | 0.89 | | HPCI | 1.58 | | | | |
| NERC | 34.08 | | NERC | 11.13 | | | | |
| BBSRC | 2.59 | | BBSRC | 0.00 | | | | |
| ESRC | 0.00 | | ESRC | 0.00 | | | | |
| PPARC | 0.75 | | PPARC | 0.00 | | | | |

| Percentage HSM usa | ge by Research Council for May | - <u>2001</u> |
|--------------------|--------------------------------|---------------|
| Research Council | % usage | |
| EPSRC | 9.96 | |
| HPCI | 0 | |
| NERC | 89.87 | |
| BBSRC | 0 | |
| ESRC | 0 | |
| PPARC | 0 | |
| | | |

Appendix 4

The following tables show the training and support resource usage by the consortias in person days to the current month. Optimisation support for May totalled 10.5 man days.

| Code | PI | Subject | Application Support for May 2001 | Total Applicatio n Support from July 2000 | Optimisati on Support for Mayl 2001 | Total Optimisati on Support from July 2000 | Total Support Used | Training Used |
|--------|--|--|--|---|--|--|--------------------------|---------------|
| | | | | | | | | |
| Cse002 | Dr Phil Lindan | Support for the UKCP | | 10.75 | | | 142.75 | - |
| Cse003 | Prof. Ken Taylor | HPC Consortiums 98- 2000 | 5 | 6 | 5 | 15.5 | 24.5 | 6 |
| Cse004 | Dr Neil Sandham | UK Turbulence | | | | | | 2 |
| Cse006 | Dr Patrick Briddon | Covalently Bonded Materials | | | | | | |
| Cse007 | Dr Matthew Foulkes | Quantum Many Body Theory | | | | | 1 | 2 |
| Cse008 | Dr Mark Vincent (Hillier) | Model Chemical Reactivity | | | | | | |
| Cse009 | Dr Ben Slater (Catlow) | HPC in Materials Chemistry | | 6 | | 3 | 9 | |
| Cse010 | Dr John Williams | Free Surface Flows | | | | | 15.95 | |
| Cse011 | Dr John Williams | Open Channel Flood Plains | | | | | 2.18 | |
| Cse013 | Prof Michael Leschzine r | Complex Engineering Flows | | | | | | 3 |
| Cse014 | Dr Cassiano de Oliverira (Goddard) | Probs in Nuclear Safety | | | | | | |
| Cse016 | Dr Stewart Cant | Turbulent Combustion | <u> </u> | | | | | <u> </u> |
| Cse017 | Dr Kai Luo | Large Eddy Simulation and Modelling of | | | | | | |

| - | | | | | | |
|--------|--|-------------------------------------|------|------|----|-----|
| | | and Smoke Spread in Enclosures | | | | |
| Cse018 | Dr Stewart Cant | Turbulent Flames | | | | |
| Cse019 | Dr Jason Lander (Berzins) | ROPA | | | | |
| Cse020 | Dr Marek Szularz | Symmetric Eigenproblem | | | | |
| Cse021 | Dr Julie Staunton | Magentisim | | | | 1 |
| Cse022 | Mr Niall Branley (Jones) | Turbulent Flames | | | | |
| Cse023 | Allen | Liquid Crystalline Materials | | | | |
| Cse024 | Dr Robert Allan (Tennyson) | ChemReact 98- 2000 | | | | - |
| Cse025 | Dr Niels Rene Walet(Bis hop) | Nuclear Theory Progamme | | | | 1.5 |
| Cse026 | Dr Maureen Neal | Molecular Dynamics | | | | |
| Cse027 | Dr M Imregun | Excitation Mechanisims | | | | |
| Cse028 | Prof. P.W. Bearman | Bridge Design | | | | |
| Cse029 | Dr David Aspley (Leschzin er) | Validation of Turbulence Models | | | | |
| Cse030 | Prof M Cates (VIPAR) | HPC for Complex Fluids | 21 | 5 | 51 | 7 |
| Cse033 | Dr M Imregun | Tubomachinery core compressor | | | | |
| Cse034 | Dr Paul Durham | R&D of liner/non- linear systems | | | | |
| Cse035 | Dr Stephen | Ab Initio Simulations | | | | |

| 1 | 1 | | - | - | | | |
|------------|--|---|---|---|---|------|---|
| | Jenkins | | | | | | |
| Cse036 | Prof lain Duff | R&D of linear/non- linear systems | | | | | |
| Cse040 | Dr Ken Badcock | - | | | | | |
| Cse041 | Dr M Imregun | Flutter and Noise Generation | | | | | |
| Cse043 | Dr J J R Williams | Numerical Simulation of flow over a rough bed | | | | | 4 |
| Cse051 | Dr M Imregun | Flutter and Noise Generation | | | | | |
| Csn00 1 | Mrs Beverly de Cuevas (Webb) | HPCI Global Ocean Consortium | | 1 | | 3 | 1 |
| Csn00 2 | Dr Mark Vincent (Hillier) | Pollutant Sorption on Mineral Surf | | | | | |
| Csn00 3 | Dr Lois Steenman- Clark (O'Neill) | UGAMP | | | · | | 4 |
| Csn00 5 | Dr Huw Davies | Constraining Earth Mantle | | | | 27 | 6 |
| Csn00 6 | Dr John Brodholt (Price) | Density Functional Methods | | | | | |
| Csn00 7 | Dr John Brodholt (Price) | Density Functional Methods | | | | | |
| Csn00 8 | Hulton | Sub-Glacial Process | | | | | |
| Csn00 9 | Dr Roger Proctor | | | | | | |
| Csn01 0 | Dr Jason Lander (Mobbs) | Flow over Complex terrain | | | | - | - |
| Csn01 1 | Dr Ed Dicks (Thorpe) | Exchange of Polluted Air | | | | | |
| Csn01 2 | Prof Tennyson | fuji user | | | | | |
| Csn01 | Dr L | Large-Eddy | | | | | |

CfS

| | | | | | | |
|------------|---|---|---|------|---|---|
| 3 | Clark (Voke) | Extended by Extreme Value Theory for the Prediction of Dispersion, Concentration Threshold Boundaries and Field Connectivity | | | | |
| Csn01 4 | Prof Llewellyn- Jones | A new Data Assimilation Scheme to optimise the information on the surface- atmosphere interface from satellite observations of Top-of-the Atmosphere Brightness Temperature | | | | |
| Csn01 5 | Dr Roger Proctor | Atlantic Margin Metocean Project | 2 | | 2 | 3 |
| Csn01 7 | Dr Antony Payne | Stability of the Antarctic Ice Sheet | | | | 2 |
| Csb001 | Dr David Houldershaw (Goodfellow) | Macromolecular Interactions | | | 2 | 2 |
| Csb002 | Dr Adrian Mulholland (Danson) | Stability of Enzymes at high temp | | | | |
| Csb003 | Dr John Carling (Williams) | Anguilliform Swimming | | | | - |
| Csp002 | Dr Sandra Chapman | Nonlinear process in solar system and astrophysical plasmas | | | | 4 |
| Csp003 | Prof Andrew Lyne | Computing Resources for Precision timing of Millisecond Pulsars | 1 | | 2 | 4 |
| Csp004 | Prof K L Bell | A Programme for Atomic Physics for Astrophysics at Queen's University, Belfast (2001 - 2005) | | | | |
| Css001 | Dr I J Turton | Human Systems Modelling | | | | |
| Css002 | Dr Robert Crouchley | Dropout in panel surveys | | | | 2 |
| Hpcid | Dr Robert Allan | | | | | 1 |

| Hpcie | Dr David Henty | | | | | |
|--------|----------------------------|--|--|--|------|-----|
| Hpcis | Dr Denis Nicole | | | | | |
| Cs2001 | Dr Sudhir Jain | 3D Ising Spin Glass | | | | - |
| Cs2002 | Dr Ingrid Stairs (Lyne) | Millisecond Pulsars | | | 0.25 | - |
| Cs2004 | Dr A. Paul Watkins | Internal Combustion Engine | | | | |
| Cs2006 | Prof. Walter Temmerman | Superconductivity & Magmetisim | | | | |
| Cs2007 | Choularton | Precipitation in the Mountains | | | | 1 |
| Cs2008 | Dr Matthew Genge | Extraterrestrial Mineral Surfaces | | | 7.91 | |
| Cs2009 | Dr Roger Proctor | Atlantic Margin Metocean Project | | | | |
| Cs2010 | Dr Christopher Dempsey | Helical membrane- lytic peptides | | | | |
| Cs2011 | Dr D Drikakis | Transition & Turbulence in Physiological Flows | | | | |
| Cs2012 | Prof Ning Qin | Monotone Integrated Large Eddy Simulation | | | | 1.5 |
| Cs2014 | Dr Vladimir Karlin | Dynamics of intrinsically unstable premixed flames | | | | 2 |
| Cs2015 | Mr Pablo Tejera-Cuesta | Nonlinear Methods in Aerodynamics | | | | 1.5 |
| Cs2016 | Dr Jim Miles | Investigation of Scaline Properties of Hierarchical Micromagnetic Models | | | | - |
| Cs2017 | Mr Markus Eisenbach | Ab initio calculations of magnetic anisotropies in Fe inclusions in Cu | | | | - |
| Cs2018 | Mr Maxim Chichkine | Study of defect clusters in silicon for sub-micron technologies | | | | - |

CfS

| Cs2019 | Dr Guy H Grant | Theoretical studies of flavoproteins | | | | - |
|--------|-------------------------------|--|--|--|---|---|
| Cs2020 | Prof John Barker | Predicting the applicability of Aquifer Storage Recovery (ASR) in the UK | | | | - |
| Cs2021 | Dr A R Mount | A Computational Study of the Luminescence of Substituted Indoles | | | | 1 |
| Cs2022 | Dr Philippa Browning | Numerical simulation of forced magnetic reconnection | | | | 2 |
| Cs2023 | Prof W Ewen Smith | The use of DFT methods for the accurate prediction of the Ramen spectrum of large molecules | | | | - |
| Cs2024 | Prof J G Doyle | Modelling of late- type stellar chromospheres | | | | - |
| Cs2026 | Dr R J Greenall | Molecular dynamics simlulations of AT- tract DNA | | | | - |
| Cs2027 | Dr Anthony Kay | Mathematical Model of the Circulation of Lake Baikal | | | | - |
| Cs2028 | Dr James F Annett | Numerical Tests of Disorder Effects in D-Wave Superconductorsors | | | | - |
| Cs3001 | Mr John Andrew Staveley | Helical Coherent Structures | | | 0 | 3 |
| Cs3002 | Dr Keir Novik | Simulations of DNA oligomers | | | | 2 |
| Cs3003 | Dr Eric Chambers | Band III peptide fragments | | | | |
| Cs3004 | Prof Nick Avis | Computational Steering and Interactive Virtual Environments | | | | 1 |
| Cs3005 | Mr Behrouz Zarei | Simulation of Queuing Networks | | | | 3 |
| Cs3006 | Mr F Li | Quantifying Room Acoustic Quality | | | | 1 |

| Issue | 1 | 0 |
|-------|---|----|
| 10000 | 1 | .0 |

| Cs3007 | Emma Finch | Development ofa 3D Crustal Lattice Solid Model | 2 | 7 | 5 | 12 | - |
|--------|-----------------------|--|---|---|---|----|---|
| Cs3008 | Dr B J Alsberg | Development of a 3D QSAR method based on quantum topological descriptors | | 6 | 3 | 9- | - |
| Cs3009 | Dr D Flower | Epitope Prediction Methods based on molecular dynamics simulation | | | | - | - |
| Cs3010 | Dr K Kemsley | Investigation of electromyographic recordings of muscle activity during chewing, and of relationships with perceived flavour and texture, in model and real food systems | | | | - | 1 |
| Cs3012 | Prof Jim Austin | Evaluation of binary neural networks on a vector parallel processor | | | 3 | 3- | 2 |
| Cs3013 | Prof Rasmita Raval | Structure and function of Chiral Bioarrays: A fundamental approach to proteomic devices | | | | - | - |

| Code | PI | Subject | Subject Area |
|---|---|---|---------------------------|
| Cse002 | Dr Nicolas Harrison (Gillan) | Support for the UKCP | Physics |
| Cse003 | Prof. Ken Taylor | HPC Consortiums 98- 2000 | Physics |
| Cse004 | Dr Neil Sandham | UK Turbulence | Engineering |
| Cse006 | Dr Patrick Briddon | Covalently Bonded Materials | Materials |
| Cse007 | Dr Matthew Foulkes | Quantum Many Body Theory | Physics |
| Cse008 | Dr Mark Vincent (Hillier) | Model Chemical Reactivity | Chemistry |
| Cse009 | Dr Ben Slater (Catlow) | HPC in Materials Chemistry | Chemistry |
| Cse010 | Dr John Williams | Free Surface Flows | Engineering |
| Cse011 | Dr John Williams | Open Channel Flood Plains | Engineering |
| Cse013 | Dr David Aspley (Leschziner) | Complex Engineering Flows | Engineering |
| Cse014 | Dr Cassiano de Oliverira (Goddard) | Probs in Nuclear Safety | Engineering |
| Cse016 | Dr Stewart Cant | Turbulent Combustion | Engineering |
| Cse018 | Dr Stewart Cant | Turbulent Flames | Engineering |
| Cse019 | Dr Jason Lander (Berzins) | ROPA | Information Technology |
| Cse020 | Dr Marek Szularz | Symmetric Eigenproblem | Information Technology |
| Cse021 | Dr Julie Staunton | Magentisim | Physics |
| | Mr Niall Branley (Jones) | Turbulent Flames | Engineering |
| Cse022 | Allen | Liquid Crystalline Materials | Robin Pinning |
| | Dr Robert Allan (Tennyson) | ChemReact 98-2000 | Chemistry |
| Cse025 | Dr Niels Rene Walet (Bishop) | Nuclear Theory Progamme | Physics |
| Cse026 | Dr Maureen Neal | J90 move | 1 1195105 |
| Cse027 | Dr M Imregun | J90 move | |
| Cse028 | Prof. P.W. Bearman | J90 move | |
| Cse029 | Dr David Aspley (Leschziner) | J90 move | Engineering |
| Cse030 | Prof M Cates | HPC for Complex Fluids | Physics |
| Cse031 | Brebbja | J90 move | 1 1190100 |
| Cse033 | Dr M Imregun | Tubomachinery core compressor | Chemistry |
| Cse034 | Dr Paul Durham | R&D of liner/non-linear systems | Mathematics |
| Csn001 | Mrs Beverly de Cuevas (Webb) | HPCI Global Ocean Consortium | mathomatico |
| Csn002 | Dr Mark Vincent (Hillier) | Pollutant Sorption on Mineral Surf | |
| Csn003 | Dr Lois Steenman-Clark (O'Neill) | UGAMP | |
| Csn005 | Dr Huw Davies | Constraining Earth Mantle | |
| Csn006 | Dr John Brodholt (Price) | Density Functional Methods | |
| | Dr John Brodholt (Price) | Density Functional Methods | |
| Csn008 | Hulton | Sub-Glacial Process | |
| Csn009 | Dr Roger Proctor | | |
| Csn009 Csn010 | Dr Jason Lander (Mobbs) | Flow over Complex terrain | |
| Csn010 | Dr Ed Dicks (Thorpe) | J90 move | } |
| Csb001 | Dr David Houldershaw (Goodfellow) | Macromolecular Interactions | |
| Csb001 Csb002 | Dr Adrian Mulholland (Danson) | Stability of Enzymes at high temp | |
| Csb002 Csb003 | Dr John Carling (Williams) | J90 move | |
| Css003 | Dr Stan Openhaw | Human Systems Modelling | |
| Css001 Css002 | Dr Robert Crouchley | Dropout in panel surveys | |
| Hpcid | Dr Robert Allan | | + |
| | Dr David Henty | | |
| Hpcie | | 1 | |
| Hpcie Hpcis | · | | |
| Hpcis | Dr Denis Nicole | 3D Ising Spin Glass | |
| Hpcis Cs2001 | Dr Denis Nicole Dr Sudhir Jain | 3D Ising Spin Glass Millisecond Pulsars | |
| Hpcis Cs2001 Cs2002 | Dr Denis Nicole Dr Sudhir Jain Dr Ingrid Stairs (Lyne) | Millisecond Pulsars | |
| Hpcis Cs2001 Cs2002 Cs2003 | Dr Denis Nicole Dr Sudhir Jain Dr Ingrid Stairs (Lyne) Mr Tom Coulthard | Millisecond Pulsars Holocene Sediment Fluxes | |
| Hpcis Cs2001 Cs2002 Cs2003 Cs2004 | Dr Denis Nicole Dr Sudhir Jain Dr Ingrid Stairs (Lyne) Mr Tom Coulthard Dr A. Paul Watkins | Millisecond Pulsars Holocene Sediment Fluxes Internal Combustion Engine | |
| Hpcis Cs2001 Cs2002 Cs2003 Cs2004 Cs2005 | Dr Denis Nicole Dr Sudhir Jain Dr Ingrid Stairs (Lyne) Mr Tom Coulthard Dr A. Paul Watkins Mr Sean Walsh | Millisecond Pulsars Holocene Sediment Fluxes Internal Combustion Engine Arabidopsis Genome | |
| Hpcis Cs2001 Cs2002 Cs2003 Cs2004 Cs2005 Cs2006 | Dr Denis Nicole Dr Sudhir Jain Dr Ingrid Stairs (Lyne) Mr Tom Coulthard Dr A. Paul Watkins Mr Sean Walsh Prof. Walter Temmerman | Millisecond Pulsars Holocene Sediment Fluxes Internal Combustion Engine Arabidopsis Genome Superconductivity & Magmetisim | |
| Hpcis Cs2001 Cs2002 Cs2003 Cs2004 Cs2005 | Dr Denis Nicole Dr Sudhir Jain Dr Ingrid Stairs (Lyne) Mr Tom Coulthard Dr A. Paul Watkins Mr Sean Walsh | Millisecond Pulsars Holocene Sediment Fluxes Internal Combustion Engine Arabidopsis Genome | |