

CSAR Service - Management Report

September 2003

This report documents the quality of the CSAR service during the month of September 2003.

A more comprehensive report is provided quarterly, which additionally covers wider aspects of the Service such as information on Training, Application Support and Value-Added services.

This and other such reports are made available through the Web to staff within EPSRC and the other Research Councils, to CfS staff and CSAR Service users. The reports are indexed in a similar way to that which other useful information and news are listed for selection.

1. Introduction

This document gives information on Service Quality and on actual usage of the CSAR Service during the reporting period of September 2003. The information, in particular, covers the availability and usage of the main CSAR Service High Performance Computing (HPC) systems:

- Cray T3E-1200E/776 (Turing)
- SGI Origin2000/128 (Fermat)
- SGI Origin3000/512 (Green)
- SGI Origin300/16 (Wren)

The information is provided in both textual and graphical form, so that it is easier to see trends and variances.

September has seen the workload of the three primary systems at variable levels.

The CSAR Service has been granted an 18 month extension of service contract until June 30th 2006. With this extension CfS is implementing a further technology refresh which introduces a 256 processor Itanium-2 (Madison) based SGI Altix 'Newton' by the beginning of October 2003.

2. Service Quality

This section covers overall Customer Performance Assessment Ratings (CPARS), HPC System availability and usage, Service Quality Tokens and other information concerning issues, progress and plans for the CSAR Service.

2.1 CPARS

Table 1 gives the measure by which the quality of the CSAR Service is judged. It identifies the metrics and performance targets, with colour coding so that different levels of achievement against targets can be readily identified. Unsatisfactory actual performance will trigger corrective action.

CSAR Service - Service Quality Report - Performance Targets

Service Quality Measure	Performance Targets					
	White	Blue	Green	Yellow	Orange	Red
HPC Services Availability						
Availability in Core Time (% of time)	> 99.9%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Availability out of Core Time (% of time)	> 99.8%	> 99.5%	> 99.2%	> 98.5%	> 95%	95% or less
Number of Failures in month	0	1	2 to 3	4	5	> 5
Mean Time between failures in 52 week rolling period (hours)	>750	>500	>300	>200	>150	otherwise
Help Desk						
Non In-depth Queries - Max Time to resolve 50% of all queries	< 1/4	< 1/2	< 1	< 2	< 4	4 or more
Non In-depth Queries - Max Time to resolve 95% of all queries	< 1/2	< 1	< 2	< 3	< 5	5 or more
Administrative Queries - Max Time to resolve 95% of all queries	< 1/2	< 1	< 2	< 3	< 5	5 or more
Help Desk Telephone - % of calls answered within 2 minutes	>98%	> 95%	> 90%	> 85%	> 80%	80% or less
Others						
Normal Media Exchange Requests - average response time	< 1/2	< 1	< 2	< 3	< 5	5 or more
New User Registration Time (working days)	< 1/2	< 1	< 2	< 3	< 4	otherwise
Management Report Delivery Times (working days)	< 1	< 5	< 10	< 12	< 15	otherwise
System Maintenance - no. of sessions taken per system in the month	0	1	2	3	4	otherwise

Table 1

Table 2 gives actual performance information for the period of September 1st to 30th inclusive. Overall, the CPARS Performance Achievement in September was satisfactory (see Table 3); i.e. Green measured against the CPARS performance targets.

CSAR Service - Service Quality Report - Actual Performance Achievement

Service Quality Measure	2002/3											
	Oct	Nov	Dec	Jan	Feb	March	April	May	June	July	Aug	Sept
HPC Services Availability												
Availability in Core Time (% of time)	99.77%	99.25%	99.21%	99.46%	99.73%	100%	99.74%	97.66%	99.25%	98.83%	98.95%	96.62%
Availability out of Core Time (% of time)	99.52%	99.57%	100%	99.89%	100.00%	99.81%	99.81%	99.33%	99.9%	99.57%	100%	98.48%
Number of Failures in month	1	1	0	3	1	1	1	4	1	2	2	4
Mean Time between failures in 52 week rolling period (hours)	398	417	515	487	487	515	548	461	548	487	461	417
Help Desk												
Non In-depth Queries - Max Time to resolve 50% of all queries	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Non In-depth Queries - Max Time to resolve 95% of all queries	<2	<2	<2	<0.5	<1	<2	<3	<1	<2	<1	<0.5	<5
Administrative Queries - Max Time to resolve 95% of all queries	<0.5	<0.5	<0.5	<1	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<1	<1
Help Desk Telephone - % of calls answered within 2 minutes	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Others												
Normal Media Exchange Requests - average response time	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
New User Registration Time (working days)	0	0	0	0	0	0	0	0	0	0	0	0
Management Report Delivery Times (working days)	10	10	10	10	10	10	10	10	10	10	10	10
System Maintenance - no. of sessions taken per system in the month	2	2	2	2	2	2	2	2	2	2	2	2

Table 2

Notes:

- HPC Services Availability has been calculated using the following formulae, based on the relative NPB performance of Turing, Fermat and Green at installation:

$$\text{Turing availability} \times 143 / (143 + 40 + 233) + [\text{Fermat availability} \times 40 / (143 + 40 + 233) + \text{Green availability} \times 233 / (143 + 40 + 233)]$$
- Mean Time between failures for Service Credits is formally calculated based on a rolling 12 month period.

CSAR Service - Service Quality Report - Service Credit Ratings


Service Quality Measure	2002/3											
	Oct	Nov	Dec	Jan	Feb	March	April	May	June	July	Aug	Sept
HPC Services Availability												
Availability in Core Time (% of time)	-0.083	0	0	0	-0.083	-0.125	-0.083	0.167	0	0.083	0.083	0.167
Availability out of Core Time (% of time)	-0.083	-0.083	-0.1	-0.1	-0.1	-0.1	-0.1	0	-0.1	-0.083	-0.1	0.083
Number of Failures in month	-0.083	-0.083	-0.1	0	-0.083	-0.083	-0.083	0.083	-0.083	0	0	0.083
Mean Time between failures in 52 week rolling period (hours)	0	0	-0.083	0	0	-0.083	-0.083	0	-0.083	0	0	0
Help Desk												
Non In-depth Queries - Max Time to resolve 50% of all queries	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1
Non In-depth Queries - Max Time to resolve 95% of all queries	0	0	0	-0.1	-0.083	0	0.083	-0.083	0	-0.083	-0.1	0.167
Administrative Queries - Max Time to resolve 95% of all queries	-0.1	-0.1	-0.1	-0.083	-0.1	-0.083	-0.1	-0.1	-0.1	-0.1	-0.083	-0.083
Help Desk Telephone - % of calls answered within 2 minutes	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1
Others												
Normal Media Exchange Requests - average response time	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1
New User Registration Time (working days)	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1
Management Report Delivery Times (working days)	0	0	0	0	0	0	0	0	0	0	0	0
System Maintenance - no. of sessions taken per system in the month	0	0	0	0	0	0	0	0	0	0	0	0

Table 3 gives Service Credit values for the month of September. These will be accounted on a quarterly basis, formally from the Go-Live Date. The values are calculated according to agreed Service Credit Ratings and Weightings.

Table 3


2.2 Service Quality Tokens

The position at the end of September 2003 is that none of the 565 users have awarded any tokens to the service.



The graph above shows the total number of registered users on the CSAR Service and the number of users holding a neutral view of the service.

The graph below illustrates the monthly usage trend of quality tokens:



The current status of the Stendahl tokens is that there are no black marks or gold stars allocated to the service.

2.3 Throughput Target against Baseline

The baseline is shown in GFLOP-Years for consistency with the other information contained within this report.

The Baseline Target for throughput was achieved this month. The actual usage figure was 160.6% of Baseline capacity.

Job Throughput Against Baseline CSAR Service Provision

Period: 1st to 30th September 2003

	Baseline Capacity for Period (GFLOP Years)	Actual Usage in Period (GFLOP Years)	Actual % Utilisation c/w Baseline during Period
1. Has CfS failed to deliver Baseline MPP Computing Capacity for EPSRC?	11.78	18.91	160.6%
	Baseline Capacity for Period (GFLOP Years)	Job Time Demands in Period	Job Demand above 110% of Baseline during Period (Yes/No)?
2. Have Users submitted work demanding > 110% of the Baseline during period?	11.78	21.6	Yes
		Number of Jobs at least 4 days old at end Period	Number of Jobs at least 4 days old at end Period is not zero (Yes/No)?
3. Are there User Jobs outstanding at the end of the period over 4 days old?		3	Yes
		Minimum Job Time Demands as % of Baseline during Period	Minimum Job Time Demand above 90% of Baseline during Period (Yes/No)?
4. Have Users submitted work demands above 90% of the Baseline during period?		79%	No
	Number of standard Job Queues (ignoring priorities)	Average % of time each queue contained jobs in the Period	Average % of time each queue contained jobs in the Period is > 97%?
5. Majority of Job Queues contained jobs from Users for more than 97% during period?	4	89%	No


3. System Availability

Service availability each reporting period is calculated as a percentage of actual availability time over theoretical maximum time, after accounting for planned breaks in service for preventative maintenance.


3.1 Cray T3E-1200E System (Turing)

The following graphs show the availability of Turing both in core time and out of core time respectively during the period of 1st to 30th September.

Turing availability for September:




Availability of Turing in core time during September was good with one outage, caused by a power supply failure.




Availability of Turing out of core time during September was not satisfactory. There were three outages, all of which were caused by hardware failures.

3.2 SGI Origin2000 System (Fermat)

The following graphs show the availability of Fermat both in core time and out of core time respectively.




Availability of Fermat in core time during September was acceptable, with two outages.




Availability of Fermat out of core time during September was very good, with one short outage.

3.3 SGI Origin3000 System (Green)

The following graphs show the availability of Green both in core time and out of core time respectively.



Availability of Green in core time during September was unacceptable, with three outages caused by CXFS related software issues. These issues have now been identified and are to be rectified by the application of a software patch.



Availability of Green out of core time during September was acceptable, with three outages.

4. HPC Services Usage

Usage information is given in tabular form, in Appendices, and in graphical format. The system usage information for the period of September 1st to 30th is provided by Project/User Group, totalled by Research Council and overall. This covers:

• CPU usage	Turing:	449,180 PE Hours
	Fermat:	15,151.86 CPU Hours
	Wren (Batch):	0.19 CPU Hours
	Wren (Interactive):	1,582.92 CPU Hours
• User Disk allocation	Green:	143,254 CPU Hours
	Turing:	62.17 GB Years
	Fermat:	107.29 GB Years
• HSM/tape usage	SAN HV:	24.66 GB Years
		4,343.35 GB Years


In addition, the following graphs are provided to illustrate usage per month, historically:

- MPP/SMP (T3E/Origin) Usage by month, showing usage each month of CPU (GFLOP-Years as per NPB), split by Research Council and by system. The overall Capacity are shown by overlaid horizontal lines.
- SMP (Origin) Usage by month, showing usage each month in CPU Hours, split by Research Council and giving the equivalent GFLOP-Years as per NPB. The Baseline and overall Capacity are shown by overlaid horizontal lines.
- High Performance Disk (T3E) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1 Terabyte) is shown by an overlaid horizontal line.
- Medium Performance Disk (Origin) allocated for User Data by month, showing the allocated space each month in GBytes, split by Research Council. The Baseline Capacity (1.5 Terabytes) is shown by an overlaid horizontal line.
- HSM/Tape Usage (T3E) by month, showing the volumes held each in GBytes, split by Research Council. The Baseline Capacity (16 Terabytes) available will be shown by an overlaid horizontal line.

4.1 Cray T3E-1200E System (Turing)

The following graph shows the usage of Turing during each day of September 2003. Note that there is some variance on a day-to-day basis as the accounts record job times, and thus CPU usage figures, at the time of job completion which could be the second actual day for large jobs. At present, there is a 24 hour limit on jobs so that they are check-pointed, and computational time lost due to any failure is well managed. Higher limits can be set for individual jobs on request.

Turing usage for September:




The above usage graph for the Turing system shows that Turing was reasonably utilised during September.

Fine tuning of the CfS scheduling system will continue to ensure minimal wasting of PE resource, in order to fit in a number of different sized jobs (e.g. 32, 64, 128, 256) thus facilitating maximised job throughput.

In particular, Turing will continue to start large jobs above 256 PEs, including 512 PEs, when they are queued subject to the overall workload.


4.2 SGI Origin2000 System (Fermat)

The usage of the Origin system was low. The groups most heavily using the Fermat system are, CSN001 (De Cuevas), CSE061 (Imregun), and CSN003 (Steenman-Clark).




The above graph shows the variable utilisation of the Origin 128. As interactive usage was removed from Fermat at the beginning of March, Fermat is now a dedicated batch system.

4.3 SGI Origin300 System (Wren)



The above graph shows the utilisation of the SGI system Wren for the month of September. Wren has taken over from Fermat as the interactive machine. A runaway process which had been running since 10th August was responsible for the peak on September 9th when it was terminated.


4.4 SGI Origin3000 System (Green)




The above graph shows the utilisation of Green for the month of September, which was below Baseline.

4.5 Disk/HSM Usage Chart

The graphs below show current disk and HSM allocations and usage.





The above graph shows actual usage on average against the current allocation of disk on the Turing system.



Shown above is the disk allocation against usage on average of the disk on Fermat.


This graph shows the disk allocation against usage on average of the new SAN High Volume (HV) disk.





The above graph shows the total usage of the HSM facility by Research Council.


The next graph gives actual usage of HSM by Consortia.



CSE085 (Sandham), CSN001 (De Cuevas), CSN003 (Steenman-Clark), CSN015 (Proctor) & CSN036 (Woolf) were the major users of HSM resource.


4.6 Processor Usage and Job Statistics Charts

Job statistics for Turing:





The above graph shows the number of jobs of the major sizes run in the period 1st to 30th September 2003.

Job statistics for Green:





The above graph shows the number of jobs of the major sizes run in the period 1st to 30th September 2003.

The next graph shows the wait times in hours on Turing for the major categories of jobs.




The chart above shows the average wait time trend on Turing over the last 12 months.


The next graph shows the wait times in hours on Green for the major categories of jobs:




The chart above shows the average wait time trend on Green for the last 12 month period.




The greatest workload on Turing for September was in the PE range >256 with 77% of the total usage.




The greatest percentage of workload on Green was in the 129 to 256 PE range at 71% of total usage.




The greatest proportion of work on Fermat for September was in the 17 to 32 PE range at 54% of the total usage.



Turing PE usage is shown by Research Council during the past 12 months of service in the above chart.



The above chart shows Green CPU usage by Research Council during the past 12 months of service.




Origin 2000 CPU usage is shown by Research Council during the past 12 months of service in the above chart.


4.7 Class 2 & 3 Usage Charts

The next series of charts show the usage of the system by the class 2 & class 3 users. The usage is shown by project and identifies the Research Council of the individual projects.


There is currently no PE usage of the Turing system by class 2 and class 3 users.




The above chart shows the CPU usage of the Fermat system by class 2 and class 3 users.



The above chart shows the CPU usage of Green by class 2 and class 3 users.



The above chart shows the most significant disk allocations on the Turing system for class 2 and class 3 users.




The above chart shows the most significant disk allocations on the Fermat system for class 2 and class 3 users. There is currently no HSM usage by class 2 and class 3 users.


4.9 Charts of Historical Usage


In all the Usage Charts, the baseline varies dependant on the number of days in each month, within a 365-day year.

The graph below shows the GFLOP Year utilisation on Turing and Fermat by Research Council for the previous 12 months.




The graph below shows the historic SMP/MPP usage on the major systems.






The above graph shows the historic interactive usage of the 'baseline' Fermat system (equivalent to 16@250Mhz CPUs) up to the end of February 2003, at which point the interactive usage was transferred to Wren and Fermat became a batch-only system. Eight of the higher speed 500Mhz CPUs in the Origin 300 system (Wren) deliver the baseline capacity equivalent to that which was previously available on Fermat for interactive usage.

The next series of graphs illustrates the usage of the disk and HSM resources of the system.




The preceding graph illustrates the historic allocation of the High Performance Disk on Turing.



The graph above illustrates the historic allocation of the Medium Performance Disk on Fermat.

The graph below shows the historic HSM usage by Research Council funded projects, now above Baseline at 48 Terabytes. The primary usage is for NERC.



4.8 Guest System Usage Charts

There is currently no Guest System usage.

5. Capability Incentives

Capability incentives are already given on the T3E system Turing for jobs of 512 PEs and above. In July 2003 it was announced that discounts for capability jobs available on all CSAR systems had been approved to include the SGI Origin 3000 system (Green) and the forthcoming SGI Altix 3700 system (Newton).

These capability incentives were agreed with the Research Councils to encourage capability usage of the national supercomputers for greater scientific achievement, and offer the following discounts:

System	No of Processors	Discount
newton	192+ CPUs	15% discount
newton	128+ CPUs	10% discount
green	384+ CPUs	15% discount
green	256+ CPUs	10% discount
turing	512+ CPUs	10% discount

Discounts are given in the form of refunded Service Tokens.

Changes in usage patterns will be monitored and, subject to reviews, CfS reserve the right to change the incentives at any future date.

The following table displays the capability incentive discounts granted for September.

Service Tokens Refunded: September 2003 Usage							
System	Consortia						Total
	cse086	cse075	csb005	csn003			
Turing 512+ PEs	347.38						347.38
Green 256+ PEs			132.63	7.62			140.25
Green 384+ PEs							0
Newton 128+ PEs							0
Newton 192+ PEs							0
Total Tokens							487.63

6. Service Status, Issues and Plans

6.1 Status

The service utilisation in September exceeded baseline.

During the month there was a balanced spread of work across all major systems.

6.2 Issues

There are no issues to report for September.

6.3 Plans

Newton, the new 256P SGI Altix 3700 Itanium-2 system which will become the flagship of the CSAR service, has now been delivered to the Manchester site. Assembly of the machine together with system configuration and acceptance testing took place throughout September paving the way for Newton to enter full service on 1st October.

7. Conclusion

September 2003 saw the overall CPARS rating at Green with the baseline being exceeded by 34.4%.

Continued management attention will be given to maximise the throughput of the Service, whilst balancing as fairly as practicable the shares between Projects and jobs of the varying sizes.

Appendix 1 contains the accounts for September 2003

Appendix 2 contains the Percentage shares by Consortium for September 2003

Appendix 3 contains the Percentage shares by Research Council for September 2003

Appendix 4 contains the Training, Applications and Optimisation support figures to the end of September 2003

Appendix 5 contains a breakdown of resource usage by Consortia to the end of September 2003.

Appendix 6 contains a reference table of the Consortia name, the subject area and the PI name.

Appendix 1

The summary accounts for the month of September 2003 can be found at the URL below

<http://www.csar.cfs.ac.uk/admin/accounts/summary.shtml>

Appendix 2

Percentage PE time per consortia for Turing in September 2003		Percentage CPU time per consortia for Fermat in September 2003	
Consortia	% Machine Time	Consortia	% Machine Time
CSE002	0.00	CSE002	0.00
CSE084	0.13	CSE084	3.97
CSE086	32.02	CSE086	3.17
CSE053	3.62	CSE041	0.00
CSE063	8.01	CSE063	0.00
CSE064	1.64	CSE064	0.20
CSE072	8.18	CSE072	0.00
CSE085	0.44	CSE085	6.15
CSE061	0.00	CSE061	14.48
CSE009	0.00	CSE009	0.00
CSE060	0.00	CSE060	0.00
CSE066	0.00	CSE066	0.00
CSE075	0.00	CSE075	0.00
CSE076	0.00	CSE076	0.00
CSN001	0.00	CSN001	59.77
CSN003	44.39	CSN003	12.14
CSN006	0.01	CSN006	0.00
CSN015	0.27	CSN015	0.00
CSN036	0.00	CS2044	0.13
CSP007	1.29	CSP007	0.00

Percentage CPU time per consortia for Green in September 2003		Percentage CPU time per consortia for Wren in September 2003	
Consortia	% Machine Time	Consortia	% Machine Time
CSE002	0.00	CSE002	0.01
CSE084	0.01	CSE084	0.05
CSE086	0.61	CSE086	1.34
CSE098	0.38	CSE098	0.00
CSE053	0.00	CSE053	0.00
CSE063	0.11	CSE063	0.00
CSE064	3.93	CSE064	0.12
CSE085	10.66	CSE085	0.24
CSE061	0.00	CSE061	0.03
CSE009	0.00	CSE009	0.14
CSE060	0.00	CSE075	0.09
CSE075	0.00	CSE076	0.00
CSE076	0.00	CSN001	1.41
CSN001	13.36	CSN003	94.75
CSN003	28.85	CSN006	1.42
CSN006	5.16	CSN012	0.00
CSN012	4.21	CSN015	0.24
CSN015	3.13	CSN052	0.00
CSN052	0.33	CSB005	0.04
CSB005	27.99	CSP007	0.05
CSP007	0.00	CS2041	0.03
CS2041	0.70	CS2044	0.01
CS3015	0.00	CS3021	0.02

Appendix 2

Percentage disc allocation by Consortia for Turing in September 2003		Percentage disc allocation by Consortia for Fermat in September 2003	
Consortia	%Allocation	Consortia	%Allocation
CSE002	31.19	CSE002	7.60
CSE055	0.13	CSE055	0.00
CSE057	0.05	CSE057	0.00
CSE084	1.59	CSE084	1.53
CSE086	9.88	CSE086	7.65
CSE098	0.00	CSE098	0.23
CSE040	0.03	CSE040	0.38
CSE041	0.06	CSE041	0.07
CSE043	0.06	CSE043	0.07
CSE053	0.40	CSE053	0.46
CSE056	0.00	CSE056	0.11
CSE063	1.32	CSE063	0.00
CSE064	0.03	CSE064	0.07
CSE072	0.26	CSE072	0.00
CSE085	19.83	CSE085	8.43
CSE082	0.00	CSE082	7.66
CSE061	0.26	CSE061	0.15
CSE009	7.08	CSE009	1.53
CSE066	1.54	CSE066	0.45
CSE075	7.75	CSE075	37.09
CSE076	0.13	CSE076	0.42
CSE036	0.03	CSE036	0.01
HPCI Daresbury	0.13	HPCI Daresbury	0.04
HPCI Edinburgh	0.13	HPCI Edinburgh	0.07
CSN001	2.64	CSN001	11.49
CSN003	4.10	CSN003	2.30
CSN006	6.61	CSN006	1.91
CSN012	0.00	CSN012	0.15
CSN015	0.40	CSN015	1.53
CSN036	3.84	CSN036	5.25
CSN052	0.13	CSN052	2.30
CSB005	0.00	CSB005	0.45
CS2037	0.00	CS2037	0.03
CS3015	0.00	CS3015	0.16

Percentage usage of HSM by Consortium for September 2003	
Consortium	% Usage
CSE002	0.16
CSE086	0.03
CSE041	0.24
CSE053	0.04
CSE063	0.55
CSE064	0.06
CSE085	2.13
CSE082	0.00
CSE075	0.49
CSN001	22.39
CSN003	68.71
CSN006	0.01
CSN015	2.84
CSN036	2.32
CSN044	0.02

Appendix 3

<u>Percentage PE usage on Turing by Research Council for September 2003</u>			<u>Percentage CPU usage on Fermat by Research Council for September 2003</u>		
<u>Research Council</u>	<u>% Usage</u>		<u>Research Council</u>	<u>% Usage</u>	
EPSRC	54.04		EPSRC	28.10	
HPCI	0.00		HPCI	0.00	
NERC	44.67		NERC	71.90	
BBSRC	0.00		BBSRC	0.00	
ESRC	0.00		ESRC	0.00	
PPARC	1.29		PPARC	0.00	

<u>Percentage PE usage on Green by Research Council for September 2003</u>			<u>Percentage CPU usage on Wren by Research Council for September 2003</u>		
<u>Research Council</u>	<u>% Usage</u>		<u>Research Council</u>	<u>% Usage</u>	
EPSRC	24.63		EPSRC	2.09	
HPCI	0.00		HPCI	0.00	
NERC	79.88		NERC	97.82	
BBSRC	40.62		BBSRC	0.04	
ESRC	0.00		ESRC	0.00	
PPARC	0.00		PPARC	0.05	

<u>Percentage Disc allocated on Turing by Research Council for September 2003</u>			<u>Percentage Disc allocated on Fermat by Research Council for September 2003</u>		
<u>Research Council</u>	<u>% Allocated</u>		<u>Research Council</u>	<u>% Allocated</u>	
EPSRC	82.02		EPSRC	74.50	
HPCI	0.26		HPCI	0.11	
NERC	17.73		NERC	24.93	
BBSRC	0.00		BBSRC	0.45	
ESRC	0.00		ESRC	0.00	
PPARC	0.00		PPARC	0.00	

<u>Percentage Disc allocated as SAN UHP by Research Council for September 2003</u>			<u>Percentage Disc allocated as SAN HV by Research Council for September 2003</u>		
<u>Research Council</u>	<u>% Allocated</u>		<u>Research Council</u>	<u>% Allocated</u>	
EPSRC	0.00		EPSRC	0.00	
HPCI	0.00		HPCI	0.00	
NERC	0.00		NERC	100.00	
BBSRC	0.00		BBSRC	0.00	
ESRC	0.00		ESRC	0.00	
PPARC	0.00		PPARC	0.00	

<u>Percentage HSM usage by Research Council for September 2003</u>		
<u>Research Council</u>	<u>% usage</u>	
EPSRC	3.70	
HPCI	0.00	
NERC	96.30	
BBSRC	0.00	
ESRC	0.00	
PPARC	0.00	

Appendix 4

The following tables show the training and support resource usage by the consortia in person days to the current month.

Project	PI	Subject	Discipline/ Department	Liaison Officer	Support Bought	Apps Support for Septemb er 2003	Total Apps Support from July 2000	Opt Support for Septemb er 2003	Total Opt Support from July 2000	Total Support Used	Trainin g Bought	Training Used
cse002	Wander, A (Dr)	Support for the UKCP	Physics	Neil Stringfellow	446.7		12.25			144.25	74	3
cse003	Dundas, D (Dr)	HPC Consortiums 98-2000		Martyn Foster	25.27		6		15.5	24.5	10	6
cse004	Sandham, N (Prof)	UK Turbulence		Keith Taylor							2	2
cse006	Briddon, P (Dr)	Covalently Bonded Materials		Kevin Roy	4				4	4		
cse007	Foulkes, M (Dr)	Quantum Many Body Theory		Martyn Foster	4					1	2	2
cse008	Vincent, M (Dr)	Model Chemical Reactivity		Robin Pinning								
cse009	Slater, Ben	HPC Computing Applications in Materials Chemistry	Chemistry	Kevin Roy	275.5		6		3	9	26.5	
cse010	Williams, J (Dr)	Free Surface Flows		Dan Kidger	15.95					15.95		
cse011	Williams, J (Dr)	Open Channel Flood Plains		Dan Kidger	2.18					2.18	1	
cse012												
cse013	Leschziner, M (Prof)	Large Eddy Simulation for Aerospace & Turbomachinery Dynamics	Mechanical Engineering	Mike Pettipher	9						57.5	10
cse014	de Oliverira, C (Dr)	Problems in Nuclear Safety		Dan Kidger	3							
cse016	Cant, S (Dr)	Turbulent Combustion		Keith Taylor								
cse017	Luo, K (Dr)	Large Eddy Simulation & Modelling of Buoyant Plumes & Smoke Spread in Enclosures		Keith Taylor	2.44						5	
cse018	Jaffri, K			Keith Taylor								
cse019	Lander, J (Dr)			Kevin Roy								
cse020				Kevin Roy								
cse021	Staunton, J (Dr)			John Brooke	0.2						1.04	1
cse022	Jones, W P (Prof)			Keith Taylor								
cse023	Allen, M (Prof)			Robin Pinning								
cse024	Allan, R J (Dr)			Ben Jesson	24						300	

cse025	Walet, N R (Dr)			Martyn Foster							2	1.5
cse026	Neal, M (Dr)											
cse027												
cse028												
cse029	Apsley, D D (Dr)			Keith Taylor								
cse030	Desplat, J C (Dr)	High Performance Computing for Complex Fluids	Physics	Andrew Jones	103		21		5	51	31	7
cse031												
cse033	Breard, C (Dr)											
cse034				Kevin Roy								
cse035	Jenkins, S (Dr)	Ab Initio Simulations of Catalytic Processes at Extended Metal Surfaces	Chemistry	Neil Stringfellow								
cse036	Duff, I (Prof)	Research & Development of Algorithms & Software for Large-Scale Linear & Non-Linear Systems	Maths	Adrian Tate								
cse040	Badcock, K (Dr)	Prediction of Non-Linear Flutter Characteristics by Numerical Path Following & Model Reduction	Aerospace Engineering									
cse041	Wu, X (Dr)	Flutter & Noise Generation Mechanisms - Turbomachinery Fan Assemblies	Mechanical Engineering	Keith Taylor	60						5	
cse043	Williams, J (Dr)	Numerical Simulation of Flow over a Rough Bed	Engineering	Neil Stringfellow	4		2		2	4	4	4
cse050	Bradley, D (Prof)	Flame Instabilities: their influence on turbulent combustion & incorporation in mathematical models.	Mechanical Engineering		20						10	
cse051												
cse052	Di Mare, F (Miss)	Heat Transfer in Turbine Combustors	Mechanical Engineering	Jon Gibson	10						25	
cse053	Leschziner, M (Prof)	Coupling RANS Near-Wall Turbulence Models with Large Eddy Simulation Strategies	Aerospace Engineering	Mike Pettipher	15						8	

cse055	Staunton, J (Dr)	Ab-initio theory of magnetic anisotropy in transition metal ferromagnets	Physics	Andrew Jones	5						10	
cse056	Zheng, Y (Dr)	Aerothermalelasticity Modelling of Air Riding Seals for Large Gas Turbines	Mechanical Engineering	Keith Taylor	5						10	
cse057	Evans, R (Dr)	Relativistic Particle Generation from Ultra-Intense Laser Plasma Interactions	Physics	Andrew Jones	20						10	
cse060	Robb, M (Prof)	CCPI Renewal plus falgship project on Car-Parrinello in Chemistry	Chemistry	Neil Stringfellow	10						10	
cse061	Imregun, M (Prof)	Casing treatment modelling for the investigation of stall, flutter and noise mechanisms in turbomachinery compressors.	Mechanical Engineering		5						5	
cse063	Sandham, N (Prof)	Computational Aeroacoustics for Turbulent Plane Jets	Aerospace Engineering	Adrian Tate	30						10	
cse064	Leschziner, M (Prof)	Improvement of predictive performance of anisotropy-resolving turbulence models in post-reattachment recovery region of separated flow using Large Eddy Simulation	Aerodynamics	Mike Pettipher	10						8	
cse066	Coveney, P V (Prof)	New clay-polymer nanocomposites using diversity-discovery methods: synthesis, processing and testing	IT	Neil Stringfellow	21						6	3

cse071	Iacovides (Dr)	The Practical Computation of Three-Dimensional Time-Dependent Turbulent Flows in Rotating Cavities	Mechanical Engineering	Mike Pettipher	5						6	
cse072	Karlin, V (Dr)	Structure & Dynamics of Unstable Premixed Laminar Flames	Engineering	Jon Gibson	18						9	6
cse074	Luo (Dr)	Consortium on Computational Combustion for Engineering Applications	Engineering	Jon Gibson								
cse075	Coveney, PV (Dr)	The Reality Grid - a tool for investigating condensed matter & materials	IT	Neil Stringfellow	14		5			5	14	
cse076	Briddon, P (Dr)	HPC facilities for the first principles simulation of covalently bonded materials	IT	Adrian Tate	20				11	11		
cse077	Kronenburg, A (Dr)	Combustion Model Development for Large-Eddy Simulation of Non-Premixed Reactive Flows.	Mechanical Engineering								2	
cse082	Barakos, G (Dr)	CFD Study of Three-Dimensional Dynamic Shelf	Aerospace Engineering		5						1	
cse084	Needs, R (Dr)	The Consortium for Computational Quantum Many-Body Theory	Physics	Adrian Tate	19							10
cse085	Sandham, N (Prof)	UK Turbulence Consortium	Engineering	Adrian Tate	15						6	6
cse086	Taylor, K (Prof)	Multiphoton, Electron Collisions and BEC HPC Consortium 2002-2004	Physics	Kevin Roy	35				5	5	116	

cse111	Avital, Eldad (Dr)	A numerical study of three dimensional wakes generated by free surface piecing circular cylinders	Engineering									
cse112	Chemysenko, SI (Prof)	Master-mode analysis of the genesis of organized structures in turbulent flows	Engineering									
cse113	Wirth, T (Prof)	Stereoselective Halocyclisations	Chemistry									
cse114	Jiang, X (Dr)	Direct numerical simulation of fuel injection & spray comustion	Engineering									
cse115	De Leeuw, N (dr)	A computational Study of bio-mineralisation: nucleation and growth of bone material on biological templates	Chemistry									
cse116	John, N (Dr)	An advanced environment for enabling visual supercomputing	Visualization									
cse117	Theodoropoulos, K (Dr)	Modelling of Microreactors: An integrated Multi-Scale Approach										
cse118	Gavaghan, David, (Dr)	EPSRC e-Science pilot in Integrative Biology	Biology									
csn001	De Cuevas, B (Mrs)	OCCAM	Ocean/Earth Sciences	Zoe Chaplin	70.5		1		58	61	20	3
csn002	Vincent, Mark (Dr)			Robin Pinning								
csn003	Steenman-Clark, L (Dr)	UGAMP	Meteorology	Zoe Chaplin	4.8				4	1	22.79	22
csn005	Huw Davies, J (Dr)			Funie Costen	27					27	6	6
csn006	Brodholt, J (Dr)		Geological Sciences	Neil Stringfellow								
csn007				Stephen Pickles								
csn008				Michael Bane								
csn009	Proctor, R (Dr)			Michael Bane								
csn010				Kevin Roy	2						5	
csn011	Gray, S L (Dr)											

csn012	Tennyson, J (Prof)	Calculated Absorption by water vapour at near infrared & optical wavelengths	Physics & Astronomy	Andrew Jones								
csn013	Voke, P (Prof)	Large Eddy Simulation Extended by Extreme Value Theory for the Prediction of Dispersion, Concentration Threshold Boundaries & Field Connectivity	Mechanical & Materials Engineering	Keith Taylor								
csn014	Llewellyn Jones (Prof)		Physics & Astronomy	Andrew Jones								
csn015	Proctor, R (Dr)	A Testbed for Zooplankton Models of the Irish Sea	Coastal & Marine Sciences	Zoe Chaplin	20		2		2	10	3	
csn017	Payne, A (Dr)	Stability of the Antarctic Ice Sheet	Geography	Kevin Roy	16				2	2	18	2
csn036	Haines, K (Dr)	Assimilation of Altimeter, Radiometer & in situ data into the OCCAM model. Analysis of water properties & transports	Environmental Science	Zoe Chaplin	2						5	
csn042	Gray, SL (Dr)	Transport & Mixing in Fronts										
csn044	Steenman-Clark, L (Dr)	Earth Observation Project	Meteorology	Zoe Chaplin								
csn049	Srokosz	Climate impact changes in Atlantic Thermohaline										
csn050	Challenor	The probability of rapid climate change										
csn051	Proctor	Ultra-fine scale modeling of the northern North Atlantic Thermohaline										

csn052	Mackay, R (Prof)	Quantifying the scaling of physical transport in structured heterogeneous porous media.	Earth Science	Zoe Chaplin							5	5
csn053	Das, S (Dr)	Rupture History of large earthquakes from analysis of broad band seismograms, and its physical interpretation.	Earth Sciences									
csn054	Thuburn, J (Dr)	An integrated model of Atmospheric Convection	Meteorology									
csn055	Vocadio, L (Dr)	The structure and anisotropy of Earth's inner core	Earth Sciences									
csn056	Hoskins, B (Prof)	Atmospheric water vapour budget & its relevance to the thermohaline circulation.	Meteorology									
csn057	Guilyardi, E (Dr)	Role of salinity in ocean circulation and climate response to greenhouse gas forcing	Atmospheric Modelling									
Csn058	Tudhope, A (Dr)	Improving ability to predict rapid changes in the el nino southern oscillation climatic phenomenon	Atmospheric Modelling									
Csn059	Watson, AJ (Prof)	Circulation, overflow & deep connection in the Nordic seas.	Environmental Science									
csb001	Houldershaw, D (Dr)	Use of Cray T3E for multiple long trajectories of protein unfolding	Crystallography	Zoe Chaplin	6		1.5			3.5	4	2
csb002	Mulholland, A (Dr)			Robin Pinning								
csb003	Carling, J (Dr)										3	
csb005	Haley, C	Genetic Analysis of Complex Traits			10							
csb006	Sansom, M (Prof)	DFT calculations for ion channels and transport proteins	Biochemistry									
csp002	Chapman, S (Dr)				2						8	4
csp003	Ord, S M (Mr)			Stephen Pickles	11.79		10			11	12	12
csp004	Bell, K L (Prof)	A Programme for Atomic Physics for Astrophysics at Queen's University Belfast (2001-2005)	Astronomy	Keith Taylor	7						8	
csp006	Jain, R (Dr)	Numerical Simulation of forced magnetic reconnection in the solar corona	Physics	Jon Gibson							12	
css001	Boyle, P (Dr)			John Brooke							20	
css002	Crouchley, R (Dr)			John Brooke							2.5	2

HPCID	Allan, R (Dr)										1	1
HPCIE	Henty, D (Dr)											
HPCIS	Nicole, D (Dr)											
UKHEC	Allan, R (Dr)	UK HEC Collaboration, Core Support for High-End Computing 1999-2002		Andrew Jones							2	2
cs2001				Stephen Pickles							10	
cs2002				John Brooke	0.25					0.25		
cs2003												
cs2004				Keith Taylor								
cs2005												
cs2006				Mike Pettipher								
cs2007											1	1
cs2008				Robin Pinning	7.91					7.91		
cs2009	Pennington, V (Dr)			Michael Bane								
cs2010												
cs2011	Mallinger, F (Dr)											
cs2012	Qin, N (Prof)										1.5	1.5
cs2014	Karlin, V (Dr)										2	2
cs2015	Tejera Cuesta, P (Mr)			Keith Taylor							3	1.5
cs2016	Miles, J J (Dr)				2							
cs2017	Eisenbach, M (Mr)											
cs2018												
cs2019												
cs2020					1							
cs2021											6	1
cs2022											3	2
cs2023												
cs2024												
cs2026											1	
cs2027					6						4	
cs2028	Annett (Dr)				2						2	
cs2029												
cs2030	McKenna, K (Mr)										1	1
cs2031	Ess											
cs2032	Jain, R (Dr)											
cs2033												
cs2034	De Souza, M M (Dr)	Indium interactions in silicon for future ULSI technologies.	Physics	Jon Gibson								
cs2035	Barakos, G (Dr)	Detached Eddy Simulation of Aerodynamics & Aerocautics of Cavity Flows	Aerospace Engineering	Keith Taylor								
cs2036	Farid, Vakili-Tahami (Mr)	MPI Evaluation	Mechanical Aerospace & Manufacturing Engineering	Jon Gibson	1.7				1	1		

cs2037	Domene, Carmen (Dr)	Ab initio molecular dynamics of ion in membrane proteins											
cs2038	Excell, P (Prof)	Computational Bioelectromagnetic Modelling of Human Cellular Processes for Mobile Phone Safety Research.	Informatics		1								
cs2039	Carlborg (Dr)	Genetic Analysis of Complex Traits	Genetics & Biometry										
cs2040	Costen, F (Mrs)	Impulse radio propagation in a dense multipath & shadowed environment for ultra-wideband communication systems	Computer Science										
cs2041	Filippone, A (Dr)	Numerical study of the 3D obstructed shear-driven cavity flow	Mechanical Aerospace & Manufacturing Engineering										
cs2042	Smeed, DA (Dr)	A temporally continuous high-resolution record of global sea level during the Holocene	Ocean/Earth Science										
cs2043	Theodoropoulos, K (Dr)	Design of Microchannel structures for Microreactor applications	Process integration										
cs2044	Mota-Furtado, F (Dr)	Statistical Properties of Quantum Transport	Maths										
cs3001					6.8							10.45	3
cs3002	Novik, K (Dr)											2	2
cs3003	Chambers, E (Dr)												
cs3004	Avis, N (Prof)			Jo Leng	19							12	1
cs3005	Zarei, B (Mr)			John Brooke	10							5	3
cs3006					4							5	1
cs3007	Finch, E				37		7		5	12		5	
cs3008	Alsberg, B (Dr)				3							13	
cs3009	Flower, D (Dr)				2							3	
cs3010	Kemsley, K (Dr)				4							8	1
cs3012	Austin, J (Prof)				5				3	3		3	2
cs3013	Raval, R (Prof)				2								
cs3014	MacLaren, J (Dr)				2								
cs3015	Hampshire, D (Dr)	High Performance Computational Solutions for the Ginzburg-Landau Equations that describe Flux Pinning in High-Field Superconductors	Physics	Keith Taylor	2							5	
cs3016	Petchey, O (Dr)	Randomisation test for the significance of functional diversity for ecosystem processes	Animal & Plant Sciences	Adrian Tate	2								

cs3017	Gross, M (Mr)	Numerical Simulation of Laser Materials Processing	Engineering		3							
cs3018	Durrant, M (Dr)	Functional modelling of oxalate-degrading enzymes & of lipoxygenase using quantum calculations.	Biology		3						3	
cs3019	Bengough (Dr)	Lattice-Boltzmann simulation of water & solute transport in porous media.	Physics		2							
cs3020	Gajjar	Flow past a circular cylinder at large Reynolds numbers										

The following table shows resource utilisation by Consortia to the end of August 2003.

<p>cs2041 Filippone Last Trade: re-enabled Usage: 2.7 of 10.1 Hour Wren CPU (0.1 of 0.5 G.S.T), 26.9% 6.7 of 0.0 Hour SMP CPU (0.3 of 0.0 G.S.T), 49892.3% 0.0 of 12.5 GByteYear MP Disk (0.0 of 44.5 G.S.T), 0.0% 1494.6 of 1052.6 Hour Green CPU (78.1 of 55.0 G.S.T), 142.0% Total usage for project cs2041 78.5 of 100.0 Generic Service Tokens, 78.5%</p>
<p>cs2042 Smeed Last Trade: Tue Jul 1 11:36:05 2003 Usage: 0.0 of 100.0 Hour Wren CPU (0.0 of 5.0 G.S.T), 0.0% 0.0 of 2300.0 Hour SMP CPU (0.0 of 89.4 G.S.T), 0.0% 0.0 of 1.0 GByteYear MP Disk (0.0 of 3.7 G.S.T), 0.0% Total usage for project cs2042 0.0 of 98.0 Generic Service Tokens, 0.0%</p>
<p>cs2043 Theodoropoulos Last Trade: Thu Jun 12 15:44:00 2003 Usage: 0.0 of 500.0 Hour Wren CPU (0.0 of 24.8 G.S.T), 0.0% 0.0 of 400.0 Hour SMP CPU (0.0 of 15.5 G.S.T), 0.0% 0.0 of 0.6 GByteYear MP Disk (0.0 of 2.2 G.S.T), 0.0% 0.0 of 450.0 Hour Green CPU (0.0 of 23.5 G.S.T), 0.0% Total usage for project cs2043 0.0 of 66.0 Generic Service Tokens, 0.0%</p>
<p>cs2044 Mota-Furtado Last Trade: Mon Sep 1 09:31:11 2003 Usage: 0.0 of 200.0 Hour Wren CPU (0.0 of 9.9 G.S.T), 0.0% 0.0 of 2.2 GByteYear MP Disk SAN (0.0 of 9.4 G.S.T), 0.0% 0.0 of 2000.0 Hour SMP CPU (0.0 of 77.7 G.S.T), 0.0% Total usage for project cs2044 0.0 of 97.0 Generic Service Tokens, 0.0%</p>
<p>cs3015 Hampshire Last Trade: re-enabled Usage: 88.5 of 285.3 Hour Wren CPU (4.4 of 14.1 G.S.T), 31.0% 512.4 of 648.8 Hour SMP CPU (19.9 of 25.2 G.S.T), 79.0% 2.9 of 3.0 GByteYear MP Disk (10.2 of 10.7 G.S.T), 95.7% 8242.0 of 16049.3 Hour Green CPU (430.7 of 838.6 G.S.T), 51.4% 0.0 of 2.0 PersonDay Support (0.0 of 58.8 G.S.T), 0.0% 0.0 of 5.0 Day Training (0.0 of 53.8 G.S.T), 0.0% Total usage for project cs3015 465.2 of 1001.2 Generic Service Tokens, 46.5%</p>
<p>cs3017 Gross Last Trade: Mon Jan 13 10:31:13 2003 Usage: 0.0 of 100.3 Hour Wren CPU (0.0 of 5.0 G.S.T), 0.0% 0.0 of 1.3 Hour SMP CPU (0.0 of 0.1 G.S.T), 0.0% 0.0 of 25.0 GByteYear MP Disk (0.0 of 89.3 G.S.T), 0.0% 0.0 of 6075.3 Hour Green CPU (0.0 of 317.4 G.S.T), 0.0% 0.0 of 3.0 PersonDay Support (0.0 of 88.2 G.S.T), 0.0% Total usage for project cs3017 0.0 of 500.0 Generic Service Tokens, 0.0%</p>
<p>cs3019 Bengough Last Trade: Tue Dec 17 12:55:36 2002 Usage: 0.0 of 360.1 Hour Wren CPU (0.0 of 17.8 G.S.T), 0.0%</p>

0.5 of 10648.7 Hour SMP CPU (0.0 of 413.7 G.S.T), 0.0%
 0.0 of 3.0 GByteYear MP Disk (0.0 of 10.7 G.S.T), 0.0%
 0.0 of 2.0 PersonDay Support (0.0 of 58.8 G.S.T), 0.0%
 Total usage for project cs3019 0.0 of 501.1 Generic Service Tokens, 0.0%

cs3021 Moore

Last Trade: Wed Sep 3 09:02:45 2003

Usage:

0.3 of 999.0 Hour Wren CPU (0.0 of 49.5 G.S.T), 0.0%
 0.0 of 3.6 GByteYear MP Disk SAN (0.0 of 15.5 G.S.T), 0.0%
 0.0 of 2.0 GbyteYear HV Disk SAN /v (0.0 of 3.6 G.S.T), 0.0%
 0.0 of 1.3 Hour SMP CPU (0.0 of 0.0 G.S.T), 0.2%
 2.7 of 7000.0 Hour Green CPU (0.1 of 365.8 G.S.T), 0.0%
 0.0 of 2.0 PersonDay Support (0.0 of 58.8 G.S.T), 0.0%
 Total usage for project cs3021 0.2 of 493.2 Generic Service Tokens, 0.0%

cs3022 Clint

Last Trade: Mon Sep 1 10:11:11 2003

Usage:

0.0 of 3872.0 PEHour MPP PE CPU (0.0 of 93.6 G.S.T), 0.0%
 0.0 of 4.0 GByteYear HP Disk (0.0 of 23.8 G.S.T), 0.0%
 0.0 of 500.0 Hour Wren CPU (0.0 of 24.8 G.S.T), 0.0%
 0.0 of 1.7 GByteYear MP Disk SAN (0.0 of 7.2 G.S.T), 0.0%
 0.0 of 7744.0 Hour Green CPU (0.0 of 404.6 G.S.T), 0.0%
 Total usage for project cs3022 0.0 of 554.0 Generic Service Tokens, 0.0%

csb005 Haley

Last Trade: re-enabled

Usage:

9.8 of 400.0 Hour Wren CPU (0.5 of 19.8 G.S.T), 2.4%
 0.5 of 53.5 GByteYear MP Disk (1.7 of 190.9 G.S.T), 0.9%
 70717.6 of 100000.0 Hour Green CPU (3695.1 of 5225.2 G.S.T), 70.7%
 0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%
 Total usage for project csb005 3697.3 of 5583.0 Generic Service Tokens, 66.2%

CSE001 - Admin users

Last Trade: Fri Oct 8 15:16:30 1999

Usage:

0.0 of 12.4 PEHour MPP PE CPU (0.0 of 0.3 G.S.T), 0.0%
 0.1 of 0.1 GByteYear HP Disk (0.4 of 0.5 G.S.T), 71.9%
 Total usage for project cse001 0.4 of 0.8 Generic Service Tokens, 46.1%

cse009 GR/20607 Catlow

Last Trade: re-enabled

Usage:

1740836.8 of 1738836.8 PEHour MPP PE CPU (42091.2 of 42042.8 G.S.T), 100.1%
 225.8 of 728.3 GByteYear HP Disk (1343.9 of 4335.3 G.S.T), 31.0%
 50.6 of 79.4 Hour Wren CPU (2.5 of 3.9 G.S.T), 63.7%
 52022.5 of 55111.5 Hour SMP CPU (2021.2 of 2141.2 G.S.T), 94.4%
 44.3 of 646.7 GByteYear MP Disk (158.1 of 2309.7 G.S.T), 6.8%
 0.0 of 0.9 GByteYear HSM/Tape (0.0 of 0.6 G.S.T), 0.0%
 254419.1 of 254206.0 Hour Green CPU (13293.9 of 13282.8 G.S.T), 100.1%
 9.0 of 9.5 PersonDay Support (264.7 of 279.4 G.S.T), 94.7%
 0.0 of 0.5 Day Training (0.0 of 5.4 G.S.T), 0.0%
 Total usage for project cse009 59175.6 of 64401.2 Generic Service Tokens, 91.9%

cse040 GR/M84350 Badcock

Last Trade: re-enabled

Usage:

18.9 of 5000.0 PEHour MPP PE CPU (0.5 of 120.9 G.S.T), 0.4%
 0.4 of 6.0 GByteYear HP Disk (2.1 of 35.8 G.S.T), 5.9%
 7.1 of 6.8 GByteYear MP Disk (25.2 of 24.4 G.S.T), 103.4%
 0.0 of 2.5 PersonDay Support (0.0 of 72.2 G.S.T), 0.0%
 0.0 of 6.3 Day Training (0.0 of 68.1 G.S.T), 0.0%

Total usage for project cse040 27.8 of 321.3 Generic Service Tokens, 8.7%

cse041 GR/M84879 Imregun

Last Trade: re-enabled

Usage:

588.6 of 12981.4 PEHour MPP PE CPU (14.2 of 313.9 G.S.T), 4.5%

1.6 of 119.7 GByteYear HP Disk (9.7 of 712.4 G.S.T), 1.4%

171.1 of 78.4 Hour Wren CPU (8.5 of 3.9 G.S.T), 218.2%

1699.2 of 4431.4 Hour SMP CPU (66.0 of 172.2 G.S.T), 38.3%

1.8 of 123.5 GByteYear MP Disk (6.6 of 440.9 G.S.T), 1.5%

222.6 of 230.3 GByteYear HSM/Tape (139.8 of 144.6 G.S.T), 96.7%

0.0 of 60.0 PersonDay Support (0.0 of 1764.7 G.S.T), 0.0%

0.0 of 5.0 Day Training (0.0 of 53.8 G.S.T), 0.0%

Total usage for project cse041 244.8 of 3606.4 Generic Service Tokens, 6.8%

cse050 GR/N/38152 Bradley

Last Trade: re-enabled

Usage:

891.1 of 104742.3 PEHour MPP PE CPU (21.5 of 2532.5 G.S.T), 0.9%

0.0 of 11.0 GByteYear HP Disk (0.0 of 65.5 G.S.T), 0.0%

0.0 of 78.4 Hour Wren CPU (0.0 of 3.9 G.S.T), 0.0%

0.3 of 1200.0 Hour SMP CPU (0.0 of 46.6 G.S.T), 0.0%

0.0 of 4.5 GByteYear HSM/Tape (0.0 of 2.8 G.S.T), 0.0%

0.0 of 20.0 PersonDay Support (0.0 of 588.2 G.S.T), 0.0%

0.0 of 10.0 Day Training (0.0 of 107.5 G.S.T), 0.0%

Total usage for project cse050 21.6 of 3347.1 Generic Service Tokens, 0.6%

cse053 GR/R04225 Leschziner

Last Trade: Tue Apr 8 09:06:47 2003

Usage:

102356.8 of 259557.6 PEHour MPP PE CPU (2474.9 of 6275.8 G.S.T), 39.4%

2.9 of 115.0 GByteYear HP Disk (17.2 of 684.5 G.S.T), 2.5%

2.0 of 78.4 Hour Wren CPU (0.1 of 3.9 G.S.T), 2.5%

73.9 of 13900.0 Hour SMP CPU (2.9 of 540.0 G.S.T), 0.5%

4.1 of 85.0 GByteYear MP Disk (14.6 of 303.6 G.S.T), 4.8%

10.7 of 100.0 GByteYear HSM/Tape (6.7 of 62.8 G.S.T), 10.7%

26395.6 of 29614.9 Hour Green CPU (1379.2 of 1547.4 G.S.T), 89.1%

0.0 of 15.0 PersonDay Support (0.0 of 441.2 G.S.T), 0.0%

0.0 of 8.0 Day Training (0.0 of 86.0 G.S.T), 0.0%

Total usage for project cse053 3895.6 of 9945.2 Generic Service Tokens, 39.2%

cse055 GR/N66810 Staunton

Last Trade: Mon Aug 6 09:05:54 2001

Usage:

8840.4 of 24604.0 PEHour MPP PE CPU (213.7 of 594.9 G.S.T), 35.9%

2.2 of 2.5 GByteYear HP Disk (13.3 of 14.9 G.S.T), 89.1%

0.0 of 3.1 Hour SMP CPU (0.0 of 0.1 G.S.T), 0.0%

0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%

0.0 of 10.0 Day Training (0.0 of 107.5 G.S.T), 0.0%

Total usage for project cse055 227.0 of 864.5 Generic Service Tokens, 26.3%

cse057 GR/R23909 Krushelnick

Last Trade: Fri Sep 7 11:39:20 2001

Usage:

2310.0 of 86751.6 PEHour MPP PE CPU (55.9 of 2097.5 G.S.T), 2.7%

0.9 of 30.0 GByteYear HP Disk (5.1 of 178.6 G.S.T), 2.8%

1.7 of 62.2 Hour SMP CPU (0.1 of 2.4 G.S.T), 2.7%

0.5 of 462.7 Hour Green CPU (0.0 of 24.2 G.S.T), 0.1%

0.0 of 20.0 PersonDay Support (0.0 of 588.2 G.S.T), 0.0%

0.0 of 10.0 Day Training (0.0 of 107.5 G.S.T), 0.0%

Total usage for project cse057 61.0 of 2998.5 Generic Service Tokens, 2.0%

cse060 GR/R17058 Robb

Last Trade: Fri Jul 11 09:24:59 2003

Usage:
 113625.7 of 112507.5 PEHour MPP PE CPU (2747.3 of 2720.3 G.S.T), 101.0%
 0.0 of 2.0 GByteYear HP Disk (0.0 of 11.9 G.S.T), 0.0%
 0.3 of 48.8 Hour Wren CPU (0.0 of 2.4 G.S.T), 0.5%
 0.0 of 2.6 GByteYear MP Disk SAN (0.0 of 11.2 G.S.T), 0.0%
 14254.4 of 12856.5 Hour Green CPU (744.8 of 671.8 G.S.T), 110.9%
 0.0 of 10.0 PersonDay Support (0.0 of 294.1 G.S.T), 0.0%
 0.0 of 10.0 Day Training (0.0 of 107.5 G.S.T), 0.0%
 Total usage for project cse060 3492.2 of 3819.2 Generic Service Tokens, 91.4%

cse061 GR/R42672 Imregun
 Last Trade: Mon Jun 30 09:35:50 2003
 Usage:
 1.0 of 5.0 PEHour MPP PE CPU (0.0 of 0.1 G.S.T), 19.1%
 0.6 of 0.7 GByteYear HP Disk (3.7 of 4.3 G.S.T), 86.7%
 2.5 of 1952.1 Hour Wren CPU (0.1 of 96.7 G.S.T), 0.1%
 0.0 of 10.0 GByteYear HP Disk SAN - /d (0.0 of 59.5 G.S.T), 0.0%
 7927.4 of 50950.6 Hour SMP CPU (308.0 of 1979.5 G.S.T), 15.6%
 0.6 of 65.7 GByteYear MP Disk (2.2 of 234.5 G.S.T), 0.9%
 0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%
 0.0 of 5.0 Day Training (0.0 of 53.8 G.S.T), 0.0%
 Total usage for project cse061 314.0 of 2575.5 Generic Service Tokens, 12.2%

cse063 GR/R46151 Sandham
 Last Trade: Mon Aug 4 11:11:15 2003
 Usage:
 167716.6 of 208701.7 PEHour MPP PE CPU (4055.2 of 5046.1 G.S.T), 80.4%
 18.6 of 100.0 GByteYear HP Disk (110.7 of 595.2 G.S.T), 18.6%
 14.2 of 108.4 Hour Wren CPU (0.7 of 5.4 G.S.T), 13.1%
 168.0 of 62.9 Hour SMP CPU (6.5 of 2.4 G.S.T), 267.2%
 0.0 of 50.0 GByteYear MP Disk (0.0 of 178.6 G.S.T), 0.0%
 138.7 of 525.0 GByteYear HSM/Tape (87.1 of 329.8 G.S.T), 26.4%
 45675.9 of 106427.4 Hour Green CPU (2386.7 of 5561.1 G.S.T), 42.9%
 0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%
 0.0 of 0.0 Day Training (0.0 of 0.0 G.S.T)
 Total usage for project cse063 6646.9 of 11865.6 Generic Service Tokens, 56.0%

cse064 GR/R43570 Leschziner
 Last Trade: Thu Aug 7 10:03:55 2003
 Usage:
 43697.7 of 82039.1 PEHour MPP PE CPU (1056.6 of 1983.6 G.S.T), 53.3%
 0.5 of 15.0 GByteYear HP Disk (2.9 of 89.3 G.S.T), 3.2%
 22.9 of 78.4 Hour Wren CPU (1.1 of 3.9 G.S.T), 29.3%
 11038.7 of 23767.0 Hour SMP CPU (428.9 of 923.4 G.S.T), 46.4%
 0.8 of 33.0 GByteYear MP Disk (2.8 of 117.9 G.S.T), 2.4%
 11.6 of 193.5 GByteYear HSM/Tape (7.3 of 121.6 G.S.T), 6.0%
 29034.4 of 37018.6 Hour Green CPU (1517.1 of 1934.3 G.S.T), 78.4%
 0.0 of 10.0 PersonDay Support (0.0 of 294.1 G.S.T), 0.0%
 2.0 of 8.0 Day Training (21.5 of 86.0 G.S.T), 25.0%
 Total usage for project cse064 3038.1 of 5554.0 Generic Service Tokens, 54.7%

cse066 GR/R30907 Coveney
 Last Trade: re-enabled
 Usage:
 72794.6 of 87981.1 PEHour MPP PE CPU (1760.1 of 2127.3 G.S.T), 82.7%
 17.9 of 90.0 GByteYear HP Disk (106.3 of 535.7 G.S.T), 19.8%
 0.0 of 78.4 Hour Wren CPU (0.0 of 3.9 G.S.T), 0.0%
 2389.1 of 14900.0 Hour SMP CPU (92.8 of 578.9 G.S.T), 16.0%
 17.2 of 18.0 GByteYear MP Disk (61.6 of 64.5 G.S.T), 95.6%
 12184.5 of 64652.8 Hour Green CPU (636.7 of 3378.2 G.S.T), 18.8%
 0.0 of 21.0 PersonDay Support (0.0 of 617.6 G.S.T), 0.0%
 3.0 of 6.0 Day Training (32.3 of 64.5 G.S.T), 50.0%
 Total usage for project cse066 2689.7 of 7370.6 Generic Service Tokens, 36.5%

cse071 GR/R23657 Iacovides

Last Trade: Wed Jul 23 10:08:16 2003

Usage:

0.0 of 223.3 Hour Wren CPU (0.0 of 11.1 G.S.T), 0.0%
 0.0 of 16.6 GByteYear MP Disk SAN (0.0 of 71.4 G.S.T), 0.0%
 0.0 of 42708.5 Hour SMP CPU (0.0 of 1659.3 G.S.T), 0.0%
 0.0 of 46991.9 Hour Green CPU (0.0 of 2455.4 G.S.T), 0.0%
 0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%
 0.0 of 6.0 Day Training (0.0 of 64.5 G.S.T), 0.0%
 Total usage for project cse071 0.0 of 4408.8 Generic Service Tokens, 0.0%

cse072 GR/R66692 Karlin

Last Trade: Sun Jul 27 00:03:56 2003

Usage:

41392.9 of 165052.0 PEHour MPP PE CPU (1000.8 of 3990.7 G.S.T), 25.1%
 0.4 of 6.7 GByteYear HP Disk (2.2 of 40.0 G.S.T), 5.4%
 0.0 of 15.7 Hour Wren CPU (0.0 of 0.8 G.S.T), 0.0%
 0.0 of 163.0 Hour SMP CPU (0.0 of 6.3 G.S.T), 0.0%
 0.0 of 24.0 GByteYear MP Disk (0.0 of 85.7 G.S.T), 0.0%
 0.0 of 84.0 GByteYear HSM/Tape (0.0 of 52.8 G.S.T), 0.0%
 0.0 of 18.0 PersonDay Support (0.0 of 529.4 G.S.T), 0.0%
 6.0 of 9.0 Day Training (64.5 of 96.8 G.S.T), 66.7%
 Total usage for project cse072 1067.5 of 4802.5 Generic Service Tokens, 22.2%

cse074 GR/R66197 Luo

Last Trade: Wed Jan 2 15:22:45 2002

Usage:

0.0 of 15370.1 PEHour MPP PE CPU (0.0 of 371.6 G.S.T), 0.0%
 0.0 of 6.0 GByteYear HP Disk (0.0 of 35.7 G.S.T), 0.0%
 0.0 of 600.0 Hour SMP CPU (0.0 of 23.3 G.S.T), 0.0%
 0.0 of 9.0 GByteYear MP Disk (0.0 of 32.1 G.S.T), 0.0%
 Total usage for project cse074 0.0 of 462.8 Generic Service Tokens, 0.0%

cse075 GR/R67699 Coveney

Last Trade: re-enabled

Usage:

8401.6 of 264758.5 PEHour MPP PE CPU (203.1 of 6401.5 G.S.T), 3.2%
 60.7 of 217.0 GByteYear HP Disk (361.5 of 1291.5 G.S.T), 28.0%
 36.9 of 263.6 Hour Wren CPU (1.8 of 13.1 G.S.T), 14.0%
 21.6 of 350.5 GByteYear MP Disk SAN (92.9 of 1504.4 G.S.T), 6.2%
 6603.7 of 31500.0 Hour SMP CPU (256.6 of 1223.8 G.S.T), 21.0%
 457.5 of 1013.5 GByteYear MP Disk (1634.1 of 3619.6 G.S.T), 45.1%
 247.8 of 1959.4 GByteYear HSM/Tape (155.6 of 1230.8 G.S.T), 12.6%
 105543.6 of 398388.6 Hour Green CPU (5514.9 of 20816.6 G.S.T), 26.5%
 0.0 of 34.0 PersonDay Support (0.0 of 1000.0 G.S.T), 0.0%
 5.0 of 14.0 Day Training (53.8 of 150.5 G.S.T), 35.7%
 Total usage for project cse075 8274.3 of 37251.9 Generic Service Tokens, 22.2%

cse076 GR/R66975 Briddon

Last Trade: Fri Aug 30 09:40:32 2002

Usage:

9437.9 of 4161.1 PEHour MPP PE CPU (228.2 of 100.6 G.S.T), 226.8%
 1.6 of 1.3 GByteYear HP Disk (9.7 of 8.0 G.S.T), 120.9%
 92.8 of 504.6 Hour Wren CPU (4.6 of 25.0 G.S.T), 18.4%
 268169.5 of 267888.9 Hour SMP CPU (10418.8 of 10407.9 G.S.T), 100.1%
 9.3 of 27.2 GByteYear MP Disk (33.2 of 97.1 G.S.T), 34.2%
 254717.4 of 260197.5 Hour Green CPU (13309.5 of 13595.9 G.S.T), 97.9%
 11.0 of 20.0 PersonDay Support (323.5 of 588.2 G.S.T), 55.0%
 0.0 of 53.5 Day Training (0.0 of 575.0 G.S.T), 0.0%
 Total usage for project cse076 24327.6 of 25397.7 Generic Service Tokens, 95.8%

cse077 GR/R69792 Kronenburg

Last Trade: Thu Oct 17 14:11:09 2002

Usage:

0.0 of 400000.6 PEHour MPP PE CPU (0.0 of 9671.5 G.S.T), 0.0%
 0.0 of 22.5 GByteYear HP Disk (0.0 of 134.0 G.S.T), 0.0%

0.0 of 2.0 Day Training (0.0 of 21.5 G.S.T), 0.0%
 Total usage for project cse077 0.0 of 9827.0 Generic Service Tokens, 0.0%

cse082 GR/R79654 Barakos

Last Trade: re-enabled

Usage:

9.9 of 15.7 Hour Wren CPU (0.5 of 0.8 G.S.T), 63.2%
 9174.1 of 9264.7 Hour SMP CPU (356.4 of 359.9 G.S.T), 99.0%
 38.6 of 15.5 GByteYear MP Disk (138.0 of 55.2 G.S.T), 249.8%
 0.1 of 28.7 GByteYear HSM/Tape (0.1 of 18.0 G.S.T), 0.5%
 1446.5 of 1379.8 Hour Green CPU (75.6 of 72.1 G.S.T), 104.8%
 0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%
 0.0 of 1.0 Day Training (0.0 of 10.8 G.S.T), 0.0%
 Total usage for project cse082 570.6 of 663.9 Generic Service Tokens, 85.9%

cse084 GR/R47066 Needs

Last Trade: Tue Aug 12 12:33:28 2003

Usage:

271977.3 of 306225.8 PEHour MPP PE CPU (6576.1 of 7404.1 G.S.T), 88.8%
 23.9 of 270.0 GByteYear HP Disk (142.3 of 1607.1 G.S.T), 8.9%
 189.0 of 672.1 Hour Wren CPU (9.4 of 33.3 G.S.T), 28.1%
 5516.5 of 14384.3 Hour SMP CPU (214.3 of 558.9 G.S.T), 38.4%
 32.8 of 60.6 GByteYear MP Disk (117.2 of 216.5 G.S.T), 54.1%
 80487.5 of 89153.1 Hour Green CPU (4205.6 of 4658.4 G.S.T), 90.3%
 0.0 of 7.0 PersonDay Support (0.0 of 205.9 G.S.T), 0.0%
 0.0 of 6.0 Day Training (0.0 of 64.5 G.S.T), 0.0%
 Total usage for project cse084 11264.8 of 14748.8 Generic Service Tokens, 76.4%

cse085 GR/R64957 Sandham

Last Trade: Wed Sep 17 12:14:02 2003

Usage:

1074805.8 of 1288400.0 PEHour MPP PE CPU (25987.4 of 31151.9 G.S.T), 83.4%
 290.2 of 650.0 GByteYear HP Disk (1727.2 of 3869.0 G.S.T), 44.6%
 0.0 of 1871.1 Hour Newton CPU (0.0 of 286.4 G.S.T), 0.0%
 39.1 of 78.4 Hour Wren CPU (1.9 of 3.9 G.S.T), 49.8%
 3353.4 of 3945.2 Hour SMP CPU (130.3 of 153.3 G.S.T), 85.0%
 211.6 of 750.0 GByteYear MP Disk (755.6 of 2678.6 G.S.T), 28.2%
 1921.5 of 2373.2 GByteYear HSM/Tape (1207.0 of 1490.7 G.S.T), 81.0%
 238619.2 of 689901.3 Hour Green CPU (12468.3 of 36048.8 G.S.T), 34.6%
 0.0 of 15.0 PersonDay Support (0.0 of 441.2 G.S.T), 0.0%
 6.0 of 6.0 Day Training (64.5 of 64.5 G.S.T), 100.0%
 Total usage for project cse085 42342.2 of 76188.3 Generic Service Tokens, 55.6%

cse086 GR/R83118 Taylor

Last Trade: re-enabled

Usage:

872346.1 of 1021498.4 PEHour MPP PE CPU (21092.2 of 24698.5 G.S.T), 85.4%
 112.8 of 162.7 GByteYear HP Disk (671.4 of 968.4 G.S.T), 69.3%
 515.7 of 3262.8 Hour Wren CPU (25.6 of 161.7 G.S.T), 15.8%
 0.0 of 12.9 GByteYear HP Disk SAN - /d (0.0 of 76.8 G.S.T), 0.0%
 0.0 of 46.6 GByteYear HV Disk SAN /v (0.0 of 83.4 G.S.T), 0.0%
 10470.1 of 20173.7 Hour SMP CPU (406.8 of 783.8 G.S.T), 51.9%
 148.5 of 497.0 GByteYear MP Disk (530.3 of 1775.0 G.S.T), 29.9%
 22.7 of 3750.0 GByteYear HSM/Tape (14.2 of 2355.5 G.S.T), 0.6%
 112150.8 of 527900.0 Hour Green CPU (5860.1 of 27583.9 G.S.T), 21.2%
 5.0 of 35.0 PersonDay Support (147.1 of 1029.4 G.S.T), 14.3%
 0.0 of 116.0 Day Training (0.0 of 1247.3 G.S.T), 0.0%
 Total usage for project cse086 28747.6 of 60763.6 Generic Service Tokens, 47.3%

cse086a MP1

Last Trade: never

Usage:

721657.8 of 750000.0 PEHour MPP PE CPU (17448.8 of 18134.0 G.S.T), 96.2%
 7.2 of 10.0 GByteYear HP Disk (42.7 of 59.5 G.S.T), 71.7%
 0.9 of 200.0 Hour Wren CPU (0.0 of 9.9 G.S.T), 0.4%

0.0 of 50.0 Hour SMP CPU (0.0 of 1.9 G.S.T), 0.0%
 8.6 of 10.0 GByteYear MP Disk (30.8 of 35.7 G.S.T), 86.2%
 0.0 of 10000.0 Hour Green CPU (0.0 of 522.5 G.S.T), 0.0%
 Total usage for subproject cse086a 17522.2 of 18763.6 Generic Service Tokens, 93.4%

cse086b MP2

Last Trade: never

Usage:

48448.5 of 56000.0 PEHour MPP PE CPU (1171.4 of 1354.0 G.S.T), 86.5%
 31.0 of 35.0 GByteYear HP Disk (184.3 of 208.3 G.S.T), 88.5%
 122.2 of 200.0 Hour Wren CPU (6.1 of 9.9 G.S.T), 61.1%
 2226.9 of 3000.0 Hour SMP CPU (86.5 of 116.6 G.S.T), 74.2%
 24.5 of 30.0 GByteYear MP Disk (87.7 of 107.1 G.S.T), 81.8%
 107877.9 of 120000.0 Hour Green CPU (5636.8 of 6270.2 G.S.T), 89.9%
 Total usage for subproject cse086b 7172.8 of 8066.2 Generic Service Tokens, 88.9%

cse086d MP4

Last Trade: never

Usage:

0.1 of 0.1 GByteYear HP Disk (0.4 of 0.6 G.S.T), 74.2%
 0.1 of 0.1 GByteYear MP Disk (0.3 of 0.4 G.S.T), 73.6%
 Total usage for subproject cse086d 0.7 of 1.0 Generic Service Tokens, 74.0%

cse086e MP5

Last Trade: never

Usage:

48.8 of 500.0 PEHour MPP PE CPU (1.2 of 12.1 G.S.T), 9.8%
 1.5 of 2.0 GByteYear HP Disk (8.9 of 11.9 G.S.T), 74.8%
 307.0 of 450.0 Hour Wren CPU (15.2 of 22.3 G.S.T), 68.2%
 0.0 of 5.0 GByteYear HV Disk SAN /v (0.0 of 8.9 G.S.T), 0.0%
 5320.1 of 6000.0 Hour SMP CPU (206.7 of 233.1 G.S.T), 88.7%
 9.9 of 15.0 GByteYear MP Disk (35.5 of 53.6 G.S.T), 66.2%
 1571.2 of 20000.0 Hour Green CPU (82.1 of 1045.0 G.S.T), 7.9%
 Total usage for subproject cse086e 349.6 of 1387.0 Generic Service Tokens, 25.2%

cse086f EC1

Last Trade: never

Usage:

71.0 of 5000.0 PEHour MPP PE CPU (1.7 of 120.9 G.S.T), 1.4%
 3.2 of 5.0 GByteYear HP Disk (18.9 of 29.8 G.S.T), 63.4%
 0.8 of 200.0 Hour Wren CPU (0.0 of 9.9 G.S.T), 0.4%
 4.8 of 50.0 Hour SMP CPU (0.2 of 1.9 G.S.T), 9.6%
 17.5 of 20.0 GByteYear MP Disk (62.5 of 71.4 G.S.T), 87.5%
 22.7 of 40.0 GByteYear HSM/Tape (14.2 of 25.1 G.S.T), 56.7%
 0.0 of 10000.0 Hour Green CPU (0.0 of 522.5 G.S.T), 0.0%
 Total usage for subproject cse086f 97.5 of 781.6 Generic Service Tokens, 12.5%

cse086g EC2

Last Trade: never

Usage:

577.0 of 5000.0 PEHour MPP PE CPU (14.0 of 120.9 G.S.T), 11.5%
 35.0 of 40.0 GByteYear HP Disk (208.3 of 238.1 G.S.T), 87.5%
 84.8 of 200.0 Hour Wren CPU (4.2 of 9.9 G.S.T), 42.4%
 493.5 of 550.0 Hour SMP CPU (19.2 of 21.4 G.S.T), 89.7%
 59.1 of 65.0 GByteYear MP Disk (210.9 of 232.1 G.S.T), 90.9%
 0.0 of 50.0 GByteYear HSM/Tape (0.0 of 31.4 G.S.T), 0.0%
 2701.7 of 10000.0 Hour Green CPU (141.2 of 522.5 G.S.T), 27.0%
 Total usage for subproject cse086g 597.7 of 1176.3 Generic Service Tokens, 50.8%

cse086h EC3

Last Trade: never

Usage:

46335.1 of 50000.0 PEHour MPP PE CPU (1120.3 of 1208.9 G.S.T), 92.7%
 5.9 of 10.0 GByteYear HP Disk (35.2 of 59.5 G.S.T), 59.1%

0.0 of 200.0 Hour Wren CPU (0.0 of 9.9 G.S.T), 0.0%
 219.9 of 250.0 Hour SMP CPU (8.5 of 9.7 G.S.T), 87.9%
 14.6 of 20.0 GByteYear MP Disk (52.3 of 71.4 G.S.T), 73.2%
 0.0 of 10000.0 Hour Green CPU (0.0 of 522.5 G.S.T), 0.0%
 Total usage for subproject cse086h 1216.3 of 1882.0 Generic Service Tokens, 64.6%

cse086i EC4

Last Trade: never

Usage:

0.1 of 0.1 GByteYear HP Disk (0.4 of 0.6 G.S.T), 73.6%
 0.1 of 0.1 GByteYear MP Disk (0.3 of 0.4 G.S.T), 73.6%
 Total usage for subproject cse086i 0.7 of 1.0 Generic Service Tokens, 73.6%

cse086j BEC1

Last Trade: never

Usage:

55207.9 of 60000.0 PEHour MPP PE CPU (1334.9 of 1450.7 G.S.T), 92.0%
 1.4 of 3.0 GByteYear HP Disk (8.3 of 17.9 G.S.T), 46.3%
 0.0 of 200.0 Hour Wren CPU (0.0 of 9.9 G.S.T), 0.0%
 0.0 of 0.1 Hour SMP CPU (0.0 of 0.0 G.S.T), 0.2%
 0.3 of 5.0 GByteYear MP Disk (1.0 of 17.9 G.S.T), 5.6%
 0.0 of 1000.0 Hour Green CPU (0.0 of 52.3 G.S.T), 0.0%
 Total usage for subproject cse086j 1344.1 of 1548.6 Generic Service Tokens, 86.8%

cse086k BEC2

Last Trade: never

Usage:

0.1 of 0.1 GByteYear HP Disk (0.4 of 0.6 G.S.T), 73.6%
 0.0 of 200.0 Hour Wren CPU (0.0 of 9.9 G.S.T), 0.0%
 2205.0 of 3500.0 Hour SMP CPU (85.7 of 136.0 G.S.T), 63.0%
 12.7 of 15.0 GByteYear MP Disk (45.4 of 53.6 G.S.T), 84.7%
 Total usage for subproject cse086k 131.5 of 200.1 Generic Service Tokens, 65.7%

cse089 GR/R85556 Wiercigroch

Last Trade: re-enabled

Usage:

0.0 of 8242.8 PEHour MPP PE CPU (0.0 of 199.3 G.S.T), 0.0%
 0.0 of 45.1 GByteYear HP Disk (0.0 of 268.2 G.S.T), 0.0%
 0.0 of 15.0 PersonDay Support (0.0 of 441.2 G.S.T), 0.0%
 0.0 of 7.0 Day Training (0.0 of 75.3 G.S.T), 0.0%
 Total usage for project cse089 0.0 of 984.0 Generic Service Tokens, 0.0%

cse098 GR/S20062 De Souza

Last Trade: Fri Feb 7 10:25:19 2003

Usage:

0.0 of 333000.0 PEHour MPP PE CPU (0.0 of 8051.5 G.S.T), 0.0%
 0.0 of 20.0 GByteYear HP Disk (0.0 of 119.0 G.S.T), 0.0%
 0.0 of 10.0 Hour Wren CPU (0.0 of 0.5 G.S.T), 0.3%
 0.1 of 3975.4 Hour SMP CPU (0.0 of 154.5 G.S.T), 0.0%
 0.9 of 10.0 GByteYear MP Disk (3.3 of 35.7 G.S.T), 9.3%
 0.0 of 100.0 GByteYear HSM/Tape (0.0 of 62.8 G.S.T), 0.0%
 2697.7 of 8500.0 Hour Green CPU (141.0 of 444.1 G.S.T), 31.7%
 0.0 of 5.0 PersonDay Support (0.0 of 147.1 G.S.T), 0.0%
 0.0 of 5.0 Day Training (0.0 of 53.8 G.S.T), 0.0%
 Total usage for project cse098 144.3 of 9069.0 Generic Service Tokens, 1.6%

csehpcx - benchmarking

Last Trade: Tue Sep 16 22:25:53 2003

Usage:

11200.4 of 44743.4 PEHour MPP PE CPU (270.8 of 1081.8 G.S.T), 25.0%
 13.5 of 18.9 GByteYear HP Disk (80.1 of 112.5 G.S.T), 71.2%
 0.0 of 6317.4 Hour Newton CPU (0.0 of 967.1 G.S.T), 0.0%
 0.6 of 1464.1 Hour Wren CPU (0.0 of 72.5 G.S.T), 0.0%
 0.5 of 1867.0 Hour SMP CPU (0.0 of 72.5 G.S.T), 0.0%

5.1 of 56.4 GByteYear MP Disk (18.4 of 201.3 G.S.T), 9.1%
 22093.8 of 46273.2 Hour Green CPU (1154.4 of 2417.9 G.S.T), 47.7%
 Total usage for project csehpcx 1523.7 of 4925.7 Generic Service Tokens, 30.9%

csn001 Webb & GST/02/2846 Killworth & T/S/2001/00187 New
 Last Trade: Mon Sep 29 07:46:24 2003

Usage:
 403672.2 of 403758.5 PEHour MPP PE CPU (9760.3 of 9762.4 G.S.T), 100.0%
 301.9 of 420.3 GByteYear HP Disk (1797.0 of 2501.6 G.S.T), 71.8%
 0.0 of 3266.0 Hour Newton CPU (0.0 of 500.0 G.S.T), 0.0%
 239.8 of 401.8 Hour Wren CPU (11.9 of 19.9 G.S.T), 59.7%
 136652.1 of 209408.6 Hour SMP CPU (5309.1 of 8135.8 G.S.T), 65.3%
 437.4 of 902.2 GByteYear MP Disk (1562.0 of 3222.0 G.S.T), 48.5%
 22932.8 of 28957.7 GByteYear HSM/Tape (14405.0 of 18189.5 G.S.T), 79.2%
 825691.0 of 973632.7 Hour Green CPU (43144.1 of 50874.3 G.S.T), 84.8%
 61.0 of 64.5 PersonDay Support (1794.1 of 1897.1 G.S.T), 94.6%
 3.0 of 15.3 Day Training (32.3 of 164.4 G.S.T), 19.6%
 Total usage for project csn001 77815.7 of 95267.0 Generic Service Tokens, 81.7%

csn003 UGAMP O'Neill

Last Trade: Mon Sep 29 11:43:18 2003

Usage:
 6427449.6 of 8069925.4 PEHour MPP PE CPU (155407.5 of 195120.4 G.S.T), 79.6%
 105.3 of 113.9 GByteYear HP Disk (626.5 of 677.7 G.S.T), 92.4%
 0.0 of 473.8 Hour Newton CPU (0.0 of 72.5 G.S.T), 0.0%
 2225.0 of 2664.9 Hour Wren CPU (110.2 of 132.0 G.S.T), 83.5%
 212.1 of 470.3 GByteYear HV Disk SAN /v (379.4 of 841.4 G.S.T), 45.1%
 39916.0 of 153954.2 Hour SMP CPU (1550.8 of 5981.4 G.S.T), 25.9%
 87.1 of 93.8 GByteYear MP Disk (311.0 of 334.9 G.S.T), 92.9%
 63733.4 of 68625.6 GByteYear HSM/Tape (40033.5 of 43106.5 G.S.T), 92.9%
 233032.8 of 270178.0 Hour Green CPU (12176.4 of 14117.4 G.S.T), 86.3%
 4.0 of 4.8 PersonDay Support (117.6 of 141.1 G.S.T), 83.4%
 22.0 of 22.8 Day Training (236.6 of 245.0 G.S.T), 96.6%
 Total usage for project csn003 210949.6 of 260770.3 Generic Service Tokens, 80.9%

csn006 GR9/3550 Price

Last Trade: re-enabled

Usage:
 1601765.4 of 1674524.0 PEHour MPP PE CPU (38728.6 of 40487.8 G.S.T), 95.7%
 177.8 of 192.2 GByteYear HP Disk (1058.5 of 1144.3 G.S.T), 92.5%
 217.5 of 78.4 Hour Wren CPU (10.8 of 3.9 G.S.T), 277.4%
 70875.9 of 72126.1 Hour SMP CPU (2753.6 of 2802.2 G.S.T), 98.3%
 48.7 of 85.5 GByteYear MP Disk (174.0 of 305.4 G.S.T), 57.0%
 8.6 of 20.3 GByteYear HSM/Tape (5.4 of 12.7 G.S.T), 42.6%
 470895.2 of 626272.8 Hour Green CPU (24605.2 of 32724.0 G.S.T), 75.2%
 Total usage for project csn006 67336.3 of 77480.3 Generic Service Tokens, 86.9%

csn012 NER/A/S/2000/01315 Tennyson

Last Trade: Fri Mar 28 09:40:00 2003

Usage:
 96.8 of 250.1 PEHour MPP PE CPU (2.3 of 6.0 G.S.T), 38.7%
 1.6 of 0.0 Hour Wren CPU (0.1 of 0.0 G.S.T), 332730.1%
 0.0 of 0.0 Hour SMP CPU (0.0 of 0.0 G.S.T), 67.0%
 0.6 of 1.1 GByteYear MP Disk (2.1 of 3.8 G.S.T), 55.7%
 6030.4 of 9518.0 Hour Green CPU (315.1 of 497.3 G.S.T), 63.4%
 Total usage for project csn012 319.6 of 507.1 Generic Service Tokens, 63.0%

csn015 Proctor

Last Trade: re-enabled

Usage:
 256949.3 of 305776.0 PEHour MPP PE CPU (6212.7 of 7393.3 G.S.T), 84.0%
 6.0 of 13.1 GByteYear HP Disk (35.7 of 78.1 G.S.T), 45.7%
 70.4 of 161.9 Hour Wren CPU (3.5 of 8.0 G.S.T), 43.5%
 736.1 of 1562.0 Hour SMP CPU (28.6 of 60.7 G.S.T), 47.1%
 62.2 of 99.3 GByteYear MP Disk (222.1 of 354.5 G.S.T), 62.6%

3302.3 of 5042.3 GByteYear HSM/Tape (2074.3 of 3167.3 G.S.T), 65.5%
 216609.9 of 381860.8 Hour Green CPU (11318.3 of 19953.0 G.S.T), 56.7%
 2.0 of 10.0 PersonDay Support (58.8 of 294.1 G.S.T), 20.0%
 3.0 of 753.0 Day Training (32.3 of 8096.8 G.S.T), 0.4%
 Total usage for project csn015 19986.3 of 39405.8 Generic Service Tokens, 50.7%

csn044 Earth Observation

Last Trade: Wed Aug 28 11:09:50 2002

Usage:

9948.9 of 13857.9 PEHour MPP PE CPU (240.6 of 335.1 G.S.T), 71.8%
 0.0 of 5.0 GByteYear HP Disk (0.0 of 30.0 G.S.T), 0.0%
 0.0 of 28.4 Hour Wren CPU (0.0 of 1.4 G.S.T), 0.0%
 0.2 of 73.9 Hour SMP CPU (0.0 of 2.9 G.S.T), 0.3%
 0.0 of 5.0 GByteYear MP Disk (0.0 of 17.9 G.S.T), 0.0%
 11.4 of 53.8 GByteYear HSM/Tape (7.1 of 33.8 G.S.T), 21.1%
 Total usage for project csn044 247.7 of 421.0 Generic Service Tokens, 58.8%

csn052 GST/02/2658 Mackay

Last Trade: Tue Aug 5 16:21:52 2003

Usage:

3.6 of 5.9 PEHour MPP PE CPU (0.1 of 0.1 G.S.T), 61.4%
 1.4 of 2.0 GByteYear HP Disk (8.2 of 11.9 G.S.T), 69.0%
 4.1 of 9.0 Hour Wren CPU (0.2 of 0.4 G.S.T), 45.0%
 0.0 of 1.0 GByteYear HP Disk SAN - /d (0.0 of 6.0 G.S.T), 0.0%
 0.0 of 0.0 GByteYear MP Disk SAN (0.0 of 0.0 G.S.T), 0.0%
 1.3 of 1.9 Hour SMP CPU (0.1 of 0.1 G.S.T), 71.0%
 12.4 of 17.3 GByteYear MP Disk (44.2 of 61.9 G.S.T), 71.4%
 0.0 of 3.7 GByteYear HSM/Tape (0.0 of 2.3 G.S.T), 0.0%
 12818.9 of 16544.3 Hour Green CPU (669.8 of 864.5 G.S.T), 77.5%
 5.0 of 5.0 Day Training (53.8 of 53.8 G.S.T), 100.0%
 Total usage for project csn052 776.3 of 1001.0 Generic Service Tokens, 77.6%

csp006 PPA/G/S/2001/00050 Browning

Last Trade: Wed Mar 26 11:34:05 2003

Usage:

0.0 of 111.6 Hour Wren CPU (0.0 of 5.5 G.S.T), 0.0%
 0.0 of 20699.4 Hour SMP CPU (0.0 of 804.2 G.S.T), 0.0%
 0.0 of 20.0 GByteYear MP Disk (0.0 of 71.4 G.S.T), 0.0%
 0.0 of 12.0 Day Training (0.0 of 129.0 G.S.T), 0.0%
 Total usage for project csp006 0.0 of 1010.2 Generic Service Tokens, 0.0%

csp007 PPA/G/O/2002/00004 Hibbert

Last Trade: Tue Apr 1 15:29:22 2003

Usage:

17167.6 of 49999.7 PEHour MPP PE CPU (415.1 of 1208.9 G.S.T), 34.3%
 0.0 of 80.0 GByteYear HP Disk (0.0 of 476.2 G.S.T), 0.0%
 17.4 of 600.0 Hour Wren CPU (0.9 of 29.7 G.S.T), 2.9%
 0.0 of 60.0 GByteYear HP Disk SAN - /d (0.0 of 357.1 G.S.T), 0.0%
 0.0 of 600.0 Hour SMP CPU (0.0 of 23.3 G.S.T), 0.0%
 Total usage for project csp007 416.0 of 2095.3 Generic Service Tokens, 19.9%

HPCI Daresbury

Last Trade: Mon Oct 7 10:07:27 2002

Usage:

34683.7 of 34482.9 PEHour MPP PE CPU (838.6 of 833.8 G.S.T), 100.6%
 4.8 of 3.8 GByteYear HP Disk (28.7 of 22.7 G.S.T), 126.5%
 1.9 of 0.0 Hour Wren CPU (0.1 of 0.0 G.S.T), 485194.9%
 4062.9 of 4120.4 Hour SMP CPU (157.8 of 160.1 G.S.T), 98.6%
 2.3 of 1.7 GByteYear MP Disk (8.4 of 6.0 G.S.T), 139.1%
 10817.5 of 10497.3 Hour Green CPU (565.2 of 548.5 G.S.T), 103.1%
 1.0 of 1.0 Day Training (10.8 of 10.8 G.S.T), 99.7%
 Total usage for project hpcid 1609.7 of 1581.9 Generic Service Tokens, 101.8%

HPCI Edinburgh

Last Trade: Wed Jul 11 12:09:29 2001

Usage:

1759.1 of 4070.6 PEHour MPP PE CPU (42.5 of 98.4 G.S.T), 43.2%

4.8 of 4.7 GByteYear HP Disk (28.6 of 28.1 G.S.T), 101.8%

698.4 of 770.8 Hour SMP CPU (27.1 of 29.9 G.S.T), 90.6%

3.7 of 2.8 GByteYear MP Disk (13.3 of 10.0 G.S.T), 132.4%

1728.7 of 1739.8 Hour Green CPU (90.3 of 90.9 G.S.T), 99.4%

Total usage for project hpcie 201.9 of 257.4 Generic Service Tokens, 78.4%

HPCI Southampton

Last Trade: re-enabled

Usage:

737.9 of 5825.0 PEHour MPP PE CPU (17.8 of 140.8 G.S.T), 12.7%

31.7 of 31.6 GByteYear HP Disk (188.9 of 188.2 G.S.T), 100.4%

37.8 of 1074.0 Hour SMP CPU (1.5 of 41.7 G.S.T), 3.5%

3.1 of 3.0 GByteYear MP Disk (11.2 of 10.7 G.S.T), 104.6%

Total usage for project hpcis 219.4 of 381.5 Generic Service Tokens, 57.5%

Project	PI Name	Subject	Discipline/Department
cse002	Wander, A (Dr)	Support for the UKCP	Physics
cse003	Dundas, D (Dr)	HPC Consortiums 98-2000	
cse004	Sandham, N (Prof)	UK Turbulence	
cse006	Briddon, P (Dr)	Covalently Bonded Materials	
cse007	Foulkes, M (Dr)	Quantum Many Body Theory	
Cse008	Vincent, M (Dr)	Model Chemical Reactivity	
cse009	Slater, Ben	HPC Computing Applications in Materials Chemistry	Chemistry
cse010	William, J (Dr)	Free Surface Flows	
cse011	William, J (Dr)	Open Channel Flood Plains	
cse013	Leschziner, M (Prof)	Large Eddy Simulation for Aerospace & Turbomachinery Dynamics	Mechanical Engineering
cse014	De Oliverira, C (Dr)	Problems in Nuclear Safety	
cse016	Cant, S (Dr)	Turbulent Combustion	
cse017	Luo, K (Dr)	Large Eddy Simulation & Modelling of Buoyant Plumes & Smoke Spread in Enclosures	
cse018	Jaffri, K		
cse019	Lander, J (Dr)		
cse021	Staunton, J (Dr)		
cse022	Jones, WP (Prof)		
cse023	Allen, M (Prof)		
cse024	Allan, RJ (Dr)		
cse025	Walet, NR (Dr)		
cse026	Neal, M (Dr)		
cse029	Apsley, DD (Dr)		
cse030	Desplat, JC (Dr)	High Performance Computing for complex Fluids	Physics
cse033	Breard, CC (Dr)		
cse035	Jenkins, S (Dr)	Ab Initio Simulations of Catalytic Processes at Extended Metal Surfaces	Chemistry
cse036	Duff, I (Prof)	Research & Development of Algorithms & Software for Large-Scale Linear & Non-Linear Systems	Maths
cse040	Badcock, K (Dr)	Prediction of Non-Linear Flutter Characteristics by Numerical Path Following & Model Reduction	Aerospace Engineering
cse041	Wu, X (Dr)	Flutter & Noise Generation Mechanisms - Turbomachinery Fan Assemblies	Mechanical Engineering
cse042	Leschziner, M (Prof)		
cse043	Williams, J (Dr)	Numerical Simulation of Flow over a Rough Bed	Engineering
cse050	Bradley, D (Prof)	Flame Instabilities: their influence on turbulent combustion & incorporation in mathematical models.	Mechanical Engineering
cse052	Di Mare, F (Miss)	Heat Transfer in Turbine Combustors	Mechanical Engineering
cse053	Leschziner, M (Prof)	Coupling RANS Near-Wall Turbulence Models with Large Eddy Simulation Strategies	Aerospace Engineering
cse055	Staunton, J (Dr)	Ab-initio theory of magnetic anisotropy in transition metal ferromagnets	Physics
cse056	Zheng, Y (Dr)	Aerothermalelasticity Modelling of Air Riding Seals for Large Gas Turbines	Mechanical Engineering
cse057	Evans, R (Dr)	Relativistic Particle Generation from Ultra-Intense Laser Plasma Interactions	Physics
cse059	Cross, (Prof)		

cse060	Robb, M (Prof)	CCP1 Renewal plus falgship project on Car-Parrinello in Chemistry	Chemistry
cse061	Imregun, M (Prof)	Casing treatment modelling for the investigation of stall, flutter and noise mechanisms in turbomachinery compressors.	Mechanical Engineering
cse063	Sandham, N (Prof)	Computational Aeroacoustics for Turbulent Plane Jets	Aerospace Engineering
cse064	Leschziner, M (Prof)	Improvement of predictive performance of anisotropy-resolving turbulence models in post-reattachment recovery region of separated flow using Large Eddy Simulation	Aerodynamics
cse065	Williams, J (Dr)		
cse066	Coveney, P V (Prof)	New clay-polymer nanocomposites using diversity-discovery methods: synthesis, processing and testing	IT
cse067	Williams, J (Dr)		
cse068	Bressloff		
cse069	Lou (Dr)		
cse071	Iacovides (Dr)	The Practical Computation of Three-Dimensional Time-Dependent Turbulent Flows in Rotating Cavities	Mechanical Engineering
cse072	Karlin, V (Dr)	Structure & Dynamics of Unstable Premixed Laminar Flames	Engineering
cse073	Alavi		
cse074	Luo (Dr)	Consortium on Computational Combustion for Engineering Applications	Engineering
cse075	Coveney, PV (Prof)	The Reality Grid - a tool for investigating condensed matter & materials	IT
cse076	Briddon, P (Dr)	HPC facilities for the first principles simulation of covalently bonded materials	IT
cse077	Kronenburg, A (Dr)	Combustion Model Development for Large-Eddy Simulation of Non-Premixed Reactive Flows.	Mechanical Engineering
cse078	Staunton		
cse080	Gao		
cse081	Hickey		
cse082	Barakos, G (Dr)	CFD Study of Three-dDimensional Dynamic Shelf	Aerospace Engineering
cse084	Needs, R (Dr)	The Consortium for Computational Quantum Many-Body Theory	Physics
cse085	Sandham, N (Prof)	UK Turbulence Consortium	Engineering
cse086	Taylor, K (Prof)	Multiphoton, Electron Collisions and BEC HPC Consortium 2002-2004	Physics
cse087	Williams, J (Dr)		
cse088	Coleman		
cse089	Wiercigroch, M (Dr)	Nonlinear Dynamics & Rock Contact Fracture Mechanics in Modelling of Vibration Enhanced Drilling	Engineering
cse090	Imregun, M (Prof)		
cse091	Avital		
cse092	Allen		
cse093	Williams, J (Dr)		
cse094	John		

cse095	Barford		
cse096	Lo		
Cse097	Hickey		
cse098	De Souza, M M (Dr)	Indium interaction in silicon for ULSI technologies	Physics
cse099	Williams, J (Prof)		
cse100	Gao, S (Dr)	Dev of Novel Aerodynamic Lenses for Focusing Nanoparticle Beams	Engineering
cse101	Jiang (Dr)	Direct Numerical Simulation of Fuel-Air Mixing with Passive Flow Control of Diesel Combustion.	Mechanical Engineering
cse102	Williams, J (Prof)	Numerical Modelling of Flow around Bridge Piers	Engineering
cse103	Neil, M P (Prof)	Simulation and Modelling of liquid crystal mesophases linked to the design of molecular and material properties.	Mathematics
cse104	Greaves, D M (Dr)	CFD Modelling of free surface waves driven by moving bodies using adaptively refined cut cell hierarchical grids	
cse105	Chemysenko, S I (Prof)	Optimal database of the direct numerical simulation of turbulent channel flow	Aerodynamics & Flight Mechanics
cse106	Augarde (Dr)	Parametric Studies of multiple tunnels	Engineering
cse107	Hicks, MA (Dr)	Parallel Finite Elements for Stochastic Analysis	Engineering
cse108	Holden, AV (Prof)	Large-scale parallelisation of electro-physiological & mechanical cardiac virtual tissues.	Biomedical Sciences
cse109	Allen, M (Prof)	University of Warwick New HPC Project	Physics
cse110	Leach, SA (Dr)	Application of HE Computing to Develop Complex Stochastic Models to aid Public Health & National Operational Responses to Infectious Disease Threats.	
cse111	Avital, Eldad 9Dr	A numerical study of three dimensional wakes generated by free surface piecing circular cylinders	Engineering
cse112	Chemysenko, SI (Prof)	Master-mode analysis of the genesis of organized structures in turbulent flows.	Engineering - Aerodynamics
cse113	Wirth, T (Prof)	Stereoselective Halocyclisations	Chemistry
cse114	Jiang, X (Dr)	Direct numerical simulation of fuel injection & spray combustion	Engineering
cse115	De Leeuw, N (dr)	A computational study of bio-mineralisation: nucleation and growth of bone material on biological templates	
cse116	John, N (Dr)	An Advanced environment for enabling visual supercomputing	
cse117	Theodoropoulos, K (Dr)	Modelling of Microreactors: An integrated Multi-scale Approach	
cse118	Gavaghan, David (Dr)	EPSRC e-science pilot in Integrative Biology	
csn001	De Cuevas, B (Mrs)	OCCAM	Ocean/Earth Sciences
csn002	Vincent, Mark (Dr)		
csn003	Steenman-Clark, L (Dr)	UGAMP	Meteorology
csn005	Huw Davies, J (Prof)		
csn006	Brodholt, J (Dr)	HPC for Mineral Physics	Geological Sciences
csn009	Proctor, R (Dr)		
csn011	Gray, SL (Dr)		
csn012	Tennyson, J (Prof)	Calculated Absorption by water vapour at near infra-red & optical wavelengths	Physics & Astronomy
csn013	Voke, P (Prof)	Large Eddy Simulation Extended by Extreme Value Theory for the Prediction of Dispersion, Concentration Threshold Boundaries & Field Connectivity	Mechanical & Materials Engineering
csn014	Llewellyn Jones (Prof)	Data Assimilation scheme to optimize info on the surface-atmosphere interface from satellite observations of Top-of-the Atmosphere Brightness Temp.	Physics & Astronomy
csn015	Proctor, R (Dr)	A Testbed for Zooplankton Models of the Irish Sea	Coastal & Marine Sciences
csn017	Payne, A (Dr)	Stability of the Antarctic Ice Sheet	Geography
csn029	Allen, MR (Dr)		
csn030	New		
csn031	Richards		
csn032	Sutton		
csn033	Saunders		
csn035	Robinson		
csn036	Liu, C (Dr)	Assimilation of Altimeter, Radiometer & in situ data into the OCCAM model. Analysis of water properties & transports	Environmental Science
csn038	Oppenheimer		
csn039	Beven		
csn040	Slingo		
csn041	Lawrence		
csn042	Gray, SL (Dr)	Transport & Mixing in Fronts	
csn043	Haines		

csn044	Steenman-Clark, L (Dr)	Earth Observation Project	Meteorology
csn045	Singo		
csn046	Aitken		
csn047	Gubbins		
csn048	Brodholt		
csn049	Srokosz	Climate impact changes in Atlantic Thermohaline.	
csn050	Challenor	The Probability of rapid climate change	
csn051	Proctor	Ultra-fine scale modeling of the northern North Atlantic Thermohaline.	
csn052	Xie, Z (Dr0)	Quantifying the scaling of physical transport in structured heterogeneous porous media	Earth Sciences
csn053	Das, S (Dr)	Rupture History of large earthquakes from analysis of broad band seismograms, and its physical interpretation.	Earth Sciences
csn054	Thuburn, J (Dr)	An Integrated Model of Atmospheric Convection	Meteorology
csn055	Vocadlo, L (Dr0)	The structure and anisotropy of Earth's inner core.	Earth Sciences
csn056	Hoskins B (Prof)	Atmospheric water vapour budget & its relevance to the thermohaline circulation	Meteorology
csn057	Guilyardi, E (Dr)	Role of salinity in ocean circulation and climate response to greenhouse gas forcing.	Atmospheric Modelling
csn058	Tudhope, A (Dr)	Improving ability to predict rapid changes in the el nino southern oscillation climatic phenomenon	Atmospheric Modelling
csn059	Watson, AJ (Prof)	Circulation, overflow & deep connection in the Nordic seas.	Environmental Sciences
csb001	Houldershaw, D (Dr)	Use of Cray T3E for multiple long trajectories of protein unfolding	Crystallography
csb002	Mulholland, A (Dr)		
csb003	Carling, J (Dr)		
csb004	Greenall		
csb005	Haley	Genetic Analysis of Complex Traits	
csb006	Sansom, M (Prof)	DFT calculations for ion channels and transport proteins	Biochemistry
esp002	Chapman, S (Dr)		
esp003	Ord, SM (Mr)		
esp004	Bell, K L (Prof)	A Programme for Atomic Physics for Astrophysics at Queen's University Belfast (2001-2005)	Astronomy
esp005	Chapman		
esp006	Jain, R (Dr)	Numerical Simulation of forced magnetic reconnection in the solar corona	Physics
esp007	Scott, P (Dr)	A Programme for Atomic Physics for Astrophysics at Queens University Belfast (2001-2005)	Astronomy
css001	Boyle, P (dr)		
css002	Crouchley, R (Dr)		
HPCID	Allan, R (Dr)		
HPCIE	Henty, D (Dr)		
HPCIS	Nicole, D (Dr)		
UKHEC	Allan, R (Dr)	UK HEC Collaboration, Core Support for High-End Computing 1999-2002	
cs2009	Pennington, V (Dr)		
cs2011	Mallinger, F (Dr)		
cs2012	Qin, N (Prof)		
cs2014	Karlin, V (Dr)		
cs2015	Tejera Cuesta, P (Mr)		
cs2016	Miles, JJ (Dr)		
cs2017	Eisenbach, M (Mr)		
cs2028	Annett (dr)		
cs2030	McKenna, K (Mr)		
cs2031	Ess		
cs2032	Jain, R (Dr)		
cs2034	Chichkine, M (Mr)	Indium interaction in silicon for future ULSI technologies	Physics
cs2035	Barakos, G (Dr)	Detached Eddy Simulation of Aerodynamics & Aeroautics of Cavity Flows	Aerospace Engineering
cs2036	Farid, Vakili-Tahami (Mr)	MPI Evaluation	Mechanical Aerospace & Manufacturing Engineering
cs2037	Domene, Carmen (Dr)	Ab initio molecular dynamics of ion in membrane proteins	
cs2038	Excell, P (Prof)	Computational Bioelectromagnetic Modeling of Human Cellular Processes for Mobile Phone Safety Research	Informatics
cs2039	Carlborg (Dr)	Genetic Analysis of Complex Traits	Genetics & Biometry
cs2040	Costen, F (Mrs)	Impulse radio propagation in a dense multipath & shadowed environment for ultra-wideband communication systems	Computer Science
cs2041	Filippone, A (Dr)	Numerical Study of the 3D obstructed shear-driven cavity flow.	Mechanical Aerospace & Manufacturing Engineering
cs2042	Smeed, DA (Dr)	A temporally continuous high-resolution record of global sea level during the Holocene.	Ocean/Earth Sciences
cs2043	Theodoropoulos, K (Dr)	Design of microchannel structures for microreactor applications	Process Intewgration
cs2044	Mota-Furtado, F (Dr)	Statistical Properties of Quantum Transport	Maths
cs3002	Novik, K (-Dr)		

cs3003	Chambers, E (Dr)		
cs3004	Avis, N (Prof)		
cs3005	Zarei, B (Mr)		
cs3007	Finch, E		
cs3008	Alsberg, B (Dr)		
cs3009	Flower, D (Dr)		
cs3010	Kemsley, K (Dr)		
cs3012	Austin, J (Dr)		
cs3013	Raval, R (Prof)		
cs3014	MacLaren, J (Dr)		
cs3015	Hampshire, D (Dr)	High Performance Computational Solutions for the Ginzburg-Landau Equations that describe Flux Pinning in High-Field Superconductors	Physics
cs3016	Petchey, O (Dr)	Randomisation test for the significance of functional diversity for ecosystem processes	Animal & Plant Sciences
cs3017	Gross, M (Mr)	Numerical Simulation of Laser Materials Processing	Engineering
cs3018	Durrant, M (Dr)	Functional modelling of oxalate-degrading enzymes & of lipoxygenase using quantum calculations.	Biology
cs3019	Bengough (Dr)	Lattice-Boltzmann simulation of water & solute transport in porous media.	Physics
Cs3020	Gajjar	Flow past a circular cylinder at large Reynolds numbers	
cs4001	White P		
cs4002	Cooper A (Miss)		